GROWMARK, INC.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	FS Max Contact™
Manufactured for:	Growmark, Inc.
	1701 Towanda Ave.
	Bloomington, IL 61701
Product Use:	Drift Reduction Technology
Emergency telephone number:	(Chemtrec Information 24 hours) (800) 424-9300
Customer Service, call:	(847) 596-3001

2. HAZARDS IDENTIFICATION

GHS Classification:

Eye Irritation, Category 2B, H320

Signal Word: Warning

Hazard Statements:

H320: Causes eye irritation.

Precautionary Statements:

Prevention

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash protective equipment and work clothes thoroughly after handling.

Response

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	CAS Number	<u>Weight %</u>
Ammonium sulfate	7783-20-2	25-35
Methyl alcohol	67-56-1	<3
Surfactants	Proprietary	1-5

4. FIRST AID MEASURES

IF SWALLOWED: Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any fluids to an unconscious person. Treat symptomatically.

- IF ON SKIN: Wash affected area with plenty of soap and water. Cold water may be used. If skin irritation occurs: Get medical advice or attention.
- IF INHALED: Move person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

IF EXPOSED AND CONCERNED: Call a POISON CENTER/doctor or Chemtrec.

Medical Conditions Aggravated by Overexposure: Repeated or prolonged exposure is not known to aggravate medical condition. Other Effects: This product is not a carcinogen by NTP, OSHA and ACGIH.

GROWMARK, INC.

5. FIREFIGHTING MEASURES

Suitable Extinguishing media: Water spray, foam, CO₂ or dry chemicals may be used in areas where product is stored. Specific Hazards: Burning may produce oxides of nitrogen and carbon and other hazardous substances.

PPE and Precautions: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill: Stop the flow of material, if this is without risk. Wear protective equipment as referenced in Section 8. Recover free liquid. Control spill with adsorbent pads or booms. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal. Product is slippery under foot; flush smooth surfaces thoroughly.

Disposal: Product is slippery under foot; flush smooth surfaces thoroughly. Dispose of collected waste in accordance with federal, state and local regulations. See Section 13 for disposal considerations.

7. HANDLING AND STORAGE

Precautions to be Taken in Handling: Keep container sealed when not in use. Safety goggles and eyewash recommended. USDAaccepted nitrile (CFR-20) or neoprene rubber (CFR-21) recommended. Wear appropriate clothing to prevent repeated or prolonged skin contact.

Precautions to be Taken in Storage: Product should be stored in a dry place. Do not store together with food, beverage and animal feed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

per ANSI Z358.1-2009.

Component Exposure Limits:	Methyl alco	ohol (67-56-1)
	ACGIH:	200 ppm TWA
		250 ppm STEL
		Skin - potential significant contribution to overall exposure by the cutaneous route
	OSHA:	200 ppm TWA; 260 mg/m3 TWA
		250 ppm STEL; 325 mg/m3 STEL
		Prevent or reduce skin absorption
	NIOSH:	200 ppm TWA; 260 mg/m3 TWA
		250 ppm STEL; 325 mg/m3 STEL
		Potential for dermal absorption

Note: When selecting personal protective equipment and clothing, follow all of the manufacturer specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or processed.

Eye/Face Protections: Wear protective eyewear. Contact lenses should not be worn when working with chemicals.
Skin Protection: Wear chemical-resistant gloves, long-sleeved shirt, pants, socks and shoes to minimize skin contact. As precautions, wash hands and face with mild soap and water before eating, drinking, smoking or using restroom. After each shift, clean all protective equipment, wash work clothes, and shower.
Respiratory Protection: General Protection: Eye wash fountains and drench showers should be located within a 10 second walk from the work area

GROWMARK, INC.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Green liquid	UEL:	N/D
Odor:	Bland odor	LEL:	N/D
Odor Threshold:	N/D	Vapor Pressure:	N/D
pH (1% in dist. water):	6.5 ± 0.5	Vapor Density:	N/D
Melting Point:	N/D	Relative Density:	9.974 lbs/gallon
Freezing Point:	N/D	Solubility:	Dispersible in water
Boiling Point:	N/D	Partition Coefficient:	N/D
Flash Point:	N/D	Autoignition Temperature:	N/D
Evaporation Rate:	N/D	Decomposition Temperature:	N/D
Flammability:	Noncombustible	Viscosity	395 cps

10. STABILITY AND REACTIVITY

Stability:	Stable
Possibility of Hazardous Reactions:	Hazardous polymerization will not occur.
Condition to Avoid:	Store within recommended temperature range (see Section 7 above).
Incompatible Materials:	Strong bases, strong acids, oxidizers, chlorates, nitrates.
Hazardous Decomposition Products:	Burning may produce ammonia, oxides of nitrogen and carbon and other hazardous
	substances.

11. TOXICOLOGICAL INFORMATION

No toxicological data is available for this product.		
Component Analysis—LD50/LC50:	Ammonium sulfate (7783-20-2): Oral LD50 Rat 2,000 mg/kg	
	Methyl alcohol (67-56-1): Inhalation LC50 Rat 83.2 mg/L 4 h; Inhalation LC50 Rat 64,000	
	ppm 4 h; Oral LD50 Rat 5,628 mg/kg; Dermal LD50 Rabbit 15,800 mg/kg	
Component Carcinogenicity:	None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP	

12. ECOLOGICAL INFORMATION

Component Analysis - Ecotoxicity - Aquatic Toxicity Ammonium sulfate (7783-20-2) Test & Species 96 Hr LC50 Leuciscus idus 96 Hr LC50 Brachydanio rerio 96 Hr LC50 Brachydanio rerio

Hr LC50 Brachydanio rerio	250 mg/L
Hr LC50 Brachydanio rerio	480 mg/L [flow-through]
Hr LC50 Brachydanio rerio	420 mg/L [semi-static]
Hr LC50 Cyprinus carpio	18 mg/L
Hr LC50 Pimephales promelas	>100 mg/L
Hr LC50 Oncorhynchus mykiss	32.2-41.9 mg/L [flow-through]
Hr LC50 Oncorhynchus mykiss	5.2-8.2 mg/L [static]
Hr LC50 Poecilia reticulata	123-128 mg/L [semi-static]
Hr LC50 Poecilia reticulata	126 mg/L
Hr EC50 Daphnia magna	423 mg/L
Hr LC50 Daphnia magna	14 mg/L

Methyl alcohol (67-56-1)

96 96 96

GROWMARK, INC.

Updated: June 30, 2017 Page **4** of **5**

[ו
[ו

13. DISPOSAL CONSIDERATIONS

Component Waste Numbers:	Methyl alcohol (67-56-1)
Disposal Instructions:	Recycle or rework material if at all possible. Treat at an acceptable waste treatment facility or municipal waste treatment plant after proper testing and approval of waste samples in compliance with applicable federal, state and local environmental regulations.
Container Reuse:	Do not reuse empty container as it may contain product residue. Rinse container thoroughly prior to disposal. Dispose of rinsate and container in accordance with local, state and federal regulations.

14. TRANSPORT INFORMATION

DOT Status (Highway and rail):	Not Regulated
IATA Status (Air):	N/D
Marine Pollutant:	No

15. REGULATORY INFORMATION

SARA HAZARD:	This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4). Methyl alcohol (67-56-1)
	SARA 313: 1.0 % de minimis concentration
	CERCLA: 5,000-lb final RQ; 2,270-kg final RQ
California Prop 65:	WARNING: This product contains a chemical known in the State of California to cause cancer.
	Ethylene oxide
	1,4-Dioxane
	WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.
	Ethylene oxide
	Methanol

State:

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
Ammonium sulfate	7783-20-2	No	Yes	No	No	Yes	No
Methyl alcohol	67-56-1	Yes	Yes	Yes	Yes	Yes	No


WHMIS:

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS #	Minimum Concentration
Ammonium sulfate	7783-20-2	1 %
Methyl alcohol	67-56-1	1 %

GROWMARK, INC.

16. OTHER INFORMATION



Date Prepared: April 2, 2018

WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, GROWMARK, INC. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

N/R—Not Rated

N/D-Not Determined

N/A—Not Applicable

N/E-Not Established

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.