

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 14-Jun-2022 Revision Date 04-Jun-2024 Revision Number 3

### 1. Identification

**Product identifier** 

Product Name GCS Pinoxaden 0.8EC

Other means of identification

**EPA Reg. No.** 94730-29

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use only as directed on product label

Details of the supplier of the safety data sheet

Supplier Address

Generic Crop Science, LLC 1887 Whitney Mesa Drive #9740 Henderson, NV 89014-2069 1-844-200-FARM (3276)

E-mail regulatory@farmersbusinessnetwork.com

Emergency telephone number For Emergency Medical Assistance (Human or Animal) contact Rocky Mountain

Poison Control at 866-767-5040.

For Chemical Emergency Assistance (Spill, Leak, Fire or Accident contact CHEMTREC at 800-424-9300 (North America) or 703-527-3887 (International).

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1A
Reproductive toxicity	Category 1B
Aspiration hazard	Category 1
Flammable liquids	Category 4

### Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

**Danger** 

**Hazard statements** 

\_\_\_\_\_

Combustible liquid.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May damage fertility or the unborn child.
May be fatal if swallowed and enters airways.



### **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/clothing and eye/face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Keep away from flames and hot surfaces. - No smoking.

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Immediately call a doctor.

Do NOT induce vomiting.

In case of fire: Use CO2, dry chemical, or foam to extinguish.

### **Precautionary Statements - Storage**

Store locked up.

Store in a well-ventilated place. Keep cool.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Other information

May be harmful if swallowed. Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

# 3. Composition/information on ingredients

### **Substance**

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Trade secret
Naphtha (petroleum), heavy aromatic	64742-94-5	40 - 50	*
Pinoxaden	243973-20-8	5 - 15	*
Tetrahydrofurfuryl alcohol	97-99-4	10 - 20	*
Hexylene glycol	107-41-5	10 - 20	*
Epoxidized soybean oil	8013-07-8	5 - 10	*

	Fatty alcohol ethoxylate	68131-39-5	1 - < 3	*
Ī	Cloquintocet-mexyl	99607-70-2	1 - < 2.5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

### **Description of first aid measures**

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

> artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed

pulmonary edema may occur.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep Eye contact

> eve wide open while rinsing. Do not rub affected area, Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or

allergic reactions see a physician.

ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Ingestion

> Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person.

Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May

cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

May cause sensitization in susceptible persons. Treat symptomatically. Because of the Note to physicians

danger of aspiration, emesis or gastric lavage should not be employed unless the risk is

justified by the presence of additional toxic substances.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the

Keep product and empty container away from heat and sources of ignition. In the event of chemical

fire, cool tanks with water spray. Product is or contains a sensitizer. May cause

sensitization by skin contact.

Hazardous combustion products Carbon oxides.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure

adequate ventilation. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far Methods for containment

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

# 7. Handling and storage

### Precautions for safe handling

Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, Advice on safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash before reuse. Remove contaminated clothing and shoes.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

# 8. Exposure controls/personal protection

### Control parameters

**Exposure Limits** 

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hexylene glycol	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 25 ppm	Ceiling: 25 ppm
107-41-5	STEL: 10 mg/m <sup>3</sup> inhalable	(vacated) Ceiling: 125 mg/m <sup>3</sup>	Ceiling: 125 mg/m <sup>3</sup>
	particulate matter, aerosol		

only	
only	1
TWA: 25 npm vapor fraction	
TVVA. 25 ppm vapor fraction	

### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing must not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Light brown, Clear liquid

Physical state Liquid
Color Light brown
Odor Aromatic

Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**OH** 4.564

Melting point / freezing point

Initial boiling point and boiling range

No data available
No data available

Flash point 78 °C / 172.4 °F

Evaporation rate No data available

Flammability No data available

Flammability Limit in Air

Upper flammability or explosive limitsNo data availableLower flammability or explosive limitsNo data availableVapor pressureNo data available

Vapor density No data available

Relative density 1.0108 g/mL @ 20°C

Water solubilityNo data availableSolubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data availableDecomposition temperatureNo data availableKinematic viscosityNo data available

**Dynamic viscosity** 27.50 mPa s @20°C

Other information

Explosive properties Not an explosive

Oxidizing properties

Softening point

Molecular weight

VOC Content (%)

Liquid Density

Bulk density

No information available

# 10. Stability and reactivity

**Reactivity** None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

### 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Causes skin irritation. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may

cause skin dryness or cracking.

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Redness. May cause redness and tearing of the eyes.

**Acute toxicity** 

**Numerical measures of toxicity** 

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha (petroleum), heavy	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

aromatic 64742-94-5			
Pinoxaden 243973-20-8	-	> 2000 mg/kg (Rat)	= 5.22 mg/L (Rat)4 h
Tetrahydrofurfuryl alcohol 97-99-4	= 1600 mg/kg (Rat)	-	-
Hexylene glycol 107-41-5	= 3700 mg/kg (Rat)	= 12300 mg/kg ( Rabbit )	-
Epoxidized soybean oil 8013-07-8	= 40 g/kg (Rat)	> 20 mL/kg(Rabbit)	-
Fatty alcohol ethoxylate 68131-39-5	= 1600 mg/kg (Rat)	= 2500 mg/kg ( Rabbit )	-
Cloquintocet-mexyl 99607-70-2	-	> 2000 mg/kg (Rat)	> 935 mg/m³(Rat)4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Target organ effects Respiratory system. Eyes. Skin. Central nervous system.

**Aspiration hazard** May be fatal if swallowed and enters airways.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Naphtha (petroleum), heavy	-	LC50: =19mg/L (96h,	-	EC50: =0.95mg/L (48h,
aromatic		Pimephales promelas)		Daphnia magna)
64742-94-5		LC50: =2.34mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =1740mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =45mg/L (96h,		
		Pimephales promelas)		
		LC50: =41mg/L (96h,		
		Pimephales promelas)		
Tetrahydrofurfuryl alcohol	-	LC50: >101mg/L (96h,	-	-

97-99-4		Oryzias latipes)		
Hexylene glycol	-	LC50: 10500 -	-	EC50: 2700 - 3700mg/L
107-41-5		11000mg/L (96h,		(48h, Daphnia magna)
		Pimephales promelas)		
		LC50: =10000mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =8690mg/L (96h,		
		Pimephales promelas)		
		LC50: =10700mg/L		
		(96h, Pimephales		
		promelas)		
Epoxidized soybean oil	EC50: =8mg/L (72h,	-	-	-
8013-07-8	Desmodesmus			
	subspicatus)			

Persistence and degradability

No information available.

#### Bioaccumulation

**Component Information** 

Chemical name	Partition coefficient
Naphtha (petroleum), heavy aromatic 64742-94-5	6.5
Tetrahydrofurfuryl alcohol 97-99-4	-0.14
Hexylene glycol 107-41-5	0.14
Epoxidized soybean oil 8013-07-8	6.2
Cloquintocet-mexyl	5.24
99607-70-2	5.2
	5.23

Other adverse effects

No information available.

### 13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport information

**DOT** Not regulated as hazardous material in non-bulk containers.

This classification only applies to bulk containers with a capacity of 119 gallons or greater.

ID number NA1993

Proper shipping name Hazard Class(es)

Combustible liquid, N.O.S. (solvent naptha (petroleum), heavy aromatic) Liquid, N.O.S.

Combustible liquid

Packing group
Hazard Label
Marine Pollutant/RQ
None
None

IATA Not regulated in quantities not to exceed 5 liter per individual container.

ID number UN3082

Proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Naptha (petroleum) heavy aromatic,

Pinoxaden)

IATA (cont)

Hazard Class(es) 9
Packing group Hazard III

Label Class 9, Environmentally Hazardous

**IMDG** Not regulated in quantities not to exceed 5 liter per individual container.

ID number UN3082

Proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Naptha (petroleum) heavy aromatic, Pinoxaden)

Hazard Class(es) 9
Packing group Hazard

Label Marine Pollutant/ Class 9, Environmentally Hazardous

Environmentally YES

**Hazardous Substance** 

# 15. Regulatory information

### International Inventories

Contact supplier for inventory compliance status

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Hexylene glycol 107-41-5	X	X	X
Tetrahydrofurfuryl alcohol 97-99-4	-	X	Х

### U.S. EPA Label Information

#### **EPA Pesticide Registration Number** 94730-29

### 16. Other information

NFPA Health hazards 2 Flammability 2 Instability 0 Special hazards - Health hazards 2\* Flammability 2 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 14-Jun-2022

Revision Date 04-Jun-2024

Revision Note Revised Section 14

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**