

Revision date : 2022/01/18 Version: 14.0

Page: 1/13 (30650323/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Green-Shield II

Recommended use of the chemical and restriction on use

Recommended use*: pesticides

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:396171EPA Registration number:10324-94-7969Synonyms:Quaternary ammonium compounds

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Corr./Irrit.	1B	Skin corrosion/irritation
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Revision date : 2022/01/18 Version: 14.0

Pictogram:		
Signal Word: Danger		
Hazard Statement: H314 H400 H410	Causes severe skin burns and eye damage. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
Precautionary Statemer P280	nts (Prevention): Wear protective gloves, protective clothing and eye protection or face protection.	
P273 P260 P264	Avoid release to the environment. Do not breathe dust or mist. Wash contaminated body parts thoroughly after handling.	
Precautionary Statemer P305 + P351 + P338	nts (Response): IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310 P303 + P361 + P353	Immediately call a POISON CENTER or physician. IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P301 + P330 + P331 P391 P363	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Collect spillage. Wash contaminated clothing before reuse.	
Precautionary Statements (Storage): P405 Store locked up.		
Precautionary Statemer P501	nts (Disposal): Dispose of contents and container to hazardous or special waste collection point.	
Hazards not otherwise classified		

Labeling of special preparations (GHS): The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 23 % dermal The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 20 % oral The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 20 % Inhalation - vapour The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 20 % Inhalation - vapour

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Revision date : 2022/01/18 Version: 14.0	Page: 3/13 (30650323/SDS CPA US/EN)
quarternary ammonium compounds, benzyl-C12-18-alkyldimethy	
CAS Number: 68391-01-5 Content (W/W): 10.0 %	
Synonym: Alkyl(C=12-18) benzyldimethylammonium c	hloride

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides CAS Number: 85409-23-0 Content (W/W): 10.0 % Synonym: No data available.

Ethanol

CAS Number: 64-17-5 Content (W/W): 1.0 - 5.0% Synonym: Ethyl alcohol

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Revision date : 2022/01/18 Version: 14.0

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, amine derivatives If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Revision date : 2022/01/18 Version: 14.0

Page: 5/13 (30650323/SDS CPA US/EN)

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Ethanol	ACGIH, US:	STEL value 1,000 ppm;
	OSHA Z1:	PEL 1,000 ppm 1,900 mg/m3;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date : 2022/01/18 Version: 14.0

Page: 6/13 (30650323/SDS_CPA_US/EN)

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Cool:Soap-likeOdour threshold:Not determined due to potential health hazard by inhalation.Colour:approx. 6.5 - 8.5pH value:approx. 2.2 °C)Freezing point:approx. 0 °CInformation applies to the solvent.Boiling range:approx. 100 °CInformation applies to the solvent.Flash point:No flash point - Measurement madeFlash point:No flash point - Measurement madeCower explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 0.9 g/cm3 (20 °C) Information applies to the solvent.Density:-0.31(measured) octanol/water (log Pow):Information con:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideThermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen dioxid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2	Form:	liquid	
Colour: colourless pH value: approx. 65 - 8.5 (pH Meter) (1 %(m), approx. 22 °C) approx. 0 °C Information applies to the solvent. approx. 0 °C Boiling range: approx. 10 °C Information applies to the solvent. (ASTM D56, closed up to the boiling point. Flash point: No flash point - Measurement made up to the boiling point. (ASTM D56, closed up to the boiling point. Flammability: not applicable cup) cup) Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 0.99 g/cm3 (20 °C) Information applies to the solvent. Information applies to the solvent. Density: approx. 0.99 g/cm3 (20 °C) Information coefficient n- octanol/water (log Pow): Literature data. Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen	Odour:	soap-like	
pH value: approx. 6.5 - 8.5 (pH Meter) (1%(m), approx. 22 °C) approx. 0 °C Freezing point: approx. 0 °C Boiling range: approx. 10 °C Information applies to the solvent. Flash point: Flash point: No flash point - Measurement made (ASTM D56, closed up to the boiling point. Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 0.99 g/cm3 (20 °C) Information applies to the solvent. -0.31 (measured) Octor() Information applies to the solvent. Partitioning coefficient not applicable -0.31 (measured) octaroul/water (log Pow): C25 °C) Literature data.		· · ·	
(1 %(m), approx. 22 °C) approx. 0 °C Information applies to the solvent. Boiling range: approx. 0 °C Information applies to the solvent. Flash point: No flash point - Measurement made up to the boiling point. cup) Flammability: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 0.99 g/cm3 (20 °C) Information applies to the solvent. Information applies to the solvent. Density: -0.31 (measured) Partitioning coefficient n- octanol/water (log Pow): -0.31 (measured) C25 °C) Literature data. Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at			(pH Motor)
Freezing point: approx. 0 °C Information applies to the solvent. Boiling range: Boiling range: approx. 10 °C Information applies to the solvent. No flash point - Measurement made (up to the boiling point. (ASTM D56, closed up to the boiling point. Flash point: No flash point - Measurement made (up to the boiling point. (ast of up to the boiling point. (up to the boiling point. Flammability: not applicable As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 0.99 g/cm3 (20 °C) Information applies to the solvent. approx. 0.99 g/cm3 (20 °C) Information goefficient n- octano/water (log Pow): -0.31 (measured) octanol/water (log Pow): carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen dioxide, nitrogen oxide Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen dioxide Viscosity, dynamic: 15 mPa.s	pri value.		(pri Meter)
Information applies to the solvent.Boiling range:approx. 100 °CFlash point:No flash point - Measurement made up to the boiling point.(ASTM D56, closed cup)Flammability:not applicablecup)Lower explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 0.99 g/cm3 (20 °C) Information applies to the solvent.Density:-0.31 (measured) (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D283)	Freezing point:		
Boiling range: approx. 100 °C Flash point: No flash point - Measurement made up to the boiling point. (ASTM D56, closed up to the boiling point. Flammability: not applicable cup) Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 23 hPa (20 °C) Information applies to the solvent. approx. 0.99 g/cm3 (20 °C) Vapour density: -0.31 (measured) Information applicable -0.31 (measured) Partitioning coefficient n- octanol/water (log Pow): carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition, do not overheat. Viscosity, dynamic: 15 mPa.s (ASTM D 2983)	Freezing point.		
Flash point:Information applies to the solvent.Flash point:No flash point - Measurement made up to the boiling point.(ASTM D56, closed up to the boiling point.Flammability:not applicablecup)Lower explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C) Information applies to the solvent.Density:not applicableInformation on: Ethanol Partitioning coefficient n- octanol/water (log Pow):-0.31 (measured)Carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideStable at ambient temperature. If product is heated above decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)	Doiling range		
Flash point: No flash point - Measurement made up to the boiling point. (ASTM D56, closed cup) Flammability: not applicable cup) Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 23 hPa (20 °C) Information applicable -0.31 (20 °C) Vapour density: -0.31 (25 °C) Information goefficient n- octanol/water (log Pow): -0.31 (25 °C) Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition, do not overheat. Viscosity, dynamic: 15 mPa.s	Bolling range.		
Flammability: Lower explosion limit:up to the boiling point. not applicablecup)As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C) Information applicableDensity:approx. 0.99 g/cm3 (20 °C)Vapour density:not applicableInformation on: Ethanol-0.31 (measured) (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition, do not overheat.Viscosity, dynamic:15 mPa.sViscosity, dynamic:15 mPa.s	Floop point:		(ASTM DEG. alacad
Flammability: not applicable Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 23 hPa (20 °C) Information applies to the solvent. Density: Density: not applicable Information applies to the solvent. Density: Information applicable -0.31 (measured) Internation on: Ethanol Partitioning coefficient n- co.31 (measured) octanol/water (log Pow): carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.	Flash point:		•
Lower explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Information on: Ethanol Partitioning coefficient n- octanol/water (log Pow):Carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideThermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideThermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideViscosity, dynamic:15 mPa.s(ASTM D 2983)	Elemente e bilitere		cup)
product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:appropriately and in accordance with the intended use.Vapour pressure:approx. 23 hPa (20 °C) Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density:-0.31 (measured)Information on: Ethanol Partitioning coefficient n- octanol/water (log Pow):-0.31 (carbon monoxide, carbon dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
Composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approprix 23 hPa (20 °C) Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density: Information on: Ethanol Partitioning coefficient n- octanol/water (log Pow):-0.31 (measured)Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen oxideThermal decomposition:carbon monoxide, carbon dioxide, nitrogen oxideViscosity, dynamic:15 mPa.s(ASTM D 2983)	Lower explosion limit:		
hazard as long as the product is used appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C) Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density: Information on: Ethanol Partitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
upper explosion limit:appropriately and in accordance with the intended use.Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Information applies to the solvent.Density:not applicableInformation on: EthanolPartitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Density:approx. 0.99 g/cm3 (20 °C)Vapour density: Information on: Ethanol-0.31 (measured)Partitioning coefficient n- octanol/water (log Pow):-0.31 (measured)Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideViscosity, dynamic:15 mPa.s(ASTM D 2983)			
Upper explosion limit:As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C) Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C) Information on: EthanolPartitioning coefficient n- octanol/water (log Pow):-0.31 (carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
Product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Uapour pressure:approx. 0.99 g/cm3 (20 °C)Density:-0.31 (25 °C)Vapour density: Information on: Ethanol-0.31 Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideViscosity, dynamic:15 mPa.sViscosity, dynamic:15 mPa.sAutoignition:10 main formation on core Literature data.			
composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Uapprox. 0.99 g/cm3 (20 °C)Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density: Information on: Ethanol-0.31 (measured)Partitioning coefficient n- octanol/water (log Pow):-0.31 (z5 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideViscosity, dynamic:15 mPa.s(ASTM D 2983)	Upper explosion limit:		
hazard as long as the product is used appropriately and in accordance with the intended use. Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 23 hPa (20 °C) Information applies to the solvent. Density: approx. 0.99 g/cm3 (20 °C) Vapour density: not applicable Information on: Ethanol -0.31 (25 °C) Partitioning coefficient n- octanol/water (log Pow): -0.31 (25 °C) Literature data. - Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. Viscosity, dynamic: 15 mPa.s			
Autoignition:appropriately and in accordance with the intended use.Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density:not applicableInformation on: Ethanol-0.31 (25 °C)Partitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C)Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideThermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideViscosity, dynamic:15 mPa.s(ASTM D 2983)			
Autoignition: Based on the water content the product does not ignite. Vapour pressure: approx. 23 hPa (20 °C) Information applies to the solvent. Density: approx. 0.99 g/cm3 (20 °C) Information applies to the solvent. Vapour density: not applicable Information on: Ethanol -0.31 (measured) (25 °C) Literature data. Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. Viscosity, dynamic: 15 mPa.s			
Autoignition:Based on the water content the product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density:not applicableInformation on: Ethanol-0.31 (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide 			
Vapour pressure:product does not ignite.Vapour pressure:approx. 23 hPa (20 °C)Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density:not applicableInformation on: Ethanol-0.31 (measured)Partitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
Vapour pressure:approx. 23 hPa (20 °C)Density:Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density: Information on: Ethanolnot applicablePartitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)	Autoignition:		
(20 °C)Information applies to the solvent.Density:approx. 0.99 g/cm3 (20 °C)Vapour density:not applicableInformation on: Ethanol-0.31 (measured)Partitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
Density:Information applies to the solvent. approx. 0.99 g/cm3 (20 °C)Vapour density: Information on: Ethanolnot applicablePartitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)	Vapour pressure:		
Density:approx. 0.99 g/cm3 (20 °C)Vapour density: Information on: Ethanolnot applicablePartitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) Literature data.Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition, do not overheat.Viscosity, dynamic:15 mPa.s			
Vapour density: Information on: Ethanolnot applicablePartitioning coefficient n- octanol/water (log Pow):-0.31 (measured)Carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide-0.31 (measured)Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideThermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxideViscosity, dynamic:15 mPa.s(ASTM D 2983)			
Vapour density: Information on: Ethanolnot applicablePartitioning coefficient n- octanol/water (log Pow):-0.31 (measured)Correction (25 °C) Literature data0.31 (measured)Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)	Density:		
Information on: Ethanol -0.31 (measured) Partitioning coefficient n- -0.31 (measured) octanol/water (log Pow): (25 °C) Literature data. Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. Viscosity, dynamic: 15 mPa.s (ASTM D 2983)			
Partitioning coefficient n- octanol/water (log Pow):-0.31 (25 °C) Literature data.(measured)Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)		not applicable	
octanol/water (log Pow): (25 °C) Literature data. Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. Viscosity, dynamic: 15 mPa.s (ASTM D 2983)			
Literature data. Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. Viscosity, dynamic: 15 mPa.s			(measured)
Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)	octanol/water (log Pow):		
Thermal decomposition:carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)		Literature data.	
oxideStable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)	Thermal decomposition:		en dioxide, nitrogen
decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
avoid thermal decomposition, do not overheat.Viscosity, dynamic:15 mPa.s(ASTM D 2983)			
Viscosity, dynamic: 15 mPa.s (ASTM D 2983)			
(21 °C)	Viscosity, dynamic:		(ASTM D 2983)
		(21 °C)	

Revision date : 2022/01/18 Version: 14.0 Page: 7/13 (30650323/SDS CPA US/EN)

Solubility in water: Evaporation rate: Other Information: fully soluble not applicable If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

anionic substances, oxidizing agents

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Moderately toxic after short-term skin contact. Moderately toxic after short-term inhalation.

Revision date : 2022/01/18 Version: 14.0 Page: 8/13 (30650323/SDS CPA US/EN)

<u>Oral</u> Type of value: LD50 Species: rat Value: 1,750 - 5,000 mg/kg

Inhalation

Type of value: LC50 Species: rat Value: 0.054 - 0.51 mg/l Exposure time: 4 h The product has not been tested. The statement has been derived from the properties of the individual components.

Dermal

Type of value: LD50 Species: rat (male/female) Value: 930 mg/kg The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion Assessment of irritating effects: May cause moderate but temporary irritation to the eyes. Corrosive to the skin.

<u>Skin</u>

Species: rabbit Result: Corrosive. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Eye

Species: rabbit Result: Risk of serious damage to eyes.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. There is no evidence of a skin-sensitizing potential.

modified Buehler test Species: guinea pig Result: Non-sensitizing. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date : 2022/01/18 Version: 14.0 Page: 9/13 (30650323/SDS CPA US/EN)

Information on: Ethanol

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion. Repeated inhalative uptake of the substance did not cause substance-related effects. The substance may cause damage to the peripheral nervous system after repeated ingestion of high doses. The substance may cause damage to the central nervous system after repeated ingestion of high doses. Based on the chemical structure a neurotoxic effect by repeated administration cannot be excluded.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No carcinogenic potential can be deduced from other studies with rats and mice.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Ethanol

Assessment of reproduction toxicity: The potential to impair fertility cannot be excluded when given at high doses.

Significant overexposure during pregnancy may cause birth defects.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Ethanol

Assessment of teratogenicity: At high doses there are indications of a developmental effect. A teratogenic potential cannot be excluded.

Other Information Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Toxicity to fish Highly toxic.

Aquatic invertebrates Very highly toxic.

Aquatic plants

Revision date : 2022/01/18 Version: 14.0

Page: 10/13 (30650323/SDS CPA US/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Chronic toxicity to fish</u> No observed effect concentration 0.53 mg/l, Pimephales promelas (static)

<u>Chronic toxicity to aquatic invertebrates</u> No observed effect concentration 0.047 mg/l, Mysidopsis bahia (static) The ecological data given are those of the active ingredient.

Aquatic plants

Information on: Ethanol EC50 (4 d) 675 mg/l (growth rate), Chlorella vulgaris (Algal growth inhibition test) The details of the toxic effect relate to the nominal concentration. Literature data.

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Ethanol

Readily biodegradable (according to OECD criteria).

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Ethanol

No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Ethanol

The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

Additional information

Revision date : 2022/01/18 Version: 14.0

Page: 11/13 (30650323/SDS_CPA_US/EN)

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport USDOT	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	8 II UN 1903 8 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (contains QUATERNARY AMMONIUM COMPOUNDS)
Sea transport IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	8 II UN 1903 8, EHSM YES DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (contains QUATERNARY AMMONIUM COMPOUNDS)
Air transport IATA/ICAO	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	8 II UN 1903 8 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (contains QUATERNARY AMMONIUM COMPOUNDS)

15. Regulatory Information

Federal Regulations

Registration status:ChemicalTSCA, USblocked / not listed

Revision date : 2022/01/18 Version: 14.0

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

DANGER: CORROSIVE. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES SKIN BURNS. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling.

16. Other Information

SDS Prepared by: BASF NA Product Regulations SDS Prepared on: 2022/01/18

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING

Revision date : 2022/01/18 Version: 14.0 Page: 13/13 (30650323/SDS CPA US/EN)

WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET