

Reactivity

O Least 1 Slight 2 2 Moderate 0

0

3 High

4

Severe

U.S. TRANSPORT SUMMARY

Not regulated by the U.S. DOT as a hazardous material. See Section 14 for additional information.

SECTION 1: IDENTIFICATION				
Product Name:	Gulfstream™			
EPA Registration #:	Exempt			
Product ID/Unity #:	1483831, 1483832, 1483833			
Common Name:	Non-ionic surfactant	Non-ionic surfactant blend		
Chemical Description:	Non-ionic surfactant	Non-ionic surfactant blend		
Recommended Uses:	Adjuvant product. See product label for complete list of recommended uses and use sites.			
Restrictions for Use:	se: See product label for information regarding restrictions on the use of this product.			
Manufactured For:		MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)		
WINFIELD SOLUTIONS,	LLC			
P. O. Box 64589		Non-Emergency Business Inquiries: 1-855-494-6343		
St. Paul, MN 55164-0589	9 Mon – Fri 8am – 5pm (Central Standard Time)			
FOR EMER	GENCY, SPILL	, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:		
CHEMTREC 1-800-424-9300 (24 hours)				

SECTION 2: HAZARDS IDENTIFICATION

	SECTION 2: HA	ZARDS IDENTIFICATIO	
		ghtly fatty acid odor. Prolonged co rt in nose and throat. May be toxic	ntact may be irritating to eyes and
POTENTIAL HEALTH EFFE	8		
-	e irritation upon direct contact		
	h skin may cause drying and		
		se headaches and dizziness.	
Ingestion: Harmful if swallow			
Preexisting Conditions: Pre	eexisting respiratory conditior	ns may be aggravated by exposure	e to mist.
Chronic Health Effects: No	ne known		
Carcinogenicity	NTP: Not listed	IARC: Not listed	OSHA: Not listed
OSHA HCS 2012 CLASSIFI	CATION: Eye Irritation Categ	ory 2A; Skin Irritation Category 2;	Acute Oral Toxicity Category 4;
	ty – Single Exposure Categor		, , , , , , , , , , , , , , , , , , ,
SIGNAL WORD: WARNING			
HAZARD STATEMENTS:			•
Causes serious eye irritation			\land
Causes skin irritation.			
Harmful if swallowed.			
May cause respiratory irritati	on.		\checkmark
Percent of product with un	known toxicity: 72%		•
PRECAUTIONARY STATEM			
		Vear eye and face protection and	protective gloves. Do not eat, drink or
		eathing mist or spray. Use only ou	
	-		

Continued on next page

Gulfstream™

Response:If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. If eye irritation persists: Get medical attention. If on skin: Wash with plenty of water. If skin
irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.
If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center (1-877-
424-7452) or doctor for treatment advice if you feel unwell. If Swallowed: Immediately call a poison control
center (1-877-424-7452) or doctor for treatment advice. Rinse mouth.Storage:Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Dispose of contents/container in accordance with Federal, state and local regulations.

Ingredient	% (wt)	CAS Reg. #
Alkylarylpolyethoxyethanol (contains)	<72.0%	*
Nonylphenol ethoxylate		9016-45-9
Diethylene glycol		111-46-6
Butyl glycol ether	<9.0%	111-76-2
Oleic acid	<9.0%	112-80-1
Phosphoric acid	<4.5%	7664-38-2

See Section 8 for exposure limits.

	SECTION 4: FIRST AID MEASURES			
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. See medical attention immediately.			
Ingestion:	Seek medical attention or call a poison control center immediately for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.			
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if eye irritation occurs.			
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if skin irritation persists.			

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, foam, carbon dioxide (CO2) water spray or water fog. Unsuitable Extinguishing Media: Water jet

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind. Use water spray to cool fire-exposed containers and to protect personnel.

Hazardous Combustion Products: Carbon oxides, Oxides of phosphorous and phosphine

Unusual Fire and Explosion Hazards: None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Keep spilled product and any rinse water from entering sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire. Maintain product between 40°F and 120°F. **Minimum Storage Temperature:** 40°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines			
Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Butyl glycol ether (CAS #111-76-2)	50 ppm/240 mg/m3 TWA	20 ppm TWA	5 ppm/24 mg/m3 TWA
Phosphoric acid (CAS #7664-38-2)	1 mg/m3 TWA	1 mg/m3 TWA	1 mg/m3 TWA
	3 mg/m3 STEL	3 ppm STEL	3 mg/m3 STEL

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If airborne concentrations exceed exposure limits, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for use against organic vapors.

Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Protective Gloves: This product can cause skin irritation. Wear chemically protective gloves to prevent exposure to skin. **Eye Protection:** To avoid contact with eyes, wear chemical safety goggles or safety glasses and full face shield. Contact lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area. **Other Protective Clothing or Equipment:** Wear long-sleeve shirt, long pants and shoes plus socks to prevent prolonged or repeated skin contact.

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Specific Gravity (H ₂ O=1):	1.05 (+/- 0.05)
Vapor Pressure (mm Hg):	Not determined	Density (lbs/gallon):	8.35 – 9.18 lbs/gallon
Vapor Density (Air=1):	Not determined	Melting Point/Freezing Point:	Not determined
Solubility in Water (wt %):	Complete, hazy	Boiling Point/Range:	Not determined
Viscosity:	Not determined	pH:	3 – 4 (0.5%)
Appearance and odor:	Viscous brown liquid with	Flash Point:	>200°F (TCC)
	slightly fatty acid odor.		

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. **Possibility of Hazardous Reactions:** Will not occur.

Conditions to Avoid: Extended exposure to high temperatures.

Incompatible Materials: Strong acids and strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide and other hazardous gases

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY Eye Effects: Skin Effects: Acute Inhalation Effects: Acute Oral Effects: Specific Target Organ Toxicity:

Can cause moderate to severe eye irritation. Can cause mild to moderate skin irritation. May be harmful if inhaled Harmful if swallowed. Not determined

ı.

Continued on next page

CHRONIC TOXICITY				
Chronic Effects:	Not determined			
Carcinogenicity:	Carcinogenicity: Not determined			
Mutagenicity:	Not determined			
Teratogenicity:	Not determined			
Reproductive Toxicity: Not determined				
POTENTIAL HEALTH EFFE	POTENTIAL HEALTH EFFECTS:			
Eyes: May cause severe eye	e irritation upon direct contact.			
Skin: Prolonged contact with skin may cause drying and irritation.				
Inhalation: Inhalation of high	h mist concentration may cause headaches and dizziness.			
Ingestion: Harmful if swallow	Ned.			

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: This product is moderately toxic to aquatic organisms.				
ECOTOXICITY DATA:				
Fish Acute and Prolonged Toxicity:	Fathead minnow 96 hr NOEC <12.5 mg/L; EC50 = 17.5 mg/L Rainbow trout 96 hr NOEC = 5 mg/L; EC50 7.5 mg/L			
Aquatic Invertebrate Acute Toxicity:	Daphnia magna 48 hr NOEC = 12.5 mg/L at 24 hours and 6.25 mg/L at 48 hours; EC50 = 23.438 at 24 hours and 17.188 at 48 hours			
Aquatic Plant Toxicity:	Not determined			
Bird Acute and Prolonged Toxicity:	Not determined			
Honeybee Toxicity:	Not determined			
ENVIRONMENTAL EFFECTS:				
Soil Absorption/Mobility:	Not determined			
Persistence and degradability:	Not determined			
Bioaccumulative Potential:	Not determined			
Other adverse effects:	Not determined			

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations. Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

	SECTION 14: TRANSPORT INFORMATION		
DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.		
IMDG: (Sea)	Not determined		
IATA: (Air)	Not determined		
TDG: (Canada)	Not determined		

SARA Title III Information: Section 302 – Extremely hazardous substances: None listed Section 311/312 – Hazard Categories: Acute Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372: Butyl glycol ether (CAS #111-76-2) CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 May, NJ, PA Phosphoric acid 7664-38-2	SECTIO	N 15: REGULATO	RY INFORMATION	
 46-6) SARA Title III Information: Section 302 – Extremely hazardous substances: None listed Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372: Butyl glycol ether (CAS #111-76-2) CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide are not expected to result in acute or long-iterm hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	TSCA Inventory: The following componen	ts are listed on the TSCA	inventory: Butyl glycol ether (CAS #111-76-2), Phosphe	oric
SARA Title III Information: Section 302 - Extremely hazardous substances: None listed Section 311/312 - Hazard Categories: Acute Section 313 - The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372: Butyl glycol ether (CAS #111-76-2) CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 May NJ, PA Plosphoric acid 7664-38-2 Monsphoric acid 7664-38-2 MMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. WHMIS Classification: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide	acid (CAS#7664-38-2), Oleic acid (CAS #1	12-80-1), Nonylphenol et	hoxylate (CAS #9016-45-9), Diethylene glycol (CAS #1	11-
Section 302 – Extremely hazardous substances: None listed Section 311/312 – Hazard Categories: Acute Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372: Butyl glycol ether (CAS #111-76-2) CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 May, NJ, PA Plosphoric acid 112-80-1 May PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Et	46-6)			
Section 311/312 – Hazard Categories: Acute Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372: Butyl glycol ether (CAS #111-76-2) CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name Caid in 1112-80-1 NJ, PA Plosphoric acid 1112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of	SARA Title III Information:			
Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372: Butyl glycol ether (CAS #111-76-2) CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 May, NJ, PA Plosphoric acid 7664-38-2 May, NJ, PA Phosphoric acid 7664-38-2 MHIIS Classification: This product is not registered for use in Canada. WHMIS Classification: This product is not registered for use in Canada. WHMIS Classification: This product is not registered for use in Canada. WHMIS Classification: The oSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene			ted	
Amendments and Reauthorization Act of 1986 and 40 CFR 372: Butyl glycol ether (CAS #111-76-2) CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Phosphoric acid 112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
Butyl glycol ether (CAS #111-76-2) CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 NJ, PA Phosphoric acid Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to			orting requirements of Section 313 of Title III, Superfu	und
CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 Phosphoric acid 7664-38-2 Diethylene glycol 111-46-6 VHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to		of 1986 and 40 CFR 372:		
Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification is not determined. WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 Phosphoric acid 7664-38-2 MHIIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to		nd Liability Act (CERCLA)	:	
reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): Chemical Name CAS # State(s) Butyl glycol ether 111-76-2 MA, NJ, PA Oleic acid 112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to		s product contains a chem	nical known to the state of California to cause cancer or	
Chemical NameCAS #State(s)Butyl glycol ether111-76-2MA, NJ, PAOleic acid112-80-1NJ, PAPhosphoric acid7664-38-2MA, NJ, PADiethylene glycol111-46-6PACanadian Domestic Substances List: Not determinedWHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined.Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	reproductive harm.			
Chemical NameCAS #State(s)Butyl glycol ether111-76-2MA, NJ, PAOleic acid112-80-1NJ, PAPhosphoric acid7664-38-2MA, NJ, PADiethylene glycol111-46-6PACanadian Domestic Substances List: Not determinedWHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined.Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	U.S. State Worker and Community Right-	To-Know (RTK) Informat	tion (CT, IL, MA, MN, NH, NJ, PA, RI):	
Oleic acid 112-80-1 NJ, PA Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	Chemical Name			
Phosphoric acid 7664-38-2 MA, NJ, PA Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	Butyl glycol ether	111-76-2	MA, NJ, PA	
Diethylene glycol 111-46-6 PA Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	Oleic acid	112-80-1	NJ, PA	
Canadian Domestic Substances List: Not determined WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	Phosphoric acid	7664-38-2	Ma, NJ, Pa	
WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to	Diethylene glycol	111-46-6	PA	
WHMIS Classification: This product is not registered for use in Canada. WHMIS classification is not determined. Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
Other Information: A maximum of 1 ppm Ethylene Oxide (CAS # 75-21-8) may be present in this product. The OSHA PEL and the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
the ACGIH TLV for Ethylene Oxide are 1 ppm. Ethylene Oxide is a NTP, IARC, and OSHA carcinogen. Ethylene Oxide has also been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
been determined to be a reproductive hazard. The trace levels of Ethylene Oxide in this product are not expected to result in acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
acute or long-term hazards when handled according to the precautions set forth in this SDS. However, Ethylene Oxide may accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				S0
accumulate in the container headspace and be released into the ambient environment. It is the responsibility of the employer to				
comply with USHA Ethylene Uxide standards (29 CFR 1910.1047).			ient environment. It is the responsibility of the employer t	.0
	comply with USHA Ethylene Oxide standard	18 (29 CFR 1910.1047).		

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: September 8, 2014 Sections Revised: 2, 7, 16 Supersedes document dated: July 11, 2013