

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

1/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** HARNESS® XTRA 5.6L HERBICIDE  
**Product code (UVP)** 62293282  
**SDS Number** 102000039865  
**EPA Registration No.** 524-485

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide  
**Restrictions on use** See product label for restrictions.  
**Information on supplier**  
**Supplier** Bayer CropScience LP  
800 North Lindbergh Blvd.  
St. Louis, MO 63167  
USA  
**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com  
**Emergency telephone no.**  
**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577  
**Product Information Telephone Number** 1-866-99BAYER (1-866-992-2937)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4  
Skin sensitisation: Category 1  
Specific target organ toxicity - single exposure(Inhalation): Category 3  
Specific target organ toxicity - repeated exposure: Category 2  
Carcinogenicity: Category 2

#### Labelling in accordance with regulation HCS 29CFR §1910.1200



**Signal word:** Warning

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

2/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

### Hazard statements

Harmful if swallowed.  
May cause an allergic skin reaction.  
May cause respiratory irritation.  
Suspected of causing cancer.  
May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.

### Precautionary statements

Do not breathe gas/ mist/vapours/ spray.  
Do not eat, drink or smoke when using this product.  
Wash skin and eyes thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/ eye protection.  
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.  
Rinse mouth.  
IF ON SKIN: Wash with plenty of water/ soap.  
If skin irritation or rash occurs: Get medical advice/ attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Wash contaminated clothing before reuse.  
Call a POISON CENTER/doctor/physician if you feel unwell.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Acetochlor	34256-82-1	33.4
Atrazine	1912-24-9	26.9
Furilazole	121776-33-8	1.1

---

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

**General advice** When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

3/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

---

<b>Skin contact</b>	Immediately wash with plenty of soap and water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
<b>Most important symptoms and effects, both acute and delayed</b>	
<b>Symptoms</b>	May cause allergic skin reaction.
<b>Indication of any immediate medical attention and special treatment needed</b>	
<b>Treatment</b>	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

---

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

**Special hazards arising from the substance or mixture** In the event of fire the following may be released: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Hydrogen chloride (HCl)

### Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. Equipment should be thoroughly decontaminated after use.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

<b>Flash point</b>	does not flash
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	Not applicable
<b>Upper explosion limit</b>	Not applicable
<b>Explosivity</b>	Not explosive

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

4/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Use personal protective equipment. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Keep working clothes separately. Garments that cannot be cleaned must be destroyed (burnt).

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

5/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

Components	CAS-No.	Control parameters	Update	Basis
Atrazine (Inhalable fraction.)	1912-24-9	2 mg/m <sup>3</sup> (TWA)	03 2017	ACGIH
Atrazine	1912-24-9	5 mg/m <sup>3</sup> (REL)	2010	NIOSH
Atrazine	1912-24-9	5 mg/m <sup>3</sup> (TWA)	06 2008	TN OEL
Atrazine	1912-24-9	5 mg/m <sup>3</sup> (TWA PEL)	08 2010	US CA OEL
Atrazine	1912-24-9	2 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

#### Eye protection

Use tightly sealed goggles and face protection.

#### Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

#### General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.

Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Form suspension

Colour light pink

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

6/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

---

<b>Odour</b>	slight
<b>Odour Threshold</b>	No data available
<b>pH</b>	7.0 - 8.5 (5 %)
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	does not flash
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	Not applicable
<b>Lower explosion limit</b>	Not applicable
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	1.11 (20 °C) Water at 15,6 °C
<b>Density</b>	ca. 1.11 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	Acetochlor: log Pow: 4.14 (20 °C) Furilazole: log Pow: 2.12 (23 °C)
<b>Viscosity, dynamic</b>	200 - 300 cps (10 °C)
<b>Viscosity, kinematic</b>	No data available
<b>Oxidizing properties</b>	No data available
<b>Explosivity</b>	Not explosive
<b>Other information</b>	Further safety related physical-chemical data are not known.

---

### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

<b>Thermal decomposition</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions.

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

7/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

---

<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	No incompatible materials known.
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Skin contact, Eye contact, Inhalation, Ingestion
<b>Immediate Effects</b>	
<b>Eye</b>	Moderate eye irritation.
<b>Skin</b>	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
<b>Ingestion</b>	Harmful if swallowed.
<b>Inhalation</b>	Harmful if inhaled.
<b>Information on toxicological effects</b>	
<b>Acute oral toxicity</b>	LD50 (Rat) 1.338 mg/kg Test conducted with a similar formulation.
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 1.1 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration. No deaths Test conducted with a similar formulation.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
<b>Skin corrosion/irritation</b>	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
<b>Serious eye damage/eye irritation</b>	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Guinea pig) Test conducted with a similar formulation.

#### Assessment STOT Specific target organ toxicity – single exposure

Atrazine: Based on available data, the classification criteria are not met.  
Acetochlor: May cause respiratory irritation.  
Furilazole: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Atrazine caused specific target organ toxicity in experimental animal studies in the following organ(s):

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

8/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

Heart.

Acetochlor caused specific target organ toxicity in experimental animal studies in the following organ(s):  
Kidney.

Furilazole caused specific target organ toxicity in experimental animal studies in the following organ(s):  
Liver.

### Assessment mutagenicity

Atrazine is not considered mutagenic.

Acetochlor was not genotoxic based on weight of evidence analysis.

Furilazole was not genotoxic based on weight of evidence analysis.

### Assessment carcinogenicity

Atrazine caused mammary tumours in rats. Mode(s) of action not relevant to humans.

Acetochlor caused an increased incidence of tumours in rats in the following organ(s): Nasal, Thyroid.

Mode(s) of action not relevant to humans.

Acetochlor caused an increased incidence of tumours in rats, mice in the following organ(s): Liver. Only above the MTD (maximum tolerated dose). The observed effects do not appear to be relevant for humans.

Acetochlor caused lung tumours and histocytic sarcomas in mice, probably not treatment related.

Furilazole caused an increased incidence of tumours in rats, mice in the following organ(s): Liver. Only at doses that caused significant hepatotoxicity. Questionable relevance to humans.

Furilazole caused an increased incidence of tumours in mice in the following organ(s): Lungs. Only at doses that caused chronic inflammation. Questionable relevance to humans.

Furilazole caused an increased incidence of tumours in rats in the following organ(s): forestomach. Only at doses that caused substantial irritation. The observed effects do not appear to be relevant for humans.

### ACGIH

Atrazine	1912-24-9	Group A3
----------	-----------	----------

### NTP

None.

### IARC

Atrazine	1912-24-9	Overall evaluation: 3
----------	-----------	-----------------------

### OSHA

None.

### Assessment toxicity to reproduction

Atrazine did not cause reproductive toxicity in laboratory animals.

Reproductive effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity.

Furilazole did not cause reproductive toxicity in laboratory animals.

### Assessment developmental toxicity

Developmental effects in rats, rabbits seen with Atrazine are only in the presence of significant maternal toxicity.

Developmental effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity.

Acetochlor did not cause developmental toxicity in rabbits. Testicular damage in dogs only in the



# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
10200039865

9/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

presence of substantial systemic toxicity.  
Furilazole did not cause developmental toxicity in rabbits. The developmental effects seen with Furilazole are related to maternal toxicity.

### Aspiration hazard

Based on available data, the classification criteria are not met.

---

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity to fish

LC50 (*Lepomis macrochirus* (Bluegill sunfish)) 1.3 mg/l  
static test; Exposure time: 96 h  
The value mentioned relates to the active ingredient acetochlor.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) 0.36 - 1.2 mg/l  
static test; Exposure time: 96 h  
The value mentioned relates to the active ingredient acetochlor.

LC50 (*Lepomis macrochirus* (Bluegill sunfish)) 8 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient atrazine.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) 8.8 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient atrazine.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) 6.2 mg/l  
static test; Exposure time: 96 h  
The value mentioned relates to the safener furilazole.

LC50 (*Lepomis macrochirus* (Bluegill sunfish)) 4.6 mg/l  
static test; Exposure time: 96 h  
The value mentioned relates to the safener furilazole.

### Toxicity to aquatic invertebrates

EC50 (*Daphnia magna* (Water flea)) 8.6 - 16 mg/l static test; Exposure time: 48 h  
The value mentioned relates to the active ingredient acetochlor.

EC50 (*Daphnia magna* (Water flea)) 6.9 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient atrazine.

EC50 (*Daphnia magna* (Water flea)) 26 mg/l static test; Exposure time: 48 h  
The value mentioned relates to the safener furilazole.

### Toxicity to aquatic plants

EbC50 (*Raphidocelis subcapitata* (freshwater green alga)) 0.00501 mg/l  
static test; Exposure time: 72 h  
Test conducted with a similar formulation.

EC50 (*Raphidocelis subcapitata* (freshwater green alga)) 0.00027 - 0.00149 mg/l

# SAFETY DATA SHEET



## HARNESSE® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

10/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

---

	static test; Exposure time: 96 h The value mentioned relates to the active ingredient acetochlor. EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.004 - 0.130 mg/l static test; Exposure time: 96 h The value mentioned relates to the active ingredient atrazine. EC50 (Lemna gibba (gibbous duckweed)) 0.170 mg/l Exposure time: 5 d The value mentioned relates to the active ingredient atrazine. ErC50 (Raphidocelis subcapitata (freshwater green alga)) 85.2 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the safener furilazole.
<b>Biodegradability</b>	Acetochlor: No data available Furilazole: 1 %, Exposure time: 28 d Not readily biodegradable.
<b>Koc</b>	Acetochlor: Koc: 204 Furilazole: Koc: 56 - 341
<b>Bioaccumulation</b>	Acetochlor: Bioconcentration factor (BCF) 20 Furilazole: No data available
<b>Mobility in soil</b>	Acetochlor: No data available Furilazole: No data available
<b>Results of PBT and vPvB assessment</b>	
<b>PBT and vPvB assessment</b>	Acetochlor: No data available Furilazole: No data available
<b>Additional ecological information</b>	No further ecological information is available.
<b>Environmental precautions</b>	Apply this product as specified on the label. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not allow to get into surface water, drains and ground water.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Product** It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Do not contaminate water, food, or feed by disposal.

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

11/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

---

	Incineration in a special incineration plant in accordance with the local waste regulation authority. Follow all local/regional/national/international regulations.
<b>Contaminated packaging</b>	Follow advice on product label and/or leaflet. Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.
<b>RCRA Information</b>	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

### SECTION 14: TRANSPORT INFORMATION

<b>49CFR</b>	Not dangerous goods / not hazardous material
<b>IMDG</b>	
UN number	<b>3082</b>
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETOCHLOR, ATRAZINE SOLUTION)
<b>IATA</b>	
UN number	<b>3082</b>
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETOCHLOR, ATRAZINE SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

---

### SECTION 15: REGULATORY INFORMATION

**EPA Registration No.** 524-485

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

12/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

### US Federal Regulations

#### TSCA list

Water	7732-18-5
Atrazine	1912-24-9
1,2-Propanediol	57-55-6

#### US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

#### SARA Title III - Section 302 - Notification and Information

Not applicable.

#### SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

### US States Regulatory Reporting

#### CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Acetochlor	34256-82-1
------------	------------

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Furilazole	121776-33-8
------------	-------------

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Atrazine	1912-24-9	Developmental toxin.
Atrazine	1912-24-9	Female reproductive toxin.

#### US State Right-To-Know Ingredients

Atrazine	1912-24-9	CA, CT, MN, NJ, RI
1,2-Propanediol	57-55-6	MN, RI

### Environmental

#### CERCLA

None.

#### Clean Water Section 307(a)(1)

None.

#### Safe Drinking Water Act Maximum Contaminant Levels

Yes	
Acetochlor	34256-82-1
Yes	
Atrazine	1912-24-9

### EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

# SAFETY DATA SHEET



## HARNESS® XTRA 5.6L HERBICIDE

Version 2.0 / USA  
102000039865

13/13  
Revision Date: 08/06/2020  
Print Date: 08/12/2020

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed.  
Harmful if inhaled.  
Causes moderate eye irritation.  
May cause allergic skin reaction.

### SECTION 16: OTHER INFORMATION

#### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

**Reason for Revision:** New Safety Data Sheet.

**Revision Date:** 08/06/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.