

Category:

# **DREXEL HOLZIT®**

### **SECTION 1: MATERIAL IDENTIFICATION**

Product Name: Drexel Holzit®

Product Usage: Water Conditioning Agent / Deposition Aid / Defoaming Agent

Manufacturer:Drexel Chemical CompanyAddress:1700 Channel Avenue

PO Box 13327

Memphis, Tennessee, 38113-0327, USA

901-774-4370

Emergency TelephoneCHEMTREC800-424-9300Numbers:DREXEL CHEMICAL COMPANY901-774-4370

### **SECTION 2: HAZARD IDENTIFICATION**

(As defined by the OSHA Hazard Communication Standard, 29)

Label Elements: Signal Word:

WARNING

**(!)** 

Classifications:

Hazard Class: <u>Toxicity Study:</u>

Acute Toxicity, OralCategory 4Acute Toxicity, InhalationCategory 4Skin corrosion/ irritationCategory 2Serious eye damage /irritationCategory 2B

Hazard Statements: H Code: Statement:

H302 Harmful if swallowed
 H332 Harmful if inhaled
 H315 Causes skin irritation
 H320 Causes eye irritation

**Precautionary Statements:** 

**Prevention:** Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

In case of inadequate ventilation, wear respiratory protection.

Avoid release into the environment.

Response:

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do so. Continue rinsing. Get immediate medical advice/attention.

**If Swallowed:** Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically. **If Inhaled:** Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or

doctor if you feel unwell.

If on Skin or Clothing: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

**If exposed or concerned:** None available, get medical attention.

Drexel Holzit® Page 1 of 8



Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal:** Dispose of contents/container in accordance with your local or area regulatory authorities.

**Specific hazards:** None available.

# **SECTION 3: COMPOSITION INFORMATION**

Chemical Name: Synonym: CAS No.: EC No.: RTECS: % By Wt.:

Active Ingredient:

Blend of ammonium sulfate, N/A Proprietary N/A N/A 100.0 % drift reduction polymers, humectant, and antifoam

# **SECTION 4: FIRST-AID MEASURES**

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Skin/Clothing Contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20

minutes. Call a poison control center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or

doctor for further treatment advice.

**Indication of Medical** Treat symptomatically.

Attention and Special If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by

Treatment Needed: medical personnel.

### **SECTION 5: FIRE FIGHTING MEASURES**

**Fire Fighting Media:** Water Spray, Foam solution, CO<sub>2</sub>.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the

fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool containers with water if possible. Dike and collect fire-extinguishing water to prevent

environmental damage and excessive waste runoff.

**Special Protective Equipment** 

for Firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the

relevant sections.

Page 2 of 8



Specific Fire Hazards: Can be dangerous when exposed to extreme heat and flame. Do not breathe vapor/ mist/

spray.

Flammability classification (OSHA 29 CFR 1910.1200): N/Av

Flash point: N/Av

Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av

**Hazardous Combustion** 

Products:

Oxides of nitrogen and sulfur

### **National Fire Protection Association:**

NFPA:	Health	Fire	Reactivity
100	1	0	0
Ratings	4-Extreme	3-High 2-Moderate	1-Slight 0-Insignificant

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions:**

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

# **Environmental Precautions:**

Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

### Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

Small spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable

and properly labeled containers. Prevent entry into waterways, sewers, basements or confined areas.

Large spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable

and properly labeled containers. Contact Drexel Chemical Company for clean-up assistance. Refer to SECTION 13: DISPOSAL CONSIDERATIONS, for additional information. Prevent entry into waterways, sewers,

basements or confined areas.

#### SECTION 7: HANDLING AND STORAGE

#### **KEEP OUT OF REACH OF CHILDREN**

Handling: General Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not

swallow. Avoid breathing dust. Avoid breathing vapors. Use with adequate ventilation. Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL

PROTECTION.

Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat

sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive

heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

Drexel Holzit® Page 3 of 8



# **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **Occupational Exposure Limits:**

Components:	OSHA PEL	ACGIH TLV
Blend of ammonium sulfate,		
drift reduction polymers,	N/A	5 mg/m <sup>3</sup>
humectant, and antifoam		

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### **Engineering Controls:**

Ventilation:

Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower. Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

### **Personal Protection:**

Eye/Face Protection:

Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.

Ingestion:

Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.

Hand Protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Viton, Polyvinyl chloride ("PVC" or "vinyl"). The selection of gloves for a particular application and duration of use in the workplace should also be taken into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to gloves materials, as well as the instructions / specs provided by the supplier of gloves.

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property Reported Value

Physical State Solid

Appearance / Color White to off-white

Odor Mild odor Odor threshold Not available pH 6.0 - 7.0

Drexel Holzit® Page 4 of 8



Melting point Not available Not available Freezing point Not available **Boiling point** Not available Flash point Not available **Evaporation rate** Flammability Not available Upper flammability/explosive limits Not available Lower flammability/explosive limits Not available Vapor pressure Not available Vapor density Not available 55 - 60 lbs. / ft<sup>3</sup>. Relative density Solubility in water Complete in water Solubility in organic solvents Not available Not available Partition coefficient (n-octanol/water) Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity Explosive properties Not available Oxidizing properties Not available Not available **Dissociation Constant** 

### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Thermally stable at typical use temperatures and in closed containers.

**Chemical Stability:** Stable under recommended storage conditions.

Hazardous Polymerization: Will not occur.

**Conditions to Avoid**: Avoid extreme temperatures and open flames.

**Incompatible Materials:** Avoid contact with: Strong oxidizers, bases, nitrates, chlorates.

**Hazardous Decomposition Products**: Ammonia, oxides of sulfur.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY** 

Potential routes of exposure/potential health effects: Skin contact, Eye contact, Ingestion, Inhalation

**Acute Oral:** LD<sub>50</sub> (Rat): >3,000 mg/kg **Acute Dermal:** LD<sub>50</sub> (Rat): No data available Acute Inhalation: LC<sub>50</sub> (Rat): No data available Eye Irritation: (Rabbit): Eve irritation Skin Irritation: Mild skin irritation (Rabbit): Skin Sensitization: (Guinea Pig): No data available

Chronic Toxicity: No data available

Carcinogenicity: No data available

**Mutagenicity:** Non-mutagenic for bacterial and /or yeast.

Teratogenicity: No data available

Reproductive Toxicity: No data available

**Developmental Toxicity:** No data available

Specific target organ toxicity-

No data available / Not classified

single exposure:

Drexel Holzit® Page 5 of 8



Specific target organ toxicity-

repeated exposure:

No data available / Not classified

Other Hazards Effects: No data available

# **SECTION 12: ECOLOGICAL INFORMATION**

**ENVIRONMENTAL FATE** 

Blend of ammonium sulfate, drift reduction polymers, humectant, and antifoam No data available/ Not established

**ECO-ACUTE TOXICITY** 

Aquatic Toxicity:

Fish, LC<sub>50</sub> 96 hour 8.2 mg/l Daphnia magna, LC<sub>50</sub> 48 hour 14 mg/l

Arthropod Toxicity: Bees, Acute LD<sub>50</sub> No data available

Bird Toxicity: Mallard Duck, LD<sub>50</sub> No data available

Bobwhite Quail, LD<sub>50</sub> No data available

Algae, LC<sub>50</sub> 96 hour No data available

Soil Organism Toxicity: Earthworm acute toxicity No data available

Persistence and degradability: No data available/ Not established
Bioaccumulation: No data available/ Not established
Mobility in soil: No data available/ Not established

Other adverse effects: Do not contaminate water supplies, lakes, streams, ponds or drains with this product.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

# **SECTION 14: TRANSPORT INFORMATION**

DOT: Not Regulated IMDG: Not Regulated IATA / ICOA: Not Regulated

UN Identification No.:

Proper Shipping Name:

Hazard Class:

Packing Group:

Reportable Quantity:

Environmental Hazard:

Not applicable

Not applicable

Not applicable

Freight Description: Agricultural Spray Adjuvant, Solid, N.O.S.

ERG Guide No.: 171

**Transport Information Note:** Not applicable

Drexel Holzit® Page 6 of 8



This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### **SECTION 15: REGULATORY INFORMATION**

OSHA Hazard This product is a hazardous chemical as defined by the OSHA Hazard Communication

Communication Standard: Standard, 29 CFR1910.1200.

Label Signal Word: WARNING

Label Information: KEEP OUT OF REACH OF CHILDREN

Label Information: Hazards To Humans And Domestic Animals

WARNING: Causes eye and skin irritation. Harmful if swallowed, if inhaled or if in contact with skin. Do not get on skin, in eyes or on clothing. Do not eat, drink or smoke when using this product. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Take off contaminated clothing and wash before reuse. Avoid release to the environment.

**EPCRA SARA Title III Classification:** 

Section 302: Extremely Hazardous Substance This material is not known to contain any

Notification: Extremely Hazardous Substances.

Sections 311 and 312: Immediate (Acute) Health Hazard: Yes

Delayed (Chronic) Health Hazard: No

Fire Hazard: No

Reactive Hazard: No

Sudden Release of Pressure Hazard: No

Section 313 Toxic Release Inventory (TRI): Ammonium sulfate

CERCLA/SARA 304 Reportable Quantity (RQ): Not listed / Not available

RCRA Hazardous Waste Classification (40 CFR 261): Not listed / Not available

US EPA Toxic Substances Control Act (TSCA): All components of this product are on the TSCA Inventory or are

exempt from TSCA Inventory requirements under 40 CFR 720.30.

California Proposition 65 (Safe Drinking Water

and Toxic Enforcement Act of 1986):

Ammonium sulfate Listed as causing: Not listed

Listing date: Not listed Listing basis: Not listed

This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other reproductive harm.

International Inventories:

TSCA Complies
EINECS/ ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Drexel Holzit® Page 7 of 8



### **SECTION 16: OTHER INFORMATION**

Date Issued: April 28, 2020 Date Supersedes: November 09, 2017 Revision: 0

**For all non-emergency questions** 1700 Channel Avenue Phone: 901-774-4370 **about this product, please contact:** PO Box 13327 Fax: 901-774-4666

Memphis, Tennessee 38113-0327, USA Website: www.drexchem.com

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Page 8 of 8