BIO		SAFETY DAT	A SHEE	T		REV D 11 HG-160	
Incorporated		HUMA GRO	Max Pa	k		HMIS	
						HEALTH	2
					FL		0
2 0					PHY	SICAL HAZAR	D 0
						PPE	В
×	SECTION	1: CHEMICAL PRODUC	Γ & COMPA	NY IDENTIF	ICATION		
PRODUCT IDENTIFIEF	R: HUMA G	RO Max Pak		Product#	290		
GENERAL USE:	Used as a	part of a plant nutrition progr	am.				
PRODUCT DESCRIPTION	N: A clear to	slightly hazy, bluish liquid hav	ving a sweet o	citrus type odo	r.		
SUPPLIER INFORMATION:		a Netics Houston Avenue		EMI	ERGENCY P	HONE NUME	ERS
	Gilbert, A			СНЕМТІ	REC: (In th	e USA) 800-4	24-9300
For Additional SDS	call: PHONE:	(480) 961-1220		OTEM		national) 703-	
		SECTION 2: HAZARD	S IDENTIFI	CATION			
HAZARDS OVERVIEW:	irritation to the	tly hazy, bluish, acidic liquid eyes, skin and respiratory tra The NIOSH I.D.L.H. for Ma	ct. This produ	uct can be toxi	c by ingestion	or inhalation of	
	CLASSIFICAT	ON: HAZARD CATEGORY	5 - MAY BE H	ARMFUL IF S	WALLOWED		
	SIGNAL WORI	D: WARNING					
		EMENT: H303 - WARNING	-				
	PRECAUTION	ARY STATEMENT: P312; Ca	all a poison ce	enter/doctor/ph	nysician if you f	feel unwell	
	CLASSIFICAT	ON: HAZARD CATEGORY	3 - MILD SKII	N IRRITATION	I		
		EMENT: H316 - WARNING	- causes mild	skin irritation			
		ARY STATEMENT: P332+P3			Get medical at	ttention/advice.	
	SECTIO	N 3: COMPOSITION & IN	FORMATIO				
						OSH	^
<u>COMPONENT</u>	CAS #	OSHA HAZARD	<u>WT %_</u>	TLV _(TWA)	STEL	PEL _(TWA)	STEL
Proprietary Organic Acid	Trade Secret	Severe Eye Irritant; Moderate	9 ± 1	None	None	None	None

COMPONENT	<u>CA5 #</u>	USHA HAZARD	<u>VVI %_</u>	ILV(TWA)	SIEL		SIEL
Proprietary Organic Acid	Trade Secret	Severe Eye Irritant; Moderate to Severe Skin & Respiratory Irritant;	9 ± 1	None	None	None	None
Zinc Sulfate	7733-02-0	Eye, Skin & Respiratory Irritant; Cardiovascular, ; Blood & Central Nervous System toxin	6 ± 1	None	None	None	None
Manganese Sulfate	7785-87-7	Eye, Skin & Respiratory Irritant; Central Nervous System toxin; Moderately toxic by Ingestion	3 ± 1	0.2 mg/m ³ Proposed: 0.02 mg/m ³ Respirable fraction	None	Ceiling 5 mg/m ³	None
Ferrous Sulfate	007720-78-7	Eye Corrosive; Skin, & Respiratory Irritant; Moderately Toxic by Ingestion	3 ± 1	1 mg/m³ (as Fe)	None	None	None
Copper Sulfate *	7758-98-7	Eye, Skin & Respiratory Irritant; Blood, Liver & Kidney toxin	2.5 ± 1	1 mg/m ³ (Dusts & Mists as Cu) NDA = No Data A	None	None N/A = Not Applicable	None

	SECTION 4: FIRST AID MEASURES
INHALATION:	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
EYE CONTACT:	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
SKIN CONTACT	T: In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
INGESTION:	If swallowed, get medical attention immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
NOTE TO PHYSICIANS:	Based on component information, this product may be slightly to moderately toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.
	SECTION 5: FIRE FIGHTING MEASURES
Flashpoint a	Ind Method: This product does not flash.
Flammable L	Limits (in air, % by volume) Lower: Not applicable Upper: Not applicable
Autoignition	Temperature: Not Determined
GENERAL HAZA	ARD: This product is an aqueous solution of inorganic salts, an organic acid, and other organic and inorganic plant nutrients, that are in an acidic solution. The Uniform Fire Code health hazard classification for this product is: Irritant. This product may produce hazardous mists or hazardous decomposition products.
FIRE FIGHTING	INSTRUCTIONS: EXTINGUISHING MEDIA: Water, foam, CO2 or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire. Use a water spray or fog to cool the containers exposed to the heat of a fire.
FIRE FIGHTING	EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing apparatus.
HAZARDOUS C	OMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic carbon monoxide, carbon dioxide, zinc, manganese, iron and copper oxides, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt and sodium plus irritating smoke.
	SECTION 6: ACCIDENTAL RELEASE MEASURES
RELEASE TO LAND:	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercial absorbent. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.
RELEASE TO WATER:	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.
	SECTION 7: HANDLING AND STORAGE
STORAGE TEM	
	Store in a cool, dry, well-ventilated area away from incompatible materials and products. Avoid getting this product in eyes, on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

- **RESPIRATOR:** For exposure above the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation, wear a NIOSHapproved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.
- **EYES:** Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.
- **GLOVES:** Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.
- **CLOTHING & EQUIPMENT:** Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this material. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.
- **FOOTWEAR:** Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

	SECTION 9: PHYSIC	AL AND CHEMICAL PROPERTIES	;
Appearance:	Clear to slightly hazy, bluish	Bulk Density (pounds/ft ³):	Not applicable
Physical State:	Liquid	Vapor Pressure:	No data available
Odor:	Sweet citrus type	Vapor Density (air=1):	No data available
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Less than 1
Molecular Formula:	Mixture	VOC Content:	Less than 1 gram/Liter
Molecular Weight:	Not applicable	% Volatile:	Approximately 75
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Complete
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.30 – 1.35 @ 20° C.	pH (as is):	1.2 - 1.7
Density (pounds/gallon):	Approximately 10.9	pH (1% solution):	No data available
	SECTION 10: S	TABILITY AND REACTIVITY	

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Contact caustics & alkali, strong oxidizers, sulfides, sulfites, cyanides and chlorine releasers.

HAZARDOUS DECOMPOSITION PRODUCTS:

SITION PRODUCTS: When heated to dryness and decomposition, it emits toxic oxides of carbon, zinc, manganese, iron and copper, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt and sodium plus irritating smoke.

SENSITIVITY TO MECHANICAL IMPACT: This product is <u>not</u> sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is <u>not</u> sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Components:	Proprietary Organic Acid	Zinc Sulfate
Eye Contact:	Rabbit: 750 ug/24 Hours; Severe	Rabbit: 420 ug; Moderate
Skin Contact:	Rabbit: 500 mg/24 Hours; Moderate	No data available
Oral Rat LD ₅₀ :	3 gm/kg	1,710 mg/kg
Dermal Rabbit LD ₅₀ :	No data available	No data available (Subcutaneous LD _{Lo} : 300 mg/kg)
Inhalation Rat LC ₅₀ :	No data available	No data available
Human Data:	No data available	Oral Human TD _{Lo} : 45 mg/kg/7 Days; Cardiac & Blood Effects
Other Toxicological Data:	Intravenous Mouse LD ₅₀ : 42 mg/kg	Subcutaneous Rat LD _{Lo} : 330 mg/kg
Carcinogenicity:	No data available	Subcutaneous Rabbit LD_{Lo} : 3,625 ug/kg/5 Days – Tumorigenic – Tumors at site of application
Teratogenicity:	No data available	Oral Rat TD_{Lo} : 333 mg/kg (female 1-18 Days pregnant) Effects on fertility – Post implantation mortality
Mutagenicity:	No data available	Human DNA Inhibition, HeLa cell: 1 umol/Liter/4 hours
Synergistic Products:	None reported	None reported
Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Teeth	Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous Systems
Medical Conditions Aggravated By Exposure:	Skin or Respiratory disorders	Skin, Respiratory or Heart disorders
Components:	Manganese Sulfate	Ferrous Sulfate
Components: Eye Contact:	<u>Manganese Sulfate</u> No data available	<u>Ferrous Sulfate</u> No data available
Eye Contact:	No data available	No data available
Eye Contact: Skin Contact:	No data available No data available	No data available No data available
Eye Contact: Skin Contact: Oral Rat LD ₅₀ :	No data available No data available 2,150 mg/kg	No data available No data available 319 mg/kg
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ :	No data available No data available 2,150 mg/kg No data available	No data available No data available 319 mg/kg No data available
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ : Inhalation Rat LC ₅₀ :	No data available No data available 2,150 mg/kg No data available No data available	No data available No data available 319 mg/kg No data available No data available
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ : Inhalation Rat LC ₅₀ : Human Data:	No data available No data available 2,150 mg/kg No data available No data available No data available	No data available No data available 319 mg/kg No data available No data available Oral Woman TD _{Lo} : 10,560 ug/kg; Gastrointestinal effects
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ : Inhalation Rat LC ₅₀ : Human Data: Other Toxicological Data:	No data available No data available 2,150 mg/kg No data available No data available No data available Oral Mouse LD ₅₀ : 2,330 mg/kg Intraperitoneal Mouse TD _{Lo} : 660 mg/kg/8 Weeks;	No data available No data available 319 mg/kg No data available No data available Oral Woman TD _{Lo} : 10,560 ug/kg; Gastrointestinal effects Oral Mouse LD ₅₀ : 680 mg/kg Subcutaneous Mouse TD _{Lo} :1,600 mg/kg/16 Weeks;
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ : Inhalation Rat LC ₅₀ : Human Data: Other Toxicological Data: Carcinogenicity:	No data available No data available 2,150 mg/kg No data available No data available No data available Oral Mouse LD ₅₀ : 2,330 mg/kg Intraperitoneal Mouse TD _{Lo} : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria Intraperitoneal Mouse TD _{Lo} : 34,356 ug/kg; (female 10	No data available No data available 319 mg/kg No data available No data available No data available Oral Woman TD_{Lo} : 10,560 ug/kg; Gastrointestinal effects Oral Mouse LD_{50} : 680 mg/kg Subcutaneous Mouse TD_{Lo} :1,600 mg/kg/16 Weeks; Equivocal Tumorigenic Agent, Tumors at application site Oral Rat TD_{Lo} : 7,200 mg/kg (9-14 Days pregnant); Effects on
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ : Inhalation Rat LC ₅₀ : Human Data: Other Toxicological Data: Carcinogenicity: Teratogenicity:	No data available No data available 2,150 mg/kg No data available No data available No data available Oral Mouse LD ₅₀ : 2,330 mg/kg Intraperitoneal Mouse TD _{Lo} : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria Intraperitoneal Mouse TD _{Lo} : 34,356 ug/kg; (female 10 Days pregnant) Post-implantation mortality	No data available No data available 319 mg/kg No data available No data available Oral Woman TD _{Lo} : 10,560 ug/kg; Gastrointestinal effects Oral Mouse LD ₅₀ : 680 mg/kg Subcutaneous Mouse TD _{Lo} :1,600 mg/kg/16 Weeks; Equivocal Tumorigenic Agent, Tumors at application site Oral Rat TD _{Lo} : 7,200 mg/kg (9-14 Days pregnant); Effects on Embryo or Fetus – Fetal death
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ : Inhalation Rat LC ₅₀ : Human Data: Other Toxicological Data: Carcinogenicity: Teratogenicity: Mutagenicity:	No data available No data available 2,150 mg/kg No data available No data available No data available Oral Mouse LD_{50} : 2,330 mg/kg Intraperitoneal Mouse TD_{L0} : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria Intraperitoneal Mouse TD_{L0} : 34,356 ug/kg; (female 10 Days pregnant) Post-implantation mortality Bacteria B Subtilis DNA Repair: 50 mmol/ Liter	No data available No data available 319 mg/kg No data available No data available Oral Woman TD _{Lo} : 10,560 ug/kg; Gastrointestinal effects Oral Mouse LD ₅₀ : 680 mg/kg Subcutaneous Mouse TD _{Lo} :1,600 mg/kg/16 Weeks; Equivocal Tumorigenic Agent, Tumors at application site Oral Rat TD _{Lo} : 7,200 mg/kg (9-14 Days pregnant); Effects on Embryo or Fetus – Fetal death Cytogenetic Analysis – Hamster, Ovary: 5 mmol/ Liter
Eye Contact: Skin Contact: Oral Rat LD ₅₀ : Dermal Rabbit LD ₅₀ : Inhalation Rat LC ₅₀ : Human Data: Other Toxicological Data: Carcinogenicity: Teratogenicity: Mutagenicity: Synergistic Products:	No data available No data available 2,150 mg/kg No data available No data available No data available Oral Mouse LD ₅₀ : 2,330 mg/kg Intraperitoneal Mouse TD _{Lo} : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria Intraperitoneal Mouse TD _{Lo} : 34,356 ug/kg; (female 10 Days pregnant) Post-implantation mortality Bacteria B Subtilis DNA Repair: 50 mmol/ Liter None reported	No data available No data available 319 mg/kg No data available No data available Oral Woman TD _{Lo} : 10,560 ug/kg; Gastrointestinal effects Oral Mouse LD ₅₀ : 680 mg/kg Subcutaneous Mouse TD _{Lo} :1,600 mg/kg/16 Weeks; Equivocal Tumorigenic Agent, Tumors at application site Oral Rat TD _{Lo} : 7,200 mg/kg (9-14 Days pregnant); Effects Embryo or Fetus – Fetal death Cytogenetic Analysis – Hamster, Ovary: 5 mmol/ Liter None reported Eyes, Skin, Lungs, Liver, Gastrointestinal Tract & Lympha

SECTION 11: TOXICOLOGICAL INFORMATION (Continued from Page 4)

Components:	Copper Sulfate
Eye Contact:	No data available
Skin Contact:	No data available
Oral Rat LD₅₀:	300 mg/kg
Dermal Rabbit LD ₅₀ :	No data available
Inhalation Rat LC ₅₀ :	No data available
Human Data:	Oral Human TDLo: 11 mg/kg; Toxic Effects - Gastritis, Gastrointestinal Hypermotility, diarrhea
Other Toxicological Data:	Oral Child TD _{Lo} : 150 mg/kg; Toxic Effects – Kidney, Ureter and Bladder-Changes in tubules (acute renal failure)
Carcinogenicity:	Parenteral Chicken, TD _{Lo} : 10 mg/kg; Tumorigenic – Equivocal tumorigenic agent by RTECS criteria
Teratogenicity:	Subcutaneous Rat TDLo: 12,768 ug/kg; (male 1 Day prior to mating) paternal effects-Testes, epididymis, sperm duct
Mutagenicity:	Rat DNA damage, Ascites tumor: 500 umol/Liter
Synergistic Products:	None reported
Target Organs:	Eyes, Skin, Mucous membranes, Lungs, Gastrointestinal tract, Kidneys & Blood
Medical Conditions Aggravated By Exposure:	Wilson's Disease, Skin, Liver, Kidney & Respiratory disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is completely soluble in water and can affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATON:

Non-RCRA Hazardous Waste (United States)

Not Applicable

U.S. EPA WASTE NUMBER/DESCRIPTION:

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

	SECTION 14: TRANSPO	RTATION INFORMATION	
DOT PROPER SHIPPING NAME:	Environmentally hazardous substa	nces, liquid, n.o.s. (Cupric Sulfate)	
	Hazard Class: 9	UN Number: UN3082	Packing Group:
	Primary Label: Class 9	Subsidiary Label(s):	None
	Primary/Subsidiary Placards:	Class 9	
DOT Reportable Quantity (RQ):	10 pounds (Cupric Sulfate)	RQ for Product: 395 pounds	s (37 gallons)
Marine Pollutant:	Yes (Severe Marine Pollutant) Applic	able to transport by water & in any bull	k packaging.
2012 North American Emergency Re	esponse Guidebook No.: 1	71	
TDG PROPER SHIPPING NAME:	Environmentally hazardous substa	nces, liquid, n.o.s. (Cupric Sulfate)	
	Hazard Class: 9	UN Number: UN3082	Packing Group:
	Primary Label: Class 9	Subsidiary Label(s):	None
	Primary/Subsidiary Placards:	Class 9	
TDG Reportable Quantity (RQ): *	At least 1kg		
TDG Schedule XII:	Not listed		
Regulated Limit (RL): **	Not Listed	RL for Product: Not Applica	ble
Other Shipping Information:		inds, or more, the shipping name must ions, for this product, must be followed kaging.	
* Canadian Transportation of Dangerous	Goods Pogulations (TDCP) Part IX Table	Quantition or lovels for Immediate Reporti	ng: releases of reportable quantities PO that

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

	Proprietary Organic		Manganese Sulfate	
COMPONENTS:	<u>Acid</u>	Zinc Sulfate		Ferrous Sulfate
<u>OSHA Target Organs:</u>	Eyes, Skin, Mucous membranes, Lungs & Teeth	Eyes, Skin, Lungs, Cardiovascular, Blood & Central Nervous Systems	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Lungs, Liver, Gastrointestinal & Lymphatic Systems
Carcinogenic Potential:				
Regulated by OSHA:	No	No	No	No
Listed on NTP Report:	No	No	No	No
Listed by IARC:	No	No	No	No
IARC Group:	Not applicable	Not applicable	Not applicable	Not applicable
ACGIH Appendix A:	Not listed	Not listed	Not listed	Not listed
A1 Confirmed Human: A2 Suspected Human:	Not applicable Not applicable	Not applicable Not applicable	Not applicable Not applicable	Not applicable Not applicable
U.S. EPA Requirements				
Release Reporting				
CERCLA (40 CFR 302)				
Listed Substance:	Not listed	Yes	Yes (Manganese Compounds)	Yes
Reportable Quantity:	Not applicable	1, 000 pounds	1 pound	1,000 pounds
Category:	Not applicable	С	Not listed	С
RCRA Waste No .:	Not applicable	Not listed	Not listed	None listed
Unlisted Substance:	Yes	Not applicable	Not applicable	Not applicable
Reportable Quantity:	100 pounds	Not applicable	Not applicable	Not applicable
Characteristic:	Corrosivity	Not applicable	Not applicable	Not applicable
RCRA Waste No.:	D002	Not applicable	Not applicable	Not applicable
SARA TITLE III				
Section 302 & 303 (40 CFR 355				
Listed Substance:	Not listed	Not listed	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable	Not applicable	Not applicable
Section 311 & 312 (40 CFR 370 Hazard Categories (product):		ase of Pressure: N Read	tive: N Acute Health:	Y Chronic Health: N
Planning threshold:	Fire: <u>N</u> Sudden Relea	10,000 pounds	10,000 pounds	10,000 pounds
5	10,000 pounds	ro,000 pounds	10,000 pounds	
Section 313 (40 CFR 372):				
Listed Toxic Chemical:	Not listed	Yes (Zinc Category)	Yes (Manganese	Not listed
Reporting Threshold:	Not applicable	10,000 pounds	Category) 10,000 pounds	Not applicable
U.S. TSCA Status				
Listed (40 CFR 710):	Yes	Yes	Yes	Yes
State Regulations				
State of California: Safe Drink	ing Water and Toxins Enforcem	nent Act, 1986 (Proposition	65):	
Carcinogen:	No	No	No	No
Reproductive Toxin:	No	No	No	No
Other Regulations				
State Right To Know Laws:	MA, NJ, PA			
Canadian Regulations				
Product Information:				
Controlled Product:	Yes			
WHMIS Hazard Symbols:	Material Causing Other To:	xic Effects		
WHMIS Class & Division:	D.2B			
Ingredient Information:				
IDL Substance:	Yes	Yes	Yes	No
DSL or NDSL Lists:	DSL	DSL	DSL	DSL

For U.S. Domestic Use Only

SECTION 15: REGULATORY INFORMATION (Continued from Page 6)

COMPONENTS:

OSHA Target Organs:

Copper Sulfate

Eyes, Skin, Mucous membranes, Lungs, Liver, Kidneys & Blood

Not applicable

Not applicable

Not applicable

Not listed

No

No

No

Carcinogenic Potential: Regulated by OSHA: Listed on NTP Report: Listed by IARC: IARC Group: ACGIH Appendix A: A1 Confirmed Human: A2 Suspected Human:

U.S. EPA Requirements Release Reporting

Release Reporting	
CERCLA (40 CFR 302)	
Listed Substance:	Yes
Reportable Quantity:	10 pounds (Anhydrous)
Category:	А
RCRA Waste No .:	Not listed
Unlisted Substance:	Not applicable
Reportable Quantity:	Not applicable
Characteristic:	Not applicable
RCRA Waste No .:	Not applicable
SARA TITLE III	
Section 302 & 303 (40 CFR 355):	

S

Section 302 & 303 (40 CFR 355): Listed Substance: Reportable Quantity:	Not listed Not applicable
Planning Threshold:	Not applicable
Section 311 & 312 (40 CFR 370): Planning threshold:	10,000 pounds
Section 313 (40 CFR 372):	
Listed Toxic Chemical:	Yes (Copper Category)
Reporting Threshold:	10,000 pounds
U.S. TSCA Status	
Listed (40 CFR 710):	Yes
State Regulations	
State of California: Safe Drinking Wa	ter and Toxins Enforcement Act, 1986 (Proposition 65):
Carcinogen:	No
Reproductive Toxin:	No
Other Regulations State Right To Know Laws:	MA, NJ, PA
Canadian Regulations	

Product Information:

Controlled Product:	Yes
WHMIS Hazard Symbols:	Corrosive Material
WHMIS Class & Division:	E
Ingredient Information: IDL Substance: DSL or NDSL Lists:	Yes DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as part of a plant nutrition program.

Special Notes:

This product is not formulated to contain any material, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains small amounts of mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special Instructions:

When making solutions, always add Max Pak to water, or other solutions, with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers or chlorinated cleaners as this liberates toxic Chlorine gas. Do not add this product to strong alkali or caustic materials and products, as this can liberate a lot of heat and toxic Ammonia gas.

SDS Revision Information: Revision Date: 11/19/15

SDS Distributed by: Bio Huma Netics

Prepared By: Frank S. Pidgeon, EHS Director Date Prepared: October 20, 2014

This Material Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics assumes legal liability. While Bio Huma Netics believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.