


NFPA HAZARD RATING U.S. TRANS



U.S. TRANSPORT SUMMARY

Not regulated by the U.S. DOT as a hazardous material. See Section 14 for additional information.

SECTION 1: IDENTIFICATION		
Product Name:	Humitech [®] 21	
EPA Registration #:	Exempt	
Product ID/Unity #:	10133593, 1415206	
Common Name:	Humic acid and fermented grain by-products	
Chemical Description:	Humic acids from leonardite and fermented grain by-products	
Recommended Uses:	Soil amendment product – See product label for full directions for use.	
Restrictions for Use:	See product label for any potential restrictions on use.	
Manufactured For:		MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)
WINFIELD SOLUTIONS,	LLC	
P. O. Box 64589		Non-Emergency Business Inquiries: 1-855-494-6343
St. Paul, MN 55164-0589		Mon – Fri 8am – 5pm (Central Standard Time)
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:		
1		

CHEMTREC 1-800-424-9300 (24 hours)

	SECTION 2: HA	ZARDS IDENTIFICATIO	DN
EMERGENCY OVERVIEW:	Dark brown liquid with corn	silage/feed like odor. Causes mod	lerate eye and skin irritation. May
cause respiratory irritation.			
POTENTIAL HEALTH EFFE			
Eyes: Causes moderate but			
	n irritation including redness		
Inhalation: May cause minor irritation of the upper respiratory tract.			
Ingestion: May cause gastr			
Preexisting Conditions: No			
Chronic Health Effects: No	ne known		
Carcinogenicity	NTP: Not listed	IARC: Not listed	OSHA: Not listed
OSHA HCS 2012 CLASSIF	CATION: Eye Irritation Cate	gory 2A; Skin Irritation Category 2;	; Specific Target Organ Toxicity –
Single Exposure Category 3			
SIGNAL WORD: WARNING	1		
HAZARD STATEMENTS:			
Causes serious eye irritation	l .		\wedge
Causes skin irritation.			
May cause respiratory irritati	on.		•
Percent of product with ur	known toxicity: 0%		V
PRECAUTIONARY STATE	,		
		Near protective aloves eve and fa	ce protection. Avoid breathing mist or
	only outdoors in a well-ventil		ice protection. Avoid preatining mist of
spiay. Use	uniy outuoors in a well-ventil	aleu alea.	

Continued on next page

Response:	If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do.		
	Continue rinsing. If eye irritation persists: Get medical attention. If on skin: Wash with plenty of water. If skin		
	irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled:		
	Remove person to fresh air and keep comfortable for breathing. Call a poison control center (1-877-424-7452)		
	or doctor for treatment advice if you feel unwell.		
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up.		
Disposal:	Dispose of contents/container in accordance with Federal, state and local regulations.		

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredient	% (wt)	CAS Reg. #	
Humic acids from leonardite ore	1.0%	1415-93-6	
Fermented grain by-products	40.0%	*	
*Ingredients not specifically listed are non-hazardous and/or are considered CFR 1910.1200(i). See Section 8 for exposure limits.	to be confidential	business information under 29	

	SECTION 4: FIRST AID MEASURES
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.
Ingestion:	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Carbon dioxide, dry chemical, foam, water spray or fog Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Carbon monoxide and carbon dioxide Unusual Fire and Explosion Hazards: None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire. Maintain product above minimum storage temperature. **Minimum Storage Temperature:** 32°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines			
Component:	OSHA PEL	ACGIH TLV	NIOSH REL
No components have an exposure limit			
Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If airborne			
concentrations exceed exposure limits, use a NI	OSH approved air-purifying	respirator with cartridges/c	anisters approved for
general particulates.			
Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne			
concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is			
preferred.			
Protective Gloves: Wear chemically protective gloves to prevent exposure to skin.			
Eye Protection: To avoid contact with eyes, wear chemical safety goggles or safety glasses and full face shield. Contact			
lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area.			
Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact.			
Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material,			
especially before eating, drinking, smoking, using the toilet, or applying cosmetics.			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Vapor Pressure (mm Hg): Vapor Density (Air=1): Solubility in Water (wt %): Viscosity: Appearance and odor: Liquid Not determined Not determined Not determined Dark brown liquid with corn silage/feed like odor Specific Gravity (H₂O=1): Density (Ibs/gallon): Melting Point/Freezing Point: Boiling Point/Range: pH: Flash Point: 1.12 (typical) 9.35 lbs/gallon (typical) Not determined >212°F (100°C) Not determined Not determined

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. **Possibility of Hazardous Reactions:** None known

Conditions to Avoid: Avoid contact with incompatible materials.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Carbon oxides may be formed in a fire situation.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY			
Eye Effects:	Causes moderate but reversible eye irritation.		
Skin Effects:	Causes moderate skin irritation. LD50 is not determined		
Acute Inhalation Effects:	May cause minor irritation of the upper respiratory tract but is not anticipated to be acutely toxic.		
Acute Oral Effects:	LD50 is not determined		
Specific Target Organ	Respiratory tract		
Toxicity:			
CHRONIC TOXICITY			
Chronic Effects:	None known		
Carcinogenicity:	No component is anticipated to have carcinogenic effects.		
Mutagenicity:	No component is anticipated to have mutagenic effects.		
Teratogenicity:	No component is anticipated to have teratogenic effects.		
Reproductive Toxicity:	No component is anticipated to have effects on the reproductive system.		
POTENTIAL HEALTH EFFECTS:			
Eyes: Causes moderate but reversible eye irritation.			
Skin: Causes moderate skin irritation including redness and irritation.			
Inhalation: May cause minor irritation of the upper respiratory tract.			
Ingestion: May cause gastric upset if swallowed.			

SECTION 12: ECOLOGICAL INFORMATION		
ENVIRONMENTAL SUMMARY: Not determined		
ECOTOXICITY DATA:		
Fish Acute and Prolonged Toxicity:	Not determined	
Aquatic Invertebrate Acute Toxicity:	Not determined	
Aquatic Plant Toxicity:	Not determined	
Bird Acute and Prolonged Toxicity:	Not determined	
Honeybee Toxicity:	Not determined	
ENVIRONMENTAL EFFECTS:		
Soil Absorption/Mobility:	Not determined	
Persistence and degradability:	Not determined	
Bioaccumulative Potential:	Not determined	
Other adverse effects:	Not determined	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations. Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORT INFORMATION		
DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.	
IMDG: (Sea)	This product is not regulated by the IMDG code as a hazardous material for shipment by sea.	
IATA: (Air)	This product is not regulated by the IATA as a hazardous material for air shipment.	
TDG: (Canada)	This product is not regulated by the TDG as a hazardous material for ground shipment.	

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: All components are listed or exempt from listing on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed

Section 311/312 – Hazard Categories: Immediate (Acute)

Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

None listed

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

None listed

California Proposition 65: This product does not contain any chemicals known to the state of California to cause cancer and/or reproductive harm.

U.S. State Worker and Community Right-To-Kno	w (RTK) Information	(CT, IL, MA, MN, NH, NJ, PA, RI):
Chemical Name	CAS #	State(s)
No components listed		

Canadian Domestic Substances List: Not determined

WHMIS Classification: This product is not approved for use in Canada. WHMIS Classification is not determined.

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: October 29, 2014 Supersedes document dated: N/A – New document Sections Revised: N/A – New document