

1/15

HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 Print Date: 04/18/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name HUSKIE® COMPLETE HERBICIDE

Product code (UVP) 79380356

SDS Number 102000020211

EPA Registration No. 264-1135

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4 Serious eye damage: Category 1 Reproductive toxicity: Category 2 Carcinogenicity: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200









HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 Print Date: 04/18/2024

Signal word: Danger

Hazard statements

Harmful if swallowed.

Causes serious eye damage. Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

Precautionary statements

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/ physician.

IF exposed or concerned: Get medical advice/ attention.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Bromoxynil octanoate, heptanoate mixed ester		22.56
Pyrasulfotole	365400-11-9	2.82
Thiencarbazone-methyl	317815-83-1	0.45
Hydrocarbons, C10-C13, aromatics, <1% naphthalene Alcohols, C11-14-iso-, C13-rich, ethoxylated		28.9
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	15.0
Stearylamine, ethoxylated	26635-92-7	5.0
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	1.1
Naphthalene	91-20-3	0.3

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.



3/15

HUSKIE® COMPLETE HERBICIDE

 Version 6.0 / USA
 Revision Date: 04/17/2024

 102000020211
 Print Date: 04/18/2024

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:

Headache, Nausea, Dizziness, Somnolence

Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treat symptomatically. Gastric lavage is not normally required.

However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. Contraindication:

derivatives of adrenaline.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides,

Hydrogen chloride (HCI)

Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point $>100 \,^{\circ}\text{C} / 212 \,^{\circ}\text{F}$ Auto-ignition temperature $410 \,^{\circ}\text{C} / 770 \,^{\circ}\text{F}$

Lower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

This substance contains 10% or more of an oil as defined in 49 CFR

130.5 when it is shipped in a package of 3,500 gallons or more.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	50 mg/m3/10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	2010	NIOSH
Naphthalene	91-20-3	50 mg/m3/10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	06 2008	TN OEL
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m3/0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis		Sampling time: End of shift.		ACGIH BEI

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Use tightly sealed goggles and face protection.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Liquid

Colourdark brownOdouraromatic

Odour Threshold No data available

pH 6.0 - 8.0 (10 %) (23 °C) (deionized water)

Melting point/range No data available

Boiling Point

No data available

Flash point > 100 °C / 212 °F
Flammability No data available



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

Auto-ignition temperature 410 °C / 770 °F Thermal decomposition No data available

Minimum ignition energy Not applicable Self-accelarating No data available

decomposition temperature

(SADT)

Upper explosion limit No data available Lower explosion limit No data available

Vapour pressure No data available No data available **Evaporation rate** Relative vapour density No data available Relative density No data available

Density ca. 1.11 g/cm³ (20 °C)

Water solubility emulsifiable

Partition coefficient: n-

octanol/water

Bromoxynil octanoate, heptanoate mixed ester: log Pow: > 5.4

Pyrasulfotole: log Pow: -1.362

Thiencarbazone-methyl: log Pow: -0.13 Phenylsulfonate Ca: log Pow: 4.6

Viscosity, dynamic 100 - 200 mPa.s (20 °C)

Velocity gradient 20 /s 50 - 150 mPa.s (20 °C) Velocity gradient 100 /s

Viscosity, kinematic 105 mm²/s (40 °C) Shear rate of 20/sec

No data available Oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 Print Date: 04/18/2024

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Inhalation, Ingestion

Immediate Effects

Eye Causes serious eye damage.

Skin May be harmful in contact with skin. May cause sensitisation by skin

contact.

Ingestion Harmful if swallowed.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 cut-off (Rat) 500 mg/kg

Acute inhalation toxicity LC50 (Rat) > 3.209 mg/l

Exposure time: 4 h

Highest attainable concentration.

Determined in the form of a respirable aerosol.

During intended and foreseen applications, no respirable aerosol is

formed.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin corrosion/irritation Irritating to skin. (Rabbit)

Serious eye damage/eye

irritation

Corrosive - causes irreversible eye damage. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Bromoxynil octanoate, heptanoate mixed ester: Based on available data, the classification criteria are not

Pyrasulfotole: Based on available data, the classification criteria are not met.

Thiencarbazone-methyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Bromoxynil octanoate, heptanoate mixed ester caused specific target organ toxicity in experimental



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

Pyrasulfotole: May cause damage to organs through prolonged or repeated exposure.

Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.

Phenylsulfonate Ca did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Bromoxynil octanoate, heptanoate mixed ester was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.

Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Phenylsulfonate Ca was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Bromoxynil octanoate, heptanoate mixed ester caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): Cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

Phenylsulfonate Ca is not considered carcinogenic.

Naphthalene caused an increased incidence of tumours after chronic inhalation of high vapour concentrations in the following organ: Respiratory Tract. The tumours seen with naphthalene were caused through a non-genotoxic mechanism, which is not relevant at low doses.

ACGIH

Naphthalene	91-20-3	Group A3
-------------	---------	----------

NTP

Naphthalene 91-20-3

IARC

Naphthalene 91-20-3 Overall evaluation: 2B

Assessment toxicity to reproduction

Bromoxynil octanoate, heptanoate mixed ester did not cause reproductive toxicity in a two-generation study in rats.

Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats.

Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

Phenylsulfonate Ca did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bromoxynil octanoate, heptanoate mixed ester caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate, heptanoate mixed ester caused developmental toxicity only at dose levels toxic to the dams.

Pyrasulfotole did not cause developmental toxicity in rats and rabbits.

Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA 102000020211

Revision Date: 04/17/2024 Print Date: 04/18/2024

Phenylsulfonate Ca did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 104 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.041 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 98.6 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

EC50 (Daphnia magna (Water flea)) 0.046 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Daphnia magna (Water flea)) 0.031 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

Toxicity to aquatic plants IC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.017 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.



HUSKIE® COMPLETE HERBICIDE

 Version 6.0 / USA
 Revision Date: 04/17/2024

 102000020211
 Print Date: 04/18/2024

EC50 (Navicula pelliculosa (Freshwater diatom)) 0.043 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.073 mg/l

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.083 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.21 mg/l

Exposure time: 336 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

Biodegradability Bromoxynil octanoate, heptanoate mixed ester:

Not rapidly biodegradable

Pyrasulfotole:

Not rapidly biodegradable Thiencarbazone-methyl: Not rapidly biodegradable Phenylsulfonate Ca: Not rapidly biodegradable

Koc Bromoxyniloctanoate: Koc: 630

Pyrasulfotole: Koc: 20 - 213; log Koc: 2.34

Thiencarbazone-methyl: Koc: 100 Phenylsulfonate Ca: Koc: 2.74

Bioaccumulation Bromoxyniloctanoate: Bioconcentration factor (BCF) 230

Does not bioaccumulate.

Pyrasulfotole:

Does not bioaccumulate. Thiencarbazone-methyl: Does not bioaccumulate.

Phenylsulfonate Ca: Bioconcentration factor (BCF) 3.16

Does not bioaccumulate.

Mobility in soil Bromoxynil octanoate, heptanoate mixed ester: Slightly mobile in soils

Pyrasulfotole: Moderately mobile in soils

Thiencarbazone-methyl: Moderately mobile in soils

Phenylsulfonate Ca: Highly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Bromoxynil octanoate, heptanoate mixed ester: This substance is not

considered to be persistent, bioaccumulative and toxic (PBT). This

substance is not considered to be very persistent and very

bioaccumulative (vPvB).

Pyrasulfotole: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be



12/15

HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

very persistent and very bioaccumulative (vPvB).

Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Phenylsulfonate Ca: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose of in accordance with local and national regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number 3082
Class 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(BROMOXYNIL, THIENCARBAZONE-METHYL, NAPHTHALENE)

RQ Reportable Quantity is reached with 33,333 lb of product.

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL, THIENCARBAZONE-METHYL SOLUTION)



13/15

HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL, THIENCARBAZONE-METHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information This substance contains 10% or more of an oil as defined in 49

CFR 130.5 when it is shipped in a package of 3,500 gallons or

more.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1135

US Federal Regulations

TSCA list

Solvent Naphtha (petroleum), heavy 64742-94-5

aromatic, <1% naphthalene

Alcohols, C11-14-iso-, C13-rich, 78330-21-9

ethoxylated

Bromoxynil octanoate 1689-99-2 Fatty acids, C16-18 and C18-unsatd., Me 67762-38-3

esters

Stearylamine, ethoxylated 26635-92-7 Castor oil, ethoxylated 61791-12-6 Mefenpyr-diethyl 135590-91-9 Silane, dichlorodimethyl-, reaction 68611-44-9

products with silica

Dipotassium hydrogenorthophosphate 7758-11-4

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Naphthalene 91-20-3



HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

WARNING: This product contains a chemical known to the State of California to cause birth defects or

other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Bromoxynil octanoate 1689-99-2 Developmental toxin. Toluene 108-88-3 Developmental toxin. Bromoxynil 1689-84-5 Developmental toxin.

US State Right-To-Know Ingredients

CT, IL, NJ, RI Solvent Naphtha (petroleum), heavy 64742-94-5

aromatic, <1% naphthalene

Bromoxynil octanoate 1689-99-2 CT, NJ Silane, dichlorodimethyl-, reaction 68611-44-9 CA, MN, RI

products with silica

Environmental

CERCLA Yes

Solvent Naphtha (petroleum), heavy 64742-94-5

aromatic, <1% naphthalene

Clean Water Section 307(a)(1)

Yes

Toluene 108-88-3

Yes

91-20-3 Naphthalene Safe Drinking Water Act Maximum Contaminant Levels

Yes

Toluene 108-88-3

Yes

Bromoxynil 1689-84-5

Yes

Naphthalene 91-20-3

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Danger!

Hazard statements: Corrosive - causes irreversible eye damage.

May be fatal if swallowed.

Harmful if absorbed through skin.

Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.



15/15

HUSKIE® COMPLETE HERBICIDE

Version 6.0 / USA Revision Date: 04/17/2024 102000020211 Print Date: 04/18/2024

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 3 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 3* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 6. Accidental Release Measures. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 14: Transport Information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

Revision Date: 04/17/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.