

Page 1 of 4

1. Identification

Product Name	: INDUCE (WA)
Synonyms	: None
Product Use	: Nonionic Surfactant and Antifoaming Agent
Manufacturer/Supplier	: Helena Chemical Company
Address	: 225 Schilling Blvd. Collierville, TN 38017
General Information	: 901-761-0050
Transportation Emergency Number	: CHEMTREC:800-424-9300

2. Hazard Identification



Signal Word	: Warning
Skin Irritation	: Moderately irritating
Eye Irritation	: Severely irritating in non-washed eye (35.8); moderately irritating in washed eye (16.3); Injury was reversible.
Acute Toxicity Oral	: LD50 >4,000 mg/kg (rat)
Acute Toxicity Dermal	: LD50 >2,000 mg/kg (rat)
Hazard Categories	: Oral/Dermal/Inhalation Toxicity - 5/5/5; Eye Irritation - 2A; Skin Irritation - 2
Hazard Statement	: May be harmful if swallowed May be harmful in contact with skin Causes serious eye irritation Causes skin irritation May be harmful if inhaled

. Composition / Information on Ingred	lients		
Component Alkyl phenol ethoxylate, alcohol	CAS Number Proprietary	Weight % 90.00	
ethoxylate, tall oil fatty acids Constituents ineffective as spray adjuvants	Proprietary	10.00	

4. First Aid Measures

Еуе	: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin	: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	: Call a poison control center or doctor immediately for treatment advice. Rinse mouth with water. Do not induce vomiting. Do not give anything by mouth if unconscious.
Indication of Immediate Medical Attention and Special Treatment Needed	: In the event of an adverse response, treatment should be directed toward control of the symptoms.



Report Date 12-May-15

Page 2 of 4

5. Fire Fighting Measures

Extinguishing Media	: Use dry chemical, water spray, water fog, carbon dioxide, foam, or sand/earth.
Specific Hazards Arising from the	: Water spray be ineffective. Cool fire-exposed containers with water. Fog
Chemical	nozzles are preferable. Closed containers may rupture or explode when
	exposed to extreme heat.
Special Fire Fight Proc	: Wear self-contained breathing apparatus and full protective clothing.

6. Accidental Release Measures Personal Precautions Protective Equipment Keep unprotected and unnecessary personnel out of spill area. Splashproof goggles or face shield, chemical-resistant gloves, impervious apron and footwear. Eyewash should be available in work area. Use NIOSH-approved respirator with organic vapor cartridge if PEL exceeded. Prevent spreading of spilled material into any waterways, drains or sewers. Absorb with an inert material such as sand, soil or vermiculite. Sweep up and dispose of in accordance with Federal, State and Local regulations.

7. Handling and Storage	
Precautions for Safe Handling	: Keep out of reach of children. Keep container tightly closed. Do not contaminate water sources by runoff from cleaning of equipment, disposal of equipment wash waters or spray waste.
Conditions for Safe Storage	: Do not store with food, feed or other material to be used or consumed by humans or animals. Store in original container only. Do not allow water to be introduced into the contents of this container.

8. Exposure Controls / Personal Protection

TLV/PEL	: PEL 100 mg/m3.
Appropriate Engineering Controls	: Mechanical exhaust system
Personal Protective Equipment	: Splashproof goggles or face shield, chemical-resistant gloves, impervious apron
	and footwear. Eyewash should be available in work area. Use NIOSH-approved
	respirator with organic vapor cartridge if PEL exceeded.

9. Physical and Chemical Properties

Flash Point, ⁰ F Boiling Point, ⁰ F Melting Point(Freezing point), ⁰ C Vapor Pressure, mm Hg @ 20 ⁰ C Vapor Density Solubility in Water Molecular Formula Density, g/mL @ 25 ⁰ C	 Not established 2.1 Dispersible Not applicable, formulated mixture. 0.956-1.033
Evaporation Rate(Butyl Acetate = 1)	
Octanol/Water Partition Coefficient	: No information found
pH Flammable Limits (approximate volume % in air)	: 4 to 5.0 : No information found



Page 3 of 4

Auto-ignition Temperature : >750 Degrees F. Decomposition temperature : No information found

10. Stability and Reactivity

Chemical Stability	 No information found Stable Carbon monoxide and carbon dioxide under fire conditions.
Products	
Hazardous Polymerization	: Will not occur
Conditions to Avoid	: Excessive heat and open flames.
Incompatible Materials	: Do not mix with strong oxidizers such as hydrogen peroxide, bromine and chromic acid.

11. Toxicological Information

Acute Toxicity (Oral LD50) Acute Toxicity (Dermal LD50) Acute Toxicity Inhalation LC50	: >2,000 mg/kg (rat)
Likely Routes of Exposure	
	: Moderately irritating.
Eye Irritation	: Severely irritating in non-washed eyes (35.8), moderately irritating in washed eyes (16.3). Injury was reversible.
Skin Sensitization	: Not listed as a sensitizer.
0	: Not listed by IARC, NTP or OSHA.
Chronic Effects	: None currently known.
Other Hazards	: May contain components which, in laboratory tests, have been toxic to the fetus only at doses toxic to the mother.

12. Ecological Information

Ecotoxicity	: No information found
Persistence and Degradability	: No information found
Bioaccumulative Potential	: No information found
Mobility in Soil	: No information found
Other Adverse Effects	: Contains Alcohol C-12-C-16 Poly (1-6) Ethoxylate - a marine pollutant.

13. Disposal Considerations	
Waste Disposal Method	: This material must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act.

14. Transport Information

UN Proper Shipping Name	: Not regulated by DOT in non-bulk packages. Regulated in bulk or if shipped by air (IATA) or vessel (IMDG) as Environmentally Hazardous Substance, Liquid, n.o.s., (Alcohol C12-C16 Poly (1-6) Ethoxylate)
Transport Hazard Class	: Class 9 (bulk/IATA/IMDG)
UN Identification Number	: 3082(bulk/IATA/IMDG)
Packaging Group	: PG III (bulk/IATA/IMDG)
Environmental Hazards	: Marine Pollutant

HELENA	Safety Data Sheet	Report 12-May-15 Date
		Page 4 of 4
Transport in Bulk Special Precautions for Transportation Freight Classification	 Marine Pollutant No information found Adhesives, Adjuvants, Spreaders or Stickers, N.O.I. (NM 60) 	IFC Item 42652, Class
15. Regulatory Information		
National Fire Protection Association Rating	Health: 1 Fire: 1	Reactivity: 0
S.A.R.A Title III Hazard Classification (Yes/No)	Immediate(Acute) Health: Y Delayed (Chronic) Health: N Sudden Release of N Pressure: Fire: N Reactive: N	High, 2-Moderate, 1-Slight, 0-Minimum)

16. Other Information

Data of Preparation/Revision : 12-May-2015