SAFETY DATA SHEET



1. Identification

Product identifier Other means of identification	Intelliphos System 45 None.	
Recommended use	Ag Product - Plant Nutrition	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier Manufacturer	/Distributor information	
Company name Address	Wilbur-Ellis Company LLC Wilbur-Ellis Company LLC 8131 W. Grandbridge Blvd, Suite 200 Kennewick, WA 99336 United States	
Telephone E-mail	Branded Products Information SDS@WilburEllis.com	(800) 500-1698
Emergency phone number	Chemtrec - Domestic Chemtrec - International	(800) 424-9300 +1 703-741-5970

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1C
	Serious eye damage/eye irritation	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves, protective clothing, eye protection, and face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents and container in accordance with government regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Phosphoric Acid		7664-38-2	30 - < 40
Sulfuric Acid		7664-93-9	5 - < 10
Urea		57-13-6	5 - < 10

Material name: Intelliphos System 45

Chemical name	Common name and synonyms	CAS number	%
Zinc Ammonia Complex		67859-51-2	1 - < 3
Other components below report			40 - < 50
ercentage ranges of composition	to protect confidentiality or due to batch variation.		
. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptoms do	evelop or persist.	
kin contact	Take off immediately all contaminated clothing. F control center immediately. Chemical burns must clothing before reuse.		
ye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
ngestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. include stinging, tearing, redness, swelling, and b blindness could result. Upper respiratory tract irri	olurred vision. Permaner	
ndication of immediate nedical attention and special reatment needed	Provide general supportive measures and treat s immediately. While flushing, remove clothes whic ambulance. Continue flushing during transport to Symptoms may be delayed.	ch do not adhere to affect	ted area. Call an
General information	Ensure that medical personnel are aware of the r protect themselves.	material(s) involved, and	take precautions to
5. Fire-fighting measures			
uitable extinguishing media	Not available.		
Insuitable extinguishing	Do not use water jet as an extinguisher, as this w	ill spread the fire.	
pecific hazards arising from he chemical	During fire, gases hazardous to health may be fo	rmed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ctive clothing must be w	orn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so w	vithout risk.	
Specific methods	Use standard firefighting procedures and conside	er the hazards of other in	volved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures Methods and materials for	Keep unnecessary personnel away. Keep people low areas. Wear appropriate protective equipmer mist or vapor. Do not touch damaged containers protective clothing. Ensure adequate ventilation. spillages cannot be contained. For personal protective Should not be released into the environment.	nt and clothing during cle or spilled material unles Local authorities should	ean-up. Do not breath s wearing appropriate be advised if signific
containment and cleaning up	Large Spills: Stop the flow of material, if this is wi possible. Cover with plastic sheet to prevent spre and place into containers. Prevent entry into wate Following product recovery, flush area with water	eading. Absorb in vermic erways, sewer, basemer	ulite, dry sand or eart
	Small Spills: Wipe up with inert absorbent materi contamination.	al. Clean surface thorou	ghly to remove residu
	Never return spills to original containers for re-us		
Environmental precautions	Prevent further leakage or spillage if safe to do se drains, water courses or onto the ground.	o. Do not contaminate w	ater. Avoid discharge
7. Handling and storage Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, exposure. Provide adequate ventilation. Wear ap good industrial hygiene practices.		

8. Exposure controls/personal protection

Components	s for Air Contaminants (29 CFR 1910. Type	Value	
Phosphoric Acid (CAS 7664-38-2)	PEL	1 mg/m3	
Sulfuric Acid (CAS 7664-93-9)	PEL	1 mg/m3	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Phosphoric Acid (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
Sulfuric Acid (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
US. NIOSH: Pocket Guide			
Components	Туре	Value	
Phosphoric Acid (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
Sulfuric Acid (CAS 7664-93-9)	TWA	1 mg/m3	
US. Workplace Environme Components	ental Exposure Level (WEEL) Guides Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
ological limit values	No biological exposure limits noted	for the ingredient(s).	
propriate engineering ntrols	Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estat wash facilities and emergency show	applicable, use process enclos intain airborne levels below reco blished, maintain airborne levels	ures, local exhaust ventilation ommended exposure limits. s to an acceptable level. Eye
lividual protection measure Eye/face protection	s, such as personal protective equip Wear safety glasses with side shield		d.
Skin protection Hand protection	Wear appropriate chemical resistan	it gloves.	
Other	Wear appropriate chemical resistan	-	
Respiratory protection	In case of insufficient ventilation, we	-	nt
Thermal hazards	Wear appropriate thermal protective		
neral hygiene nsiderations	Always observe good personal hygi and before eating, drinking, and/or s equipment to remove contaminants	ene measures, such as washin smoking. Routinely wash work	
Physical and chemica	l properties		
pearance	Clear liquid		
Physical state	Liquid.		
Form	Liquid.		
Color	Clear.		
or	Not available.		
or threshold	Not available.		
	1.2 - 1.6		

Melting point/freezing point

Initial boiling point and boiling

Not available.

Not available.

Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	12.70 lb/gal
VOC (Weight %)	8.82 % Switzerland estimated

10. Stability and reactivity

Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Upper respiratory tract irritation.

Information on toxicological effects

Acute toxicity			
Components	Species	Test Results	
Phosphoric Acid (CAS 7664-38-2)			
Acute			
Inhalation			
LC50	Guinea pig, Mouse, Rabbit, Rat	1217 mg/m3, 1 Hours	
Oral			
LD50	Rat	1.7 ml/100g	

Components	Species	Test Results
Sulfuric Acid (CAS 7664-93-9)		
Acute		
Inhalation		
LC50	Rat	375 mg/m3
Oral		
LD50	Rat	2140 mg/kg
Urea (CAS 57-13-6)		
Acute		
Oral		
LD50	Mouse	13000 mg/kg
	Rat	15000 mg/kg
Other		
LD50	Mouse	9200 mg/kg
	Rat	8200 mg/kg
* Estimates for product may I	pe based on additional component data not s	hown.
Skin corrosion/irritation	Causes severe skin burns and eye damag	je.
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin	sensitization.
Germ cell mutagenicity	No data available to indicate product or ar mutagenic or genotoxic.	ny components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Sulfuric Acid (CAS 7664		genic to humans.
Not listed.		
US. National Toxicology Pr	ogram (NTP) Report on Carcinogens	
Sulfuric Acid (CAS 7664	-93-9) Known To	Be Human Carcinogen.
Reproductive toxicity	This product is not expected to cause repr	oductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information	ı	
Ecotoxicity		rould be expected to produce significant ecotoxicity upon ic systems.
Persistence and degradability	No data is available on the degradability o	f this product.
Bioaccumulative potential	No data available.	
Partition coefficient n-octa	nol / water (log Kow) -2.11	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e	e.g. ozone depletion, photochemical ozone creation ming potential) are expected from this component.
13. Disposal consideratio	ns	
Disposal instructions		ontainers at licensed waste disposal site. Do not allow
		onlies. Dispose of contents and container in accordance

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow
	this material to drain into sewers/water supplies. Dispose of contents and container in accordance
	with government regulations.

Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.			
14. Transport information				

DOT

DOT	
UN number	UN1805
UN proper shipping name	Phosphoric Acid Solution (Phosphoric Acid RQ = 12860 LBS, sulfuric acid RQ = 16835 LBS)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	
	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B2, IB2, T11, TP2, TP27
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	242
IATA	
UN number	UN1805
UN proper shipping name	Phosphoric Acid Solution
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	No.
ERG Code	8L
	Read safety instructions, SDS and emergency procedures before handling.
Other information	Read salety instructions, SDS and emergency procedures before nandling.
Passenger and cargo	Allowed.
aircraft Cargo aircraft only	Allowed.
IMDG	Allowed.
UN number	UN1805
UN proper shipping name	Phosphoric Acid Solution
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	111
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and	Not established.
the IBC Code	



15. Regulatory information

15. Regulatory inform	nation				
US federal regulations	Standard, 2	9 CFR 1910.12		d by the OSHA Hazard tory List.	Communication
US DHS Chemicals of	f Interest: Listed su	Ibstance			
Sulfuric Acid (CAS 7664-93-9)			OLEUM (FUMING SULFURIC ACID)		
TSCA Section 12(b) E	xport Notification ((40 CFR 707, Si	ubpt. D)		
Not regulated.	Substance List (40	CEB 302 4)			
CERCLA Hazardous Substance List (40 CFR 302.4)			Listed.		
	Phosphoric Acid (CAS 7664-38-2) Sulfuric Acid (CAS 7664-93-9)		Listed.		
	mplex (CAS 67859-5	51-2)	Listed.		
SARA 304 Emergency					
Sulfuric Acid (CAS	5 7664-93-9)		1000 LBS		
OSHA Specifically Re		s (29 CFR 1910).1001-1050)		
Not listed.	-				
Superfund Amendments	and Reauthorizatio	n Act of 1986 (SARA)		
Hazard categories	Immediate	Hazard - Yes	,		
-	Delayed Ha				
	Fire Hazard				
	Pressure H Reactivity H				
SARA 302 Extremely	•				
Chemical name	CAS number	Reportable	Threshold	Threshold	Threshold
Unemieu nume		quantity	planning quantity	planning quantity,	planning quantity,
		1	1. 24	lower value	upper value
Sulfuric Acid	7664-93-9	1000	1000 lbs		
SARA 311/312 Hazaro chemical	lous No				
SARA 313 (TRI report	ing)				
Chemical name	•		CAS number	% by wt.	
MISTS, VAPORS,	(ACID AEROSOLS I GAS, FOG, AND O IS OF ANY PARTIC	THER	7664-93-9	5 - < 10	
ZINC COMPOUNDS		67859-51-2	1 - < 3		
Other federal regulations					
Clean Air Act (CAA) S	Section 112 Hazard	ous Air Polluta	nts (HAPs) List		
Not regulated.					
Material name: Intelliphos Svs	stem 45				SDS US

Sulfuric Acid (CAS 7664 Safe Drinking Water Act	Not regulated.		
(SDWA)	Not regulated.		
Drug Enforcement Adn Chemical Code Numbe		2, Essential Chemicals (21 CFR 1310.02(b) and 1	310.04(f)(2) and
Sulfuric Acid (CAS 7	,	6552	
-		1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12	2(c))
Sulfuric Acid (CAS 7 DEA Exempt Chemical	Mixtures Code Numbe	20 %WV r	
Sulfuric Acid (CAS 7	7664-93-9)	6552	
S state regulations			
	ubstances. CA Departn	nent of Justice (California Health and Safety Cod	e Section 11100)
Not listed. US. Massachusetts RTK - S	Substance List		
Phosphoric Acid (CAS 7			
Sulfuric Acid (CAS 7664		(now Act	
US. New Jersey Worker and	, .		
Phosphoric Acid (CAS 7 Sulfuric Acid (CAS 7664			
Zinc Ammonia Complex	,		
US. Pennsylvania Worker a	nd Community Right-to	o-Know Law	
Phosphoric Acid (CAS 7			
Sulfuric Acid (CAS 7664 US. Rhode Island RTK	-93-9)		
Phosphoric Acid (CAS 7	664-38-2)		
Sulfuric Acid (CAS 7664			
Zinc Ammonia Complex	(CAS 67859-51-2)		
US. California Proposition	65		
California Safe Drinking any chemicals currently		ement Act of 1986 (Proposition 65): This material is r reproductive toxins.	not known to contain
US - California Proposi	ition 65 - CRT: Listed da	ate/Carcinogenic substance	
Sulfuric Acid (CAS 7	7664-93-9)	Listed: March 14, 2003	
ternational Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)
Canada	Non-Domestic Substa	nces List (NDSL)	Ye
China	Inventory of Existing C	Chemical Substances in China (IECSC)	Ye
Europe	European Inventory of Substances (EINECS)	f Existing Commercial Chemical	Ye
Japan	Inventory of Existing a	nd New Chemical Substances (ENCS)	Ye
Philippines	Philippine Inventory of (PICCS)	f Chemicals and Chemical Substances	Ye
United States & Puerto Rico	Toxic Substances Cor	ntrol Act (TSCA) Inventory	Ye
		y with the inventory requirements administered by the gove t are not listed or exempt from listing on the inventory adm	
6. Other information, inc	luding date of pres	paration or last revision	

10040 4410	02 20 2010
Version #	01
NFPA ratings	Health: 3 Flammability: 0 Instability: 0



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.