Revision: 08/09/2021 Supersedes Revision: 06/07/2021

1. Product and Company Identification

Product Code: Z-KEYCOMO23

Product Name: KEYLATE COMO CLASSIC

Company Name: Stoller Phone Number: 9090 Katy Freeway 1 (713)461-1493

9090 Katy Freeway Suite 400

Houston, TX 77024

Web site address: www.stollerusa.com

Email address: compliance@stollerusa.com

Emergency Contact: CHEMTREC, In the US and Canada call 1 (800)424-9300

CHEMTREC, From other countries call +1 (703)527-3887

Information: 1 (800)539-5283

Intended Use: For agricultural use only

2. Hazards Identification

Acute Toxicity: Inhalation, Category 5
Acute Toxicity: Oral, Category 4

Serious Eye Damage/Eye Irritation, Category 2B

Acute Toxicity: Skin, Category 5



GHS Signal Word: Warning

GHS Hazard Phrases: H302 - Harmful if swallowed.

H313 - May be harmful in contact with skin.

H320 - Causes eye irritation. H333 - May be harmful if inhaled.

GHS Precautionary Phrases: P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal

Phrases:

P501 - Dispose of contents/container to permitted waste facility.

Potential Health Effects (Acute and Chronic):

Acute: Depending on the duration of contact, overexposure can irritate the eyes, skin,

mucous membranes and any other exposed tissue.

Chronic: Not known.

Inhalation: Prolonged exposure to low concentrations of vapors may cause irritation to throat and

upper respiratory tract, headache, nausea, dizziness, and even unconsciousness.

Skin Contact: May be harmful if absorbed through the skin. Prolonged and/or repeated contact may

cause irritation and/or dermatitis.

Eye Contact: Contact with product may cause redness, slight to severe eye irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and

diarrhea. The toxicological properties of this substance have not been fully investigated.

Revision: 08/09/2021 Supersedes Revision: 06/07/2021

3. Composition/Information on Ingredients					
CAS#	Components (Chemical Name)	Concentration	RTECS#		
2223656-17-3	Cobalt EAHP	<40.0 %	NA		
7631-95-0	Sodium molybdate(VI)	<10.0 %	QA5075000		

4. First Aid Measures

Emergency and First Aid

Procedures:

Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. Always bring with victim a copy of label and SDS of product to health

professional.

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give

oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such

as a bag and a mask.

In Case of Skin Contact: Wipe off product and immediately wash affected area with abundant soap and water.

Remove contaminated clothing taking care not to impregnate eyes. Seek medical

attention if irritation occurs. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and immediately flush eyes with plenty of water for at least 15

minutes. Get medical attention.

In Case of Ingestion: Immediately contact a physician or poison control center for treatment advice. Victim

should drink milk, egg whites or large quantities of water and be induced to vomiting. Never give anything by mouth to someone who is unconscious, having convulsions or

unable to swallow.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds. The most important known symptoms and effects

are described in the labelling (see section 2.2) and/or in section 11

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: N.A.

Explosive Limits: LEL: N.A. UEL: N.A.

Autoignition Pt: N.A.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Substance is

noncombustible; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing

Media:

None known.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

Toxic fumes may be generated under fire conditions.

Hazardous Combustion

Hazardous Compustion

None known.

Products:

Revision: 08/09/2021 Supersedes Revision: 06/07/2021

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: In case of a large spill, protect people by clearing and isolating the affected area. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and rubber boots, goggles or full face-shield and coveralls or long-sleeved shirt and pants.

Environmental Precautions:

Do not allow to enter drains or waterways.

Steps To Be Taken In Case Material Is Released Or Spilled: It is necessary to contain the spill into the smallest area possible by diking, scooping, etc., and recover liquid into an appropriate container, labeling it accordingly. If product is clean, use it as intended, following original label directions; should it get contaminated, salvage for proper disposal as waste.

Absorb residual product onto dry carrier such as dirt, sand or any other absorbent material, then put in covered, labeled containers and dispose of as dry waste in accordance with Federal, State and Local waste disposal regulations.

7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, or clothing. Avoid ingestion and inhalation. Empty containers may contain residual liquid or vapors and therefore should be handled the same as full containers.

Precautions To Be Taken in Storing:

Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Keep containers tightly closed when not in use. Store in a cool, dry place, away from direct sunlight, sources of intense heat or where freezing is possible. Store away from food, feed, clothing materials and living quarters. Whenever possible, place chemicals on secondary containers or diked area. Store a maximum of three pails high; do not stack pallets. Store Keylate Micronutrients in fiberglass, polyethylene or polyolefin.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
2223656-17-3	Cobalt EAHP	No data.	No data.	No data.
7631-95-0	Sodium molybdate(VI)	No data.	No data.	No data.

Recommended Exposure Limits:

No occupational exposure limits have been established for this mixture.

Respiratory Equipment (Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Eye Protection:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact: Minimum layer thickness: 0.11 mm Break through time: 480 min.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.

Revision: 08/09/2021 Supersedes Revision: 06/07/2021

Other Protective Clothing: Choose body protection in relation to its type, to the concentration and amount of

dangerous substances, and to the specific work-place. Wear long sleeve shirt, long

pants, and protective shoes with socks.

Engineering Controls

(Ventilation etc.):

General ventilation is usually adequate. Local exhaust should be used if needed for safe, comfortable working conditions. An eye bath and washing facilities should be readily

available.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove all dirty or contaminated clothing and wash it before reusing, as well as any

other PPE.

equipment wash water.

Environmental Exposure

Controls:

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of

9. Physical and Chemical Properties

[X] Liquid [] Solid **Physical States:** [] Gas

Clear magenta color. Appearance and Odor:

Slight proprietary, characteristic odor.

8.0 - 10.0pH:

Melting Point: N.A. **Boiling Point:** N.A. Flash Pt: N.A. N.E. **Evaporation Rate:**

Flammability (solid, gas): Material will not burn. LEL: N.A. UEL: N.A. **Explosive Limits:**

Vapor Pressure (vs. Air or

mm Hg):

N.E.

Vapor Density (vs. Air = 1): N.E. Specific Gravity (Water = 1): 1.21 - 1.25 Density: ~ 10.2 LB/GA

NA Solubility in Water: Saturated Vapor N.E.

Concentration:

Octanol/Water Partition N.E.

Coefficient:

Percent Volatile: N.A. Autoignition Pt: N.A.

Decomposition Temperature: N.E.

Viscosity: N.E.

10. Stability and Reactivity

Reactivity: N.A.

Stable [X] Unstable [] Stability:

Conditions To Avoid -Stable under normal condition, but avoid extreme heat and contact with incompatible

Instability: materials.

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or Hazardous decomposition products formed under fire conditions. Byproducts: Carbon oxides, nitrogen oxides (NOx), toxic fumes of zinc oxide.

Will occur [] Will not occur [X] **Possibility of Hazardous**

Revision: 08/09/2021 Supersedes Revision: 06/07/2021

Reactions:

Conditions To Avoid - None known.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: Mutagenicity: This product has not been investigated for mutagenic effects.

Embryotoxicity: This product has not been investigated for embryotoxic effects.

Teratogenicity: This product has not been investigated for teratogenic effects.

Reproductive Toxicity: This product has not been investigated for toxic reproductive

effects.

Irritation or Corrosion: Symptoms related to

No data available. No data available.

Toxicological Characteristics:

Sensitization:

No data available.

Chronic Toxicological

Effects:

The toxicological properties of this material have not been fully investigated.

Carcinogenicity/Other

Information:

CAS# 10026-24-1: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance

to humans.

California: carcinogen, initial date 6/2/00. NTP: Not listed.

The carcinogenic properties of this product have not been thoroughly investigated. Cobalt, a component of cobalt sulfate, is listed as a possible carcinogenic by NTP. The other components of this product are not reported as carcinogenic by NTP, IARC,

OSHA, CAL/OSHA, and ACGIH.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:

No environmental impact studies have been performed with this product. The available data on this plant nutrient material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at preventing environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release"

Measures."

Results of PBT and vPvB

assessment:

No data available.

Persistence and

Degradability:

No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. Disposal Considerations

Waste Disposal Method:

This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority. Dispose of empty container in a sanitary landfill or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Avoid contaminating water by disposal of equipment wash waters or other product wastes.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Revision: 08/09/2021 Supersedes Revision: 06/07/2021

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. Trade Name: KEYLATE COMO CLASSIC

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: KEYLATE COMO CLASSIC

UN Number: Packing Group:

Hazard Class:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: KEYLATE COMO CLASSIC

UN Number: Packing Group:

Hazard Class:

Additional Transport

Placards / Markings: N.A.

Information:

Reportable Quantity: N.A.

Emergency Response Guide Number: N.A.

15. Regulatory Information

Regulatory Information: TSCA Inventory: In compliance with inventory requirements for commercial purposes.

16. Other Information

Revision Date: 08/09/2021 **Previous revision:** 06/07/2021

Hazard Rating System:

Flammability Instability
Health
NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and

completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from

the use of goods and data.