

SAFETY DATA SHEET

DREXEL KOP-HYDROXIDE[™] 50W Agricultural Fungicide-Bacteriacide

Section 1: Material Identification

Product Name: Drexel KOP-Hydroxide[™] 50W Agricultural Fungicide-Bacteriacide

EPA Reg No.: 19713-321

CAS NO: 20427-59-2

Formula: CuH_2O_2

Company: Drexel Chemical Company

1700 Channel Avenue Memphis, TN 38106

Synonyms: Copper Hydroxide; Cupric Hydroxide

Identifiers:

EINECS: 243-815-9 **RTECS**: GL7600000

DOT information: See Section 14 for Transportation Information

Emergency Telephone Number:

CHEMTREC Drexel Chemical Co. Tel: 1-800-424-9300 901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see **Section 15: REGULATORY INFORMATION** for explanation.

Section 2: Hazard Identification

(As defined by the OSHA Hazard Communication Standard, 29)

GHS classification:

Health hazards: Acute toxicity - oral Category 4

Acute toxicity - inhalation Category 3
Eye damage/irritation Category 1

Environmental hazards: Hazardous to the aquatic environment -

acute hazard Category 1

Hazardous to the aquatic environment -

long-term hazard Category 2

KOP-HYDROXIDE[™] 50W Page 1 of 8

GHS label elements:

Signal word: Danger









Hazard statements: Harmful if swallowed.

Toxic if inhaled.

Causes serious eye damage. Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention: Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-

ventilated area.

Wash exposed skin thoroughly after handling. Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

Avoid release to the environment.

Response: IF SWALLOWED: Call a poison center/doctor if you feel unwell. Rise mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call poison center/doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor for medical advice.

Collect spillage.

Storage: Store in a well ventilated.

Store locked up.

Disposal: If wastes and/or containers cannot be disposed of according to the product label

directions, disposal of this material must be in accordance with your local or area

regulatory authorities.

Section 3: Composition Information

Components	CAS No.:	% By Wt.:	OSHA PEL:	ACGIH TLV:
Active ingredient:				
Copper Hydroxide	20427-59-2	77.0%	N/Av	1 mg/m ³
Inert ingredients:	N/A	23.0%	N/A	N/A

KOP-HYDROXIDE[™] 50W Page 2 of 8

Section 4: First-Aid Measures

Have container or label with you when calling a poison center or doctor or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Obtain medical attention without delay, preferably from an ophthalmologist.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Rinse mouth with water then have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious or convulsing person. Have product label with you when calling a poison control center or doctor.

If on skin or clothing: Take of all clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate use of gastric lavage.

Section 5: Fire Fighting Measures

Fire Hazards: Negligible fire hazard when exposed to heat or flame. Thermal decomposition during a fire can produce fumes and irritating gases.

Flammability classification (OSHA 29 CFR 1910.1200): N/A

Flash point: N/A

Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.

Firefighting media: Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this product. Do not use water jet, as this may spread burning material. Minimize the use of water to avoid environmental contamination. Contain all runoff.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Hazardous Combustion Products: Decomposes to CuO and H₂O above 140°C

NFPA: Health: Flammability: Reactivity:

(Rating: 4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Insignificant)

Section 6: Accidental Release Measures

Steps to be taken if Material is Released or Spilled:

 Contain spilled material if possible. Minimize dusting. Small spills: Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Drexel Chemical Co. for clean-up assistance. See Section 13: Disposal Considerations, for additional information.

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7: Handling
and Storage, for additional precautionary measures. Ventilate area of spill and minimize exposure to dust. Use
appropriate safety equipment. For additional information, refer to Section 8: Exposure Controls and Personal
Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12: Ecological Information.

Section 7: Handling and Storage

KEEP OUT OF REACH OF CHILDREN

Handling:

General Handling: Follow label instructions. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not swallow. Avoid breathing dust. Use with adequate ventilation. Wear long-sleeved shirt and long pants plus shoes and socks when handling. Keep away from heat, sparks and flame. See Section 8: Exposure Controls and Personal Protection.

Storage:

Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

Section 8: Exposure Controls / Personal Protection

Exposure Limits: TLV Copper Hydroxide 1.0 mg/m³

Personal Protection:

Eye/Face Protection: Wear safety glasses with side shields or chemical splash goggles to prevent dust from entering the eyes. If using a full face shield, always use safety glasses or goggles along with the face shield to ensure adequate protection of the eyes.

Skin Protection: Wear long-sleeved shirt and long pants with shoes plus socks. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

KOP-HYDROXIDE[™] 50W Page 4 of 8

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. When handling in enclosed areas, when large quantities of dust are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

Engineering Controls:

Ventilation: When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with and eyewash facility and safety shower.

Section 9: Physical and Chemical Properties

Physical State: Solid Powder

Color: Blue
Odor: None
Flash Point: N/A

Vapor Pressure (mmHg): Negligible

Boiling Point: N/A
Vapor Density (air = 1): N/A

Bulk Density (H₂O = 1): 22.80 lbs./ft³

Freezing Point: N/A

Solubility in water (wt. % - weight): Dispersible

pH: 8 - 8.5 @ 20°C

Viscosity: N/A
% Volatiles: N/A

Section 10: Stability and Reactivity

Stability/Instability: Stable under normal conditions. Avoid heating above 60°C (100°F).

Conditions to Avoid: Keep this product away from excessive heat.

Incompatible Materials: Avoid contact with strong acids.

Hazardous Polymerization: Will not occur

Thermal Decomposition: Decomposes to CuO and H₂O above 140°C.

KOP-HYDROXIDE[™] 50W Page 5 of 8

Section 11: Toxicological Information

Acute Toxicity:

Ingestion:

Oral, LD50, (rat): 1,070 mg/kg

Dermal:

Dermal, LD50, (rabbit): >2,000 mg/kg

Inhalation:

LC50, 4h, (rat): >0.54 mg/L

Eye Irritation (rabbit):

• Severely irritating in unwashed eyes; moderately irritating in washed eyes.

Skin Irritation (rabbit):

Not a skin irritant

Sensitization Skin:

Non-sensitizer (Guinea Pig)

Chronic Toxicity:

Repeated ingestion of copper salts may result in anemia, liver and kidney damage. Chronic inhalation exposure
may cause a metallic taste in the mouth, irritation of the upper respiratory tract such a nasal mucosa that may
progress to perforation of the nasal septum. Chronic cough may also occur.

Carcinogenicity:

Not likely to be carcinogenic in humans

Teratogenicity, mutagenicity, and other reproductive effects: None known

Section 12: Ecological Information

Data is presented for copper hydroxide:

ENVIRONMENTAL FATE:

• This product is toxic to fish and aquatic organisms.

Persistence and Degradability:

This product has a potential for runoff for several months or more after application. Poorly draining soils and soils
with shallow water tables are more prone to produce runoff that contains this product. The degree of mobility of
copper in the environment depends upon the pH of ambient soils and waters. The higher the acidity, the more
soluble copper salts are and, hence, more mobile.

Aquatic Toxicity:

Rainbow Trout, LC50: 23 ppbBluegill Sunfish, LC50: 180 ppm

Daphnia magna, EC50: 6.5 ppb

Bird Toxicity:

- Mallard Duck, 8-day, LD50: >10,000 ppm
- Bobwhite Quail, 8-day, LD50: >10,000 ppm

Section 13: Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Section 14: Transport Information

DOT: Non-regulated

IMDG: UN 3077, Environmentally hazardous substances, solid, n.o.s. (cupric hydroxide), 9, PG-III, Marine Pollutant

IATA: UN 3077, Environmentally hazardous substances, solid, n.o.s. (cupric hydroxide), 9, PG-III

Freight Description: Agricultural Fungicide, solid, n.o.s.

E.R.G. Guide Sheet: 171

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15: Regulatory Information

OSHA Hazard Communication Standard:

• This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

EPA FIFRA INFORMATION:

- This chemical is a pesticide product registered by the United States Environmental Protection Agency and
 is subject to certain labeling requirements under federal pesticide law. These requirements differ from the
 classification criteria and hazard information required for safety data sheets (SDS), and for workplace
 labels of non-pesticide chemical. The hazard information required on the pesticide label is listed out below.
 The pesticide label also includes other important information, including directions for use.
- EPA/CERCLA Reportable Quantity: 5,000 lbs.
- EPA Label Precautionary Statements: DANGER. Corrosive. Causes irreversible eye damage. Harmful if swallowed, if absorbed through the skin or inhaled. Do not get in eyes or clothing. Avoid contact with the skin. Avoid breathing dust.

KOP-HYDROXIDE[™] 50W Page 7 of 8

SARA/TITLE III:

- Sec. 302. Extremely Hazardous Substance Notification: This material is not known to contain any Extremely Hazardous Substances.
- Sec. 311/312. Hazard Categories: Immediate health hazard
- Sec. 313. Toxic Chemical(s): Copper Hydroxide (CAS 20427-59-2)
- RCRA Waste Code: Not applicable

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product is not listed.

Toxic Substances Control Act (TSCA):

 All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

Section 16: Other Information

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown below. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Date Revised: May 26, 2017 Supersedes: September 10, 2015

KOP-HYDROXIDE[™] 50W Page 8 of 8