

SAFETY DATA SHEET

1. Identification

Product identifier Kovar Radiance MX

Other means of identification None.

Recommended use Ag Product - Adjuvant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name **Nachurs Alpine Solutions Address** 421 Leader Street

Marion, OH 43302 **United States**

Telephone Telephone (740) 382-5701 ext. 221

E-mail Not available.

Chemtrec **Emergency phone number** (800) 424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2B Category 2

Specific target organ toxicity, repeated

exposure

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Causes eye irritation. May cause damage to organs (kidney) through prolonged or repeated **Hazard statement**

exposure.

Precautionary statement

Do not breathe mist/vapors. Wash thoroughly after handling. Prevention

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If eye irritation

persists: Get medical advice/attention.

Store away from incompatible materials. **Storage**

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alkyl glucopyranose oligomers		Proprietary	Proprietary
Dihydroxydiethyl ether		Proprietary	Proprietary
Hydroxypropane tricarboxylic acid salt		Proprietary	Proprietary
Other components below reportable	e levels		65.3

Material name: Kovar Radiance MX

5326 Version #: 01 Issue date: 08-19-2021

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Alcohol resistant foam. Dry powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist/vapors. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

Conditions for safe storage. including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Alkyl glucopyranose oligomers	PEL	5 mg/m3	Respirable fraction.

Material name: Kovar Radiance MX 5326 Version #: 01 Issue date: 08-19-2021 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components
Type
Value
Form

15 mg/m3
Total dust.

Dihydroxydiethyl ether
PEL
1 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards
Components
Type
Value

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Dihydroxydiethyl ether

i g

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

1 mg/m3

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

TWA

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Slightly Hazy to Hazy Colorless Liquid

Physical state Liquid.
Form Liquid.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH 5.8 - 7.5 (NEAT)

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point

> 199.4 °F (> 93.0 °C) SETA FLASH CLOSED CUP

Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limits

Flammability limit - lower

maninability illilit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Dispersible

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Not available. **Viscosity**

Other information

9.34 - 9.59 lb/gal **Density** Not explosive. **Explosive properties** Not oxidizing. **Oxidizing properties** Specific gravity 1.12 - 1.15 @ 20°C

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

No adverse effects due to skin contact are expected. Skin contact

Eye contact Causes eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
Kovar Radiance MX		
<u>Acute</u>		
Dermal		
LD50	Rat	> 5000 mg/kg, 24 Hours
Oral		
LD50	Mouse	> 5000 mg/kg, 24 Hours
Components	Species	Test Results
Alkyl glucopyranose oligor	mers	

Acute Oral

LD50 Rat 27200 mg/kg

Dihydroxydiethyl ether

Acute Oral

LD50 Rat 2140 mg/kg

Hydroxypropane tricarboxylic acid salt

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Mouse 5400 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: Kovar Radiance MX 5326 Version #: 01 Issue date: 08-19-2021 Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Dihydroxydiethyl ether (CAS Proprietary) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Dihydroxydiethyl ether (CAS Proprietary) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Prolonged inhalation may be harmful. May cause damage to organs through prolonged or **Chronic effects**

repeated exposure.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

-1.76Alkyl glucopyranose oligomers

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the **Disposal instructions**

material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

5326 Version #: 01 Issue date: 08-19-2021

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

Material name: Kovar Radiance MX

SDS US

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication US federal regulations

Standard, 29 CFR 1910.1200. All components are listed on or exempted from the U.S. EPA TSCA

Inventory List.

All components of the mixture on the TSCA 8(b) inventory are designated **Toxic Substances Control Act (TSCA)**

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Dihydroxydiethyl ether (CAS Proprietary) Listed.

SARA 304 Emergency release notification

SULFURIC ACID (CAS Proprietary) 1000 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable **Threshold** Threshold **Threshold** quantity planning quantity planning quantity, planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds)

Dihydroxydiethyl ether Proprietary 1000 1000

SARA 311/312 Hazardous

Yes

chemical

Serious eye damage or eye irritation Classified hazard

Specific target organ toxicity (single or repeated exposure) categories

SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt.

SULFURIC ACID (ACID AEROSOLS INCLUDING Proprietary Proprietary

MISTS, VAPORS, GAS, FOG, AND OTHER AIRBORNE FORMS OF ANY PARTICLE SIZE)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Dihydroxydiethyl ether (CAS Proprietary) Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Dihydroxydiethyl ether (CAS Proprietary)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Alkyl glucopyranose oligomers (CAS Proprietary) Other Flavoring Substances with OSHA PEL's

Total food additive Food and Drug Direct food additive Administration (FDA)

GRAS food additive

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

Issue date 08-19-2021

Version # 01 Health: 1

NFPA ratings Flammability: 0

Instability: 0

Material name: Kovar Radiance MX 5326 Version #: 01 Issue date: 08-19-2021

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and the manufacturer disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: Kovar Radiance MX 5326 Version #: 01 Issue date: 08-19-2021