

Revision date : 2019/01/24 Page: 1/10
Version: 2.0 (30692729/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Liberty 150 SN Herbicide

Recommended use of the chemical and restriction on use

Recommended use*: herbicide

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA Contact address:
BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1
CANADA

Telephone: +1 289 360-1300

Emergency telephone number

CANUTEC (reverse charges): (613) 996-6666 BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

PCP # 28837 + 24081

2. Hazards Identification

According to Controlled Products Regulations (CPR) (SOR/88-66)

Emergency overview

WARNING:
POISON.
Eye irritant.
Skin Irritant
KEEP OUT OF REACH OF CHILDREN.
Harmful in contact with skin.
May be fatal if absorbed through skin.

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2019/01/24 Page: 2/10 Version: 2.0 (30692729/SDS_CPA_CA/EN)

Harmful if swallowed.
Causes eye irritation.
Avoid inhalation of mists/vapours.
Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

CAS Number	Weight %	Chemical name
77182-82-2	13.5 %	Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-,
		monoammonium salt
68891-38-3	44.1 %	Polyethyleneglycolmonoalkylethersulphate, sodium salt
107-98-2	10.0 %	1-methoxypropan-2-ol

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Do not induce vomiting. Call a poison control center or physician for treatment advice. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., vomiting, diarrhea, abdominal cramps, tremors, hypotony, unconsciousness, coma, convulsions, respiratory disorders, nausea, rapid heart rate, Symptoms may be delayed for several hours.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote. Medical monitoring for at least 24-48 hours.

Revision date: 2019/01/24 Page: 3/10 Version: 2.0 (30692729/SDS_CPA_CA/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen cyanide, nitrogen oxides, sulfur oxides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Revision date: 2019/01/24 Page: 4/10 Version: 2.0 (30692729/SDS_CPA_CA/EN)

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container. Keep container tightly closed in a cool, well-ventilated place. Keep away from heat. Store protected against freezing. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

1-methoxypropan-2-ol OSHA PEL TWA value 100 ppm 360 mg/m3 ; STEL value

150 ppm 540 mg/m3;

ACGIH TLV TWA value 50 ppm; STEL value 100 ppm;

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid

Odour: pungent, aromatic

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: blue to green approx. 5.4 - 7.4

(10 %(m), 23 °C)

(undiluted)

Revision date: 2019/01/24 Page: 5/10 Version: 2.0 (30692729/SDS_CPA_CA/EN)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 101 °C

Flash point: 57 °C

UN L.2 Sustained combustibility The

product does not burn selfsustainingly. By analogy with a product of similar composition

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 455 °C Vapour pressure: (20 °C)

Density: approx. 1.11 g/cm3

(20 °C)

Vapour density: not applicable

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Partitioning coefficient n- < 0.1 octanol/water (log Pow): (22 °C)

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt

Partitioning coefficient n- 0.3

octanol/water (log Pow):

Thermal decomposition: > 200 °C
Viscosity, dynamic: not determined

Solubility in water: (20 °C)

miscible

Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Revision date : 2019/01/24 Page: 6/10
Version: 2.0 (30692729/SDS_CPA_CA/EN)

Incompatible materials

bases

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: ammonia, No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 200 °C

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of pronounced toxicity after short-term skin contact. Of moderate toxicity after single ingestion. Inhalation is not likely in the available physical form.

<u>Oral</u>

Type of value: LD50 Species: rat (female) Value: 1,730 mg/kg

Inhalation

Type of value: LC50 Species: rat (male) Value: 2.97 mg/l Exposure time: 4 h

The test result applies only to the substance transferred into respirable aerosol (particles < 20 µm).

Dermal

Type of value: LD50 Species: rat (male/female)

Value: 593 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause severe damage to the eyes. Not irritating to the skin.

Skin

Revision date : 2019/01/24 Page: 7/10
Version: 2.0 (30692729/SDS CPA CA/EN)

Species: rabbit Result: non-irritant

<u>Eye</u>

Species: rabbit

Result: Risk of serious damage to eyes.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test Species: guinea pig Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause neurological disturbances.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of reproduction toxicity: Causes impairment of fertility in laboratory animals.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals. The substance did not cause malformations in animal studies; however, toxicity to development was observed at doses that were toxic to the parental animals.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

Revision date: 2019/01/24 Page: 8/10 Version: 2.0 (30692729/SDS_CPA_CA/EN)

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., vomiting, diarrhea, abdominal cramps, tremors, hypotony, unconsciousness, coma, convulsions, respiratory disorders, nausea, rapid heart rate, Symptoms may be delayed for several hours.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt LC50 (96 h) 461 mg/l, Pimephales promelas

Aquatic invertebrates

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt EC50~(96~h) > 560~mg/l, Daphnia magna

Aquatic plants

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt EC50 (72 h) 1,129 mg/l, Desmodesmus subspicatus

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Not readily biodegradable (by OECD criteria).

.____

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Revision date: 2019/01/24 Page: 9/10 Version: 2.0 (30692729/SDS_CPA_CA/EN)

Bioconcentration factor: 0.05 - 0.3 (42 d), Lepomis macrochirus

Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be sent to a suitable incineration plant, observing local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

TDG

Hazard class: 6.1
Packing group: III
ID number: UN 2902

Hazard label: 6.1

Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE

AMMONIUM SOLUTION)

Sea transport

IMDG

Hazard class: 6.1
Packing group: III
ID number: UN 2902
Hazard label: 6.1
Marine pollutant: NO

Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE

AMMONIUM SOLUTION)

Air transport

IATA/ICAO

Revision date: 2019/01/24 Page: 10/10 Version: 2.0 (30692729/SDS_CPA_CA/EN)

Hazard class: 6.1
Packing group: III
ID number: UN 2902
Hazard label: 6.1

Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE

AMMONIUM SOLUTION)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA blocked / not listed

Crop Protection DSL, CA released / exempt

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2019/01/24

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET