

## LUXXUR™ B HERBICIDE

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name LUXXUR™ B HERBICIDE

Product code (UVP) 79303688

**SDS Number** 102000014337

PCP Registration No. 31990

Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

**Restrictions on use**See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classified in accordance with Part 2 of the Hazardous Products Regulations

Skin irritation: Category 2 Eye irritation: Category 2B

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Warning

**Hazard statements** 

Causes skin and eye irritation.

**Precautionary statements** 

Wash thoroughly after handling.

Wear protective gloves.



## **LUXXUR™ B HERBICIDE**

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

IF ON SKIN: Wash with plenty of water/ soap.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

#### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified. No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Thiencarbazone-methyl	317815-83-1	1.0
Mefenpyr-diethyl	135590-91-9	6.0
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	60.7
Isotridecanol, ethoxylated	9043-30-5	9.8
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	3.2

#### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

**General advice** Move out of dangerous area. When possible, have the product

container or label with you when calling a poison control center or

doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed



## **LUXXUR™ B HERBICIDE**

 Version 5.0 / CDN
 Revision Date: 12/17/2018

 102000014337
 Print Date: 12/20/2018

**Symptoms** If large amounts are ingested, the following symptoms may occur:

Headache, Nausea, Dizziness, Somnolence

Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.

Indication of any immediate medical attention and special treatment needed

**Risks** Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Nitrogen oxides (NOx), Sulphur oxides

Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

Keep out of smoke. Fight fire from upwind position.

Flash point 115 °C

Auto-ignition temperature425 °C / 797 °FLower explosion limitNo data availableUpper explosion limitNo data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113



## LUXXUR™ B HERBICIDE

Version 5.0 / CDN 102000014337

Revision Date: 12/17/2018 Print Date: 12/20/2018

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations. Keep in suitable, closed containers for disposal.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*
		( ,		
Mefenpyr-diethyl	135590-91-9	10 mg/m3		OES BCS*



## **LUXXUR™ B HERBICIDE**

Version 5.0 / CDN 102000014337

**5/11**Revision Date: 12/17/2018
Print Date: 12/20/2018

		(TWA)		
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	200 mg/m3 (TWA)	07 2009	CAD AB OEL
(Vapor.)				
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,590 mg/m3/400 ppm (TWA)	07 2009	CAD AB OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	05 2013	CAD BC OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	200 mg/m3 (TWA)	03 2014	CAD MB OEL
(Non-aerosol.)  Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	200 mg/m3 (TWA)	11 2010	CAD ON OEL
(Non-aerosol.) Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	525 mg/m3 (TWA)	11 2010	CAD ON OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	250 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL
(Vapor.)				
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	200 mg/m3 (8 HR ACL)	05 2009	CAD SK OEL
(Vapor.)				
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	500 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 ppm (8 HR ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,590 mg/m3/400 ppm (TWA)	11 2011	OEL (QUE)



## **LUXXUR™ B HERBICIDE**

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

**Hand protection** Chemical resistant nitrile rubber gloves **Eye protection** Chemical resistant goggles must be worn.

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance brown

Physical State Liquid

Odor aromatic

Odour Threshold No data available

**pH** 7.0 - 8.5 (10 %) (23 °C) (deionized water)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

**Density** ca. 1.00 g/cm<sup>3</sup> (20 °C)

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility dispersible

Minimum Ignition Energy Not applicable

Decomposition No data available temperature

Partition coefficient: n-

octanol/water

Not applicable

Viscosity 40 - 140 mPa.s (20 °C) Velocity gradient 20 /s



## **LUXXUR™ B HERBICIDE**

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

40 - 100 mPa.s (20 °C) Velocity gradient 100 /s

Flash point 115 °C

Auto-ignition temperature425 °C / 797 °FLower explosion limitNo data availableUpper explosion limitNo data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**Other information** Further safety related physical-chemical data are not known.

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition No data available

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

Incompatible materials No data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin contact, Inhalation, Ingestion

**Immediate Effects** 

**Eye** Moderate eye irritation. **Skin** Moderate skin irritation.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1.73 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol. Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg



## **LUXXUR™ B HERBICIDE**

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

Skin corrosion/irritation Irritating to skin. (Rabbit)
Serious eye damage/eye Irritating to eyes. (Rabbit)

irritation

**Respiratory or skin** Skin: Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment STOT Specific target organ toxicity - repeated exposure

Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

## **Assessment mutagenicity**

Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### **ACGIH**

Solvent Naphtha (petroleum), heavy aromatic, 64742-94-5 Group A3 <1% naphthalene

**NTP** 

None.

**OSHA** 

None.

#### Assessment toxicity to reproduction

Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

## Assessment developmental toxicity

Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**



## LUXXUR™ B HERBICIDE

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

Exposure time: 96 h

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 2.4 mg/l

Exposure time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 1.017 mg/l

Growth rate: Exposure time: 72 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

EC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

**Biodegradability** Thiencarbazone-methyl:

Not rapidly biodegradable

Mefenpyr-diethyl:

Not rapidly biodegradable

**Koc** Thiencarbazone-methyl: Koc: 100

Mefenpyr-diethyl: Koc: 625

**Bioaccumulation** Thiencarbazone-methyl:

Does not bioaccumulate.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

**Mobility in soil** Thiencarbazone-methyl: Moderately mobile in soils

Mefenpyr-diethyl: Slightly mobile in soils

Additional ecological

information

No other effects to be mentioned.

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Product** It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Dispose in accordance with all local, state/provincial and federal

regulations.

**Contaminated packaging** Do not re-use empty containers.

Triple rinse containers.



10/11

## **LUXXUR™ B HERBICIDE**

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

#### **SECTION 14: TRANSPORT INFORMATION**

**TDG** 

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL)

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

#### **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 31990



## **LUXXUR™ B HERBICIDE**

Version 5.0 / CDN Revision Date: 12/17/2018 102000014337 Print Date: 12/20/2018

#### **SECTION 16: OTHER INFORMATION**

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

**Revision Date: 12/17/2018** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.