

Reviewed on 07/02/2015

1 Identification

- · Product identifier
 - · Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

- · CAS Number: Active Ingredient: Fenazaquin (18.79%), CAS:120928-09-8
- · Relevant identified uses of the substance or mixture and uses advised against
 - · Sector of Use Agriculture
 - · Application of the substance / the mixture Agricultural miticide
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Gowan Company P.O. Box 5569 Yuma, Arizona 85366-5569

Yuma, Arizona 85366-5569 (928) 783-8844

- · Information department: sds@gowanco.com
- · Emergency telephone number:

Chemtrec® Emergency Telephone 24 - Hours: (Spills, leak or fire) Inside U.S. & Canada: (800) 424-9300 Outside the U.S. & Canada: +011 (703) 527-3887

For medical emergency (Prosar®): (888) 478-0798

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H332 Harmful if inhaled.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word: Warning
- · Hazard-determining components of labeling:

Fenazaquin

· Hazard statements

Harmful if inhaled.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell.

· Hazard description:

May be fatal if swallowed. Harmful if inhaled. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Avoid contact with eyes, skin or clothing.

(Contd. on page 2)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

(Contd. of page 1)

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 0Reactivity = 0

HAZARD INDEX:

- 4 Severe Hazard
- 3 Serious Hazard
- 2 Moderate Hazard
- 1 Slight Hazard
- 0 Minimal Hazard
- · HMIS-ratings (scale 0 4)



Health = 2Fire = 0

Reactivity = 0

HAZARD INDEX:

- 4 Severe Hazard
- 3 Serious Hazard
- 2 Moderate Hazard
- 1 Slight Hazard
- 0 Minimal Hazard
- · Other hazards
 - · Results of PBT and vPvB assessment
 - · **PBT**: Not applicable in US.
 - · vPvB: Not applicable in US.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

120928-09-8 Fenazaquin

18.79%

Ťox. 4, H332

🔗 Acute Tox. 3, H301; 🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🗘 Acute

4 First-aid measures

- · Description of first aid measures
 - · General information:

Have the product container or label with you when calling a poison control center or doctor, or going for

You may also contact 1-888-478-0798 for emergency medical treatment information.

- · After inhalation:
 - Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-tomouth if possible.
 - Call poison control center or doctor for further treatment advice.

(Contd. on page 3)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

(Contd. of page 2)

· After skin contact:

- Take off contaminated clothing.
- $\bullet \ Rinse \ skin \ immediately \ with \ plenty \ of \ water for \ 15\text{--}20 \ minutes.$
- Call a poison control center or doctor for treatment advice.

· After eye contact:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

· After swallowing:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.
- · Information for doctor:
 - · Most important symptoms and effects, both acute and delayed Unknown
 - · Indication of any immediate medical attention and special treatment needed

If ingested, the product may cause irritation of the GI tract, vomiting and diarrhea. Treatment should be symptomatic and supportive. No antidote is recommended.

5 Fire-fighting measures

- · Extinguishing media
 - · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
 - · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
 - · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 - · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.

(Contd. on page 4)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:
 - Store in a cool, dry place away from heat or open flame.
 - · Information about storage in one common storage facility: Store away from foodstuffs.
 - · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
 - · Personal protective equipment:
 - General protective and hygienic measures:

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



- · Material of gloves Chemical-resistant gloves.
- Eye protection: Goggles recommended during refilling.
- · Body protection:
- Long-sleeved shirt and long pants (Coveralls for mixing/loading and applying with high-pressure handwand)
- Chemical-resistant gloves
- Shoes plus socks

9 Physical and chemical properties

- · Information on basic physical and chemical properties
 - General Information
 - · Appearance:

Form: Liquid · Color: Pale brown · Odor: Non-distinctive

· Odour threshold: Not determined.

(Contd. on page 5)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

		(Contd. of pag
· pH-value at 20 °C (68 °F):	7.8	
· Change in condition		
· Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1.094 g/cm³ (9.129 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	tter): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
 - · Chemical stability Stable under normal conditions
 - · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Excessive heat.
- · Incompatible materials: Strong oxidizers, acids and strong bases.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

· LD/L	· LD/LC50 values that are relevant for classification:		
Oral	LD50	434 mg/kg (rat)	

(Contd. on page 6)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

(Contd. of page 5)

 Dermal
 LD50
 >5000 mg/kg (rat)

 Inhalative
 LC50/4 h
 1.46 mg/l (rat)

- Primary irritant effect:
- · on the skin: Moderately Irritating
- · on the eye: Mild irritation
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

- · Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of fenazaquin from runoff water and sediment.

This product is highly toxic to bees exposed to direct application on blooming crops, weeds, and ornamental plants. Do not apply this product or allow it to drift to blooming crops, weeds or ornamentals while bees are foraging in / or adjacent to the treatment area.

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
 - · Remark: Toxic for fish
- · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
 - · **PBT**: Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

He

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Pesticide wastes are acutely hazardous. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of federal law.

If these wastes cannot be disposed of according to label instructions, contact the state agency responsible for pesticide regulation or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

· Uncleaned packagings:

· Recommendation:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

TINI No L	
UN-Number · DOT, ADR, IMDG, IATA	UN2902
UN proper shipping name	
· ADR	2902 Pesticides, liquid, toxic, n.o.s. (Fenazaquin)
· IMDG	PESTICIDE, LIQUID, TOXIC, N.O.S. (Fenazaquin), MARI POLLUTANT
· IATA	PESTICIDE, LIQUID, TOXIC, N.O.S. (Fenazaquin)
Transport hazard class(es)	
· ADR, IATA	
· Class	6
· Label	6.1
·IMDG	
· Class	6
· Label	6.1
Packing group · ADR, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substanc Fenazaquin

(Contd. on page 8)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

	(Contd. of pag
· Marine pollutant:	Yes
•	Symbol (fish and tree)
Special precautions for user	Not applicable
· Danger code (Kemler):	$\hat{90}$
· EMS Number:	F- A , S - A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable
· Transport/Additional information:	
$\cdot ADR$	
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (\widetilde{EQ})	Code: E1
• • • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN2902, Pesticides, liquid, toxic, n.o.s. (Fenazaquin), 6.1, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture EPA /FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

· SARA Title III

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

None of the ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Contd. on page 9)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

(Contd. of page 8)

· Carcinogenicity categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms

Not applicable

· Signal word:

(USA EPA) WARNING

· Hazard-determining components of labeling:

Fenazaquin

· Hazard statements

May be fatal if swallowed.

Harmful if inhaled

Causes moderate eye irritation.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Avoid breathing dust.

Remove contaminated clothing and wash before reuse.

Avoid contact with skin, eyes, or clothing.

Harmful if inhaled.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Supply Chain
- · Contact: sds@gowanco.com
 - · Date of preparation / last revision 07/02/2015 / 6
 - · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

Printing date 07/02/2015 Reviewed on 07/02/2015

Trade name: MAGISTER® SC miticide

EPA Registration No.: 10163-322

(Contd. of page 9)

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

- · Sources Magister® is a registered trademark used under license by Gowan Company, L.L.C.
- * Data compared to the previous version altered.

US