MALATHION ULV CONCENTRATE INSECTICIDE

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS, INC. **24-Hour Emergency Phone:** 1-800-424-9300

P.O. Box 1286 • Greeley, CO 80632-1286 **Medical Emergencies:** 1-866-944-8565

U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: MALATHION ULV CONCENTRATE INSECTICIDE

CHEMICAL NAME: Malathion; (0-0-Dimethyl phosphorodithioate of diethyl mercaptosuccinate)

CHEMICAL FAMILY: Organophosphate Insecticide

EPA REG. NO.: 34704-565

MSDS Number: 000565-13-LPI **MSDS Revisions:** Sections 14, 15 **Date of Issue:** 09/17/13 **Supersedes:** 06/03/11

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – CAUTION – Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing.

This product is clear yellow-amber colored liquid with a mild petroleum odor.

Warning Statements:

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote. Symptoms of cholinesterase inhibition include salivation, gastrointestinal hypermotility, abdominal cramping, nausea, diarrhea, sweating, miosis, tearing, blurred vision, headache, dizziness, ataxia, bradycardia, dyspnea, cyanosis, and muscle twitching or tremors. In extreme cases, tetany, mental confusion, incontinence, weakness, collapse, paralysis, convulsive seizures, and even death, can occur.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
Malathion	96.50	121-75-5	1mg/m³ (IFV)
Inert Ingredients	3.50		

This product is hazardous according to the OSHA Hazard Communication Standard (29 CFR 1910.1200)

4. FIRST AID MEASURES

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an

unconscious person

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably

mouth-to mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product label or container with you when calling a poison control

center or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): 325.4°F/163°C (PMCC)
FLAMMABLE LIMITS (LFL & UFL): None established

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, foam, water spray or fog.

HAZARDOUS COMBUSTION PRODUCTS: Thermal decomposition products include dimethyl sulfide, sulfur dioxide, carbon monoxide, carbon

dioxide, and phosphorus pentoxide.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full protective clothing. Fight fire from upwind and keep

all non-essential personnel out of area. Avoid heavy hose streams.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire or cool containers, contain runoff by diking to prevent contamination of water supplies. Containers in fire may burst or explode from excessive heat. Stay well back from fire

area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

For small spills, absorb with an absorbent material such as pet litter. Sweep up and transfer to containers for possible land application according to label use or for proper disposal. Check local, state and federal regulations for proper disposal. Flush the area with water to remove any residue.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

MALATHION ULV CONCENTRATE INSECTICIDE

HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide

gets inside. Then wash thoroughly and put on clean clothing. Remove PPE after handling this product. Wash the outside of

gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Malathion ULV should be stored in the original unopened container in a secure, dry place. Do not contaminate with other pesticides or fertilizers. The STORAGE:

product should never be heated above 55 °C (131 °F), and should not be stored for long periods of time at a temperature in excess of 25 °C (77 °F). Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Do not contaminate water,

food or feed by storage or disposal.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber, nitrile rubber, and Viton®. If you want more options, follow the instructions for category (F) on an EPA chemical resistance category selection chart. For all formulations and all use patterns - mixers, loaders, applicators, flaggers, and other handlers must wear: Long sleeved shirt and long pants. Shoes plus socks. Chemical resistant gloves. Chemical resistant apron (for mixers and loaders only).

EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Pilots must use an enclosed cockpit in a manner that is consistent with the WPS for Agricultural Pesticides [40 CFR

170.240(d)(6)]. Pilots must wear the PPE required on this labeling for applicators.

RESPIRATORY PROTECTION: Not normally required, if vapors or mists exceed acceptable levels, wear a NIOSH approved pesticide respirator.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, shoes with socks. Wear chemical-resistant gloves.

> **OSHA PEL 8 hr TWA ACGIH TLV-TWA**

Malathion 15 mg/m³ (Skin) 1 mg/m³ (IFV); BEI^{*}

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear yellow-amber colored liquid with a mild petroleum odor. **SOLUBILITY:** Emulsifies SPECIFIC GRAVITY (Water = 1): 1.231 g/ml BULK DENSITY: 10.27 lbs/gal. pH: 3.7-3.8 (50% solution)

VAPOR PRESSURE: 3.4 x 10⁻⁶ mm/Hg @ 25°C BOILING POINT: >300°F/>148.9°C PERCENT VOLATILE (by volume): Not established **EVAPORATION RATE:** Not established Note: These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat.

INCOMPATIBILITY: Strong alkalis, amines, and strong oxidizing compounds. Can corrode iron, steel, tin plate, lead and copper. Rapidly hydrolyzed at pH

HAZARDOUS DECOMPOSITION PRODUCTS: Dimethyl sulfide, sulfur dioxide, carbon monoxide, carbon dioxide, and phosphorus pentoxide.

HAZARDOUS POLYMERIZATION: Will not occur.

TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 5500 mg/kg Acute Dermal LD₅₀ (rabbit): > 2000 mg/kg Eye Irritation (rabbit): Slight irritation Skin Irritation (rabbit): Slight irritation

Inhalation LC₅₀ (rat): >5.2 mg/L (4 hr)Skin Sensitization (Guinea Pig): Not a sensitizer

Carcinogenic Potential: Not listed by NTP, ACGIH, OSHA, or NIOSH as a carcinogen.

12. ECOLOGICAL INFORMATION

This pesticide is toxic to aquatic organisms, including fish and invertebrates. This product may contaminate water through drift of spray in wind. This product has a high potential for runoff after application. Use care when applying in or to an area which is adjacent to any body of water, and do not apply when weather conditions favor drift from target area. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall-runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

SAFETY DATA SHEET

MALATHION ULV CONCENTRATE INSECTICIDE

13. DISPOSAL CONSIDERATIONS

PROHIBITIONS: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly.

PESTICIDE DISPOSAL: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Containers equal to or less than 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Containers greater than 5 gallons or 50 pounds: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

DOT Shipping Description: LESS THAN 10.2 GALLONS NOT REGULATED BY USDOT.

DOT Shipping Description: RQ UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (MALATHION). 9, III ERG GUIDE 171

U.S. Surface Freight Classification: INSECTICIDES, INSECT REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120, CLASS: 60)

15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings: **NFPA HMIS** 2 Health 0 Least Health Flammability Sliaht 1 Flammability 1 1 Instability 2 Moderate 0 Reactivity 3 High С **PPE** 4 Severe SARA Hazard Notification/Reporting **SARA Title III Hazard Category: Immediate** Fire Sudden Release of Pressure Delayed Reactive

Reportable Quantity (RQ) under U.S. CERCLA: Malathion (CAS: 121-75-5): 100 pounds

SARA, Title III, Section 313: Malathion (CAS: 121-75-5) 96.5%

RCRA Waste Code: Not listed CA Proposition 65: Not listed

CAUTION – This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

16. OTHER INFORMATION

MSDS STATUS: Sections 14 and 15 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®Viton is a registered trademark of DUPONT PERFORMANCE ELASTOMERS L.L.C.

*ACGIH® has recommended a Biological Exposure Index for this substance: Acetylcholinesterase Inhibiting Pesticides

®ACGIH is a registered trademark of American Conference of Governmental Industrial Hygienists

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.