

## MAXIM® QUATTRO Fungicide

Date: 6/26/2015  
 Replaces: 8/26/2014

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **MAXIM® QUATTRO Fungicide**

Product No.: A14918E

Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC  
 Post Office Box 18300  
 Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Skin Sensitizer: Category 1B  
 Signal Word (OSHA): Warning  
 Hazard Statements: May cause an allergic skin reaction

Hazard Symbols:



Precautionary Statements: Avoid breathing mist, vapors, spray.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear protective gloves, protective clothing, eye protection.  
 If on skin: Wash with plenty of soap and water.  
 If skin irritation or rash occurs: Get medical advice.  
 See Section 4 First Aid Measures.  
 Wash contaminated clothing before reuse.  
 Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
1,2-Propanediol	Propylene Glycol	57-55-6	Trade Secret
Other ingredients	Other ingredients	Trade Secret	66.20%

## MAXIM® QUATTRO Fungicide

Date: 6/26/2015  
Replaces: 8/26/2014

Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate	Azoxystrobin	131860-33-8	1.33%
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	2.65%
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	Fludioxonil	131341-86-1	3.32%
1H-Benzimidazole, 2-(4-thiazolyl)-	Thiabendazole	148-79-8	26.50%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Allergic skin reaction

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

## MAXIM® QUATTRO Fungicide

Date: 6/26/2015  
 Replaces: 8/26/2014

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:  
 Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

### 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Propylene Glycol	Not Established	Not Established	10 mg/m <sup>3</sup> TWA	AIHA
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Azoxystrobin	Not Established	Not Established	4 mg/m <sup>3</sup> TWA	Syngenta
Mefenoxam	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta
Fludioxonil	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta
Thiabendazole	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

**MAXIM® QUATTRO Fungicide**

Date: 6/26/2015

Replaces: 8/26/2014

**Skin Contact:**

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

**Inhalation:**

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH certified respirator with any N, R, P or HE filter.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Light tan to beige liquid

Odor: Weak aromatic

Odor Threshold: Not Available

pH: 6 - 7 (neat @ 68 - 77°F (20 - 25°C))

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): &gt; 214°F (Pensky-Martens CC)

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Azoxystrobin 8.25 x 10<sup>(-13)</sup> mmHg @ 68°F (20°C)Fludioxonil 2.9 x 10<sup>(-9)</sup> mmHg @ 77°F (25°C)Mefenoxam 2.5 x 10<sup>(-5)</sup> mmHg @ 77°F (25°C)Thiabendazole 4.0 x 10<sup>(-9)</sup> mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.13 g/cc ; 9.43 lb/gal

Solubility (ies): Azoxystrobin 6 mg/l in water @ 68°F (20°C)

Fludioxonil 1.8 mg/l @ 77°F (25°C)

Mefenoxam 26 g/l @ 77°F (25°C)

Thiabendazole 30 mg/l (pH 7, pH 10) @ 68°F in water

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: ~ 1130°F

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: Not Available

**10. STABILITY AND REACTIVITY**

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

**MAXIM® QUATTRO Fungicide**

Date: 6/26/2015  
Replaces: 8/26/2014

Hazardous Decomposition Products: None known.

**11. TOXICOLOGICAL INFORMATION**Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Allergic skin reaction

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	5000 mg/kg body weight (based on a substantially similar formulation)
Dermal:	Dermal (LD50 Rat) :	> 5000 mg/kg body weight (based on a substantially similar formulation)
Inhalation:	Inhalation (LC50 Rat) :	> 2.55 mg/l air - 4 hours (based on a substantially similar formulation)
Eye Contact:	Mildly Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Sensitizing (Guinea Pig) (based on a substantially similar formulation)	

Reproductive/Developmental Effects

Azoxystrobin : Did not show reproductive toxicity effects in animal experiments.

Fludioxonil: Delayed development at doses causing maternal toxicity.

Mefenoxam: None observed.

Thiabendazole: Did not show reproductive toxicity effects in animal experiments.

Chronic/Subchronic Toxicity Studies

Azoxystrobin : No adverse effect has been observed in chronic toxicity tests.

Fludioxonil: Liver and kidney toxicity at high dose levels.

Mefenoxam: Liver effects at high dose animal tests.

Thiabendazole: Increased incidence of anemia and changes in the gall bladder, kidney, liver, spleen and thyroid gland in rat and dog tests.

No adverse health effects are expected in humans at airborne levels below the occupational exposure limit.

Carcinogenicity

Azoxystrobin : Did not show carcinogenic effects in animal experiments.

Fludioxonil: Marginal increase (7%) of liver tumors (female, rats: 3,000 ppm); Within historical control range (1 to 10%).

Mefenoxam: None observed.

Thiabendazole: Following dietary administration to Sprague-Dawley rats for 2 years, a high dose (90 mg/kg/day) of thiabendazole resulted in a minimally increased incidence of thyroid follicular cell adenomas in male rats only. The mode of action (MOA) is not relevant to humans, supporting the conclusion that thiabendazole does not pose a carcinogenic hazard to humans.

**MAXIM® QUATTRO Fungicide**

Date: 6/26/2015  
 Replaces: 8/26/2014

Chemical Name	NTP/IARC/OSHA Carcinogen
1,2-Propanediol	No
Other ingredients	No
Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate	No
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]-propionic acid methyl ester	No
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	No
1H-Benzimidazole, 2-(4-thiazolyl)-	No

Other Toxicity Information

None

Toxicity of Other Components

Other ingredients  
 Not Applicable

Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

Target Organs

Active Ingredients

Azoxystrobin :	Liver
Fludioxonil:	Liver, kidney
Mefenoxam:	Liver
Thiabendazole:	Thyroid, liver, spleen, kidney, gall bladder, blood

Inert Ingredients

Other ingredients:	Not Applicable
Propylene Glycol:	CNS, kidney, liver

**12. ECOLOGICAL INFORMATION**

Eco-Acute Toxicity

Azoxystrobin :

- Fish (Rainbow Trout) 96-hour LC50 470 ppb
- Green Algae 5-day EC50 106 ppb
- Invertebrate (Water Flea) 48-hour EC50 259 ppb
- Bird (Mallard Duck) 14-day LD50 > 250 mg/kg

Mefenoxam:

- Fish (Rainbow Trout) 96-hour LC50 > 121 ppm
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm
- Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

## MAXIM® QUATTRO Fungicide

Date: 6/26/2015  
 Replaces: 8/26/2014

### Fludioxonil:

Fish (Rainbow Trout) 96-hour LC50 0.47 ppm  
 Green Algae 5-day EC50 0.087 ppm  
 Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.9 ppm  
 Bird (Bobwhite Quail) 14-day LD50 > 2000 mg/kg

### Thiabendazole:

Bird (Bobwhite Quail) LD50 Oral > 2250 mg/kg  
 Fish (Trout) 96-hour LC50 0.56 ppm  
 Invertebrate (Water Flea) 48-hour EC50 0.81 mg/l

### Environmental Fate

#### Azoxystrobin :

The information presented here is for the active ingredient, azoxystrobin.  
 Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

#### Fludioxonil:

The information presented here is for the active ingredient, fludioxonil.  
 Does not bioaccumulate. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

#### Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.  
 Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

#### Thiabendazole:

The information presented here is for the active ingredient, thiabendazole.  
 Low bioaccumulation potential. Stable in soil and water. Sinks in water (after 24 h).

### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

### 14. TRANSPORT INFORMATION

#### DOT Classification

Ground Transport - NAFTA  
 Not regulated

#### Comments

Water Transport - International  
 Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Thiabendazole, Fludioxonil), Marine Pollutant  
 Hazard Class: Class 9  
 Identification Number: UN 3082  
 Packing Group: PG III

#### Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Thiabendazole, Fludioxonil)

**MAXIM® QUATTRO Fungicide**

Date: 6/26/2015  
 Replaces: 8/26/2014

Hazard Class: Class 9  
 Identification Number: UN 3082  
 Packing Group: PG III

**15. REGULATORY INFORMATION**

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):  
 100-1352

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard  
 Chronic Health Hazard

Section 313 Toxic Chemicals: Thiabendazole 26.50% (CAS No. 148-79-8)

California Proposition 65:

This product does not contain chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

**16. OTHER INFORMATION**

NFPA Hazard Ratings

Health: 2  
 Flammability: 1  
 Instability: 0

HMIS Hazard Ratings

Health: 2  
 Flammability: 1  
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 6/4/2010  
 Revision Date: 6/26/2015

Replaces: 8/26/2014



## MAXIM® QUATTRO Fungicide

Date: 6/26/2015  
Replaces: 8/26/2014

---

Section(s) Revised: 2, 4, 11

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.