SAFETY DATA SHEET



1. Identification

Product identifier Other means of identification Recommended use	MAXSET MZ None. Ag Product - Plant Nutrition	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	Wilbur-Ellis Company LLC 16300 Christensen Rd. Ste 13 Tukwila, WA 98188 United States	5
Telephone E-mail	Branded Products Information SDS@wilburellis.com	(800) 500-1698
Emergency phone number	Chemtrec - Domestic Chemtrec - International	(800) 424-9300 +1 703-741-5970

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.
Precautionary statement	
Prevention	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves. Wear eye/face protection.
Response	IF SWALLOWED: Call a poison center or doctor or doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). Rinse mouth. If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents and container in accordance with government regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Phosphorous Acid		13598-36-2	30 - < 40
Zinc Oxide		1314-13-2	5 - < 10

Chemical name	Common name and synonyms	CAS number	%
Manganese Oxide		1313-13-9	3 - < 5
Proprietary		Proprietary	Proprietary
Other components below repor			50 - < 60
Percentage ranges of composition	to protect confidentiality or due to batch variation	n.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms	develop or persist.	
Skin contact	Remove contaminated clothing. Wash with plea medical attention. Wash contaminated clothing		kin irritation occurs: Get
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get r		
Ingestion	Rinse mouth. If vomiting occurs, keep head low Get medical attention if you feel unwell.	v so that stomach content	doesn't get into the lungs
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat under observation. Symptoms may be delayed		ctim warm. Keep victim
General information	Ensure that medical personnel are aware of the protect themselves. Show this safety data shee		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	n dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this	will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	tective clothing must be v	orn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so	without risk.	
Specific methods	Use standard firefighting procedures and consi	der the hazards of other i	nvolved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peop low areas. Wear appropriate protective equipm damaged containers or spilled material unless adequate ventilation. Local authorities should b contained. For personal protection, see section	ent and clothing during cl wearing appropriate prote be advised if significant sp	ean-up. Do not touch ctive clothing. Ensure
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is possible. Cover with plastic sheet to prevent sp and place into containers. Prevent entry into wa Following product recovery, flush area with wat	without risk. Dike the spill preading. Absorb in vermic aterways, sewer, basemen	ulite, dry sand or earth
	Small Spills: Wipe up with inert absorbent mate contamination.	erial. Clean surface thorou	ghly to remove residual
	Never return spills to original containers for re-	use. For waste disposal, s	ee section 13 of the SDS
Environmental precautions	Avoid discharge into drains, water courses or o	nto the ground.	
7. Handling and storage			
Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Avo When using, do not eat, drink or smoke. Provid protective equipment. Wash hands thoroughly practices.	le adequate ventilation. W	ear appropriate persona
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store of the SDS).	away from incompatible n	naterials (see Section 10

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	s for Air Contaminants (29 CFR 1910.100 Type	Value	Form
Manganese Oxide (CAS 1313-13-9)	Ceiling	5 mg/m3	
Proprietary	PEL	6 mg/m3	
riopilotaly		3 ppm	
Zinc Oxide (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
1011102)		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. ACGIH Threshold Lim	it Values	0	
Components	Туре	Value	Form
Manganese Oxide (CAS	TWA	0.1 mg/m3	Inhalable fraction.
1313-13-9)		e	
		0.02 mg/m3	Respirable fraction.
Proprietary	STEL	6 ppm	
	TWA	3 ppm	
Zinc Oxide (CAS	STEL	10 mg/m3	Respirable fraction.
1314-13-2)		- 0	
	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Manganese Oxide (CAS	STEL	3 mg/m3	Fume.
1313-13-9)			_
	TWA	1 mg/m3	Fume.
Proprietary	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
Zinc Oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
1514-15-2)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Dust.
		5 mg/m3	Fume.
logical limit values	No biological exposure limits noted for t	•	r amo.
propriate engineering	Good general ventilation (typically 10 ai	•	be used Ventilation rates
itrols	should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish wash facilities and emergency shower r	licable, use process enclosuna n airborne levels below reco red, maintain airborne levels	ures, local exhaust ventilatio mmended exposure limits. I to an acceptable level. Eye
ividual protection measure Eye/face protection	s, such as personal protective equipmen Face shield is recommended. Wear saf		s (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistant glo	oves.	
Other	Wear appropriate chemical resistant clo	othing. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear s		
Thermal hazards	Wear appropriate thermal protective clo	, , , , ,	
neral hygiene Isiderations	Keep away from food and drink. Always washing after handling the material and work clothing and protective equipment	before eating, drinking, and	
Physical and chemical	properties		

Appearance	Pink Liquid.
Physical state	Liquid.

Form	Liquid.
Color	Pink.
Odor	Odorless.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	11.01 lb/gal
Specific gravity	1.32
10. Stability and reactivity	,

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful.
Causes skin irritation.
Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.
Causes serious eye irritation.
Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity	Harmful if swallowed.	
Components	Species	Test Results
hosphorous Acid (CAS 13598-3	6-2)	
Acute		
Oral		
LD50	Rat	1580 mg/kg
Proprietary		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2881 mg/kg, 24 Hours
		2.46 - 2.83 ml/kg, 24 Hours
Inhalation		
Vapor		
LC50	Rat	> 1.3 mg/l, 6 Hours
Oral		
LD50	Rat	1515 mg/kg
		1089 mg/kg
		1.19 ml/kg
inc Oxide (CAS 1314-13-2)		C C
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Inhalation		
LC50	Mouse	> 5.7 mg/l, 4 Hours
		2500 mg/m3
	Rat	> 5700 mg/m3, 4 Hours
Oral		
LD50	Mouse	> 5000 mg/kg
2000	Rat	> 15000 mg/kg
	Παι	
		> 5000 mg/kg
* Estimates for product may b	be based on additional component data not	shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Causes serious eye irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause ski	n sensitization.
Germ cell mutagenicity		ny components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a ca	rcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Not listed.	Evaluation of Carcinogenicity	
OSHA Specifically Regulate Not regulated.	ed Substances (29 CFR 1910.1001-1050)	
US. National Toxicology Pro Not listed.	ogram (NTP) Report on Carcinogens	

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	May be harmful if absorbed through skin. Prolonged inhalation may be harmful.	
	Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.	

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with government regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings, if applicable, even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Manganese Oxide (CAS 1313-13-9) Listed

Mariganese Oxide (CAS 1313-13-9)	LISIEU.
Zinc Oxide (CAS 1314-13-2)	Listed.
SARA 304 Emergency release notification	
Not regulated.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not regulated.	

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard c	atea	nries

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ZINC COMPOUNDS	1314-13-2	5 - < 10
MANGANESE COMPOUNDS	1313-13-9	3 - < 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Oxide (CAS 1313-13-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act	Not regulated.
(SDWA)	

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-23-2016
Revision date	09-26-2017
Version #	02
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
	•

NFPA ratings



This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.