

## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
 Product name : MESH™-40WP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Seed treatment, Safener  
 Restrictions on use : No additional information available

### 1.3. Details of the supplier of the safety data sheet

Arysta LifeScience North America, LLC  
 15401 Weston Parkway, Suite 150  
 Cary, NC 27513 - USA  
 T 1-866-761-9397

### 1.4. Emergency telephone number

Emergency number : Exposure calls (PROPHARMA): 1-866-303-6952 or +1-651-603-3432 (international)  
 Spill calls (CHEMTREC) (Contract # CCN1779): +1-800-424-9300 or +1-703-527-3887 (international)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GHS-US classification

Carc. 1A H350  
 STOT RE 2 H373  
 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

### 2.2. Label elements

#### GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H350 - May cause cancer (inhalation).  
 H373 - May cause damage to organs through prolonged or repeated exposure.  
 H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P260 - Do not breathe dust.  
 P273 - Avoid release to the environment.  
 P280 - Wear protective gloves.  
 P308+P313 - If exposed or concerned: Get medical advice/attention.  
 P314 - Get medical advice/attention if you feel unwell.  
 P391 - Collect spillage.  
 P405 - Store locked up.  
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

2.24% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
 2.24% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
 2.24% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

# MESH™-40WP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	% (w/w)	GHS-US classification
Flurazole	(CAS-No.) 72850-64-7	40	Aquatic Chronic 2, H411
Dispersing agent	(CAS-No.) trade secret	1 – 5	STOT RE 2, H373
Silicon dioxide (cristobalite)	(CAS-No.) 14808-60-7	0.1 – 1.5	Carc. 1A, H350

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : May cause damage to organs through prolonged or repeated exposure.
- Symptoms/effects after inhalation : May cause cancer by inhalation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Burning produces irritating, toxic and noxious fumes.
- Reactivity : No dangerous reactions known.

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin, eyes and clothing. Avoid creating or spreading dust. Use personal protective equipment as required. Do not breathe dust.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Refer to section 8.2.
- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Refer to section 8.2.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain and collect as any solid.

# MESH™-40WP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Avoid creating or spreading dust.

Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids. Strong oxidizers.  
Incompatible materials : Sources of ignition. Direct sunlight.  
Storage area : Store in a dry, cool area.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

MESH™-40WP		
ACGIH	Not applicable	
OSHA	Not applicable	
Flurazole (72850-64-7)		
ACGIH	Not applicable	
OSHA	Not applicable	
Silicon dioxide (cristobalite) (14808-60-7)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	(respirable dust)
OSHA	OSHA PEL (TWA) (ppm)	250 mppcf
OSHA	Remark (OSHA)	(3) See Table Z-3.
Dispersing agent (trade secret)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Inhalable particulates not otherwise specified); 3 mg/m <sup>3</sup> (Respirable particulates not otherwise specified)
OSHA	Not applicable	

### 8.2. Exposure controls

Appropriate engineering controls : Avoid dispersal of dust in the air (ie, clearing dust surfaces with compressed air). Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear suitable gloves resistant to chemical penetration. Wear dust impervious gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material.

Environmental exposure controls : Prevent leakage or spillage. Prevent contaminated water run-off.

Other information : Do not eat, drink or smoke during use.

# MESH™-40WP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: white
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 320 - 384 kg/m <sup>3</sup>
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Likely routes of exposure	: Inhalation; Skin and eye contact
Acute toxicity	: Not classified

# MESH™-40WP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Flurazole (72850-64-7)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5010 mg/kg

<b>Dispersing agent (trade secret)</b>	
LD50 oral rat	> 12000 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

<b>Silicon dioxide (cristobalite) (14808-60-7)</b>	
IARC group	1 - Carcinogenic to humans

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause cancer by inhalation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

<b>Flurazole (72850-64-7)</b>	
LC50 fish 1	8.5 mg/l 96 h rainbow trout
EC50 Daphnia 1	6.3 mg/l 48 h
LC50 fish 2	8.5 mg/l 96 d Salmo gairdneri

<b>Dispersing agent (trade secret)</b>	
LC50 fish 1	361 ppm 96h Pimephales promelas

### 12.2. Persistence and degradability

<b>MESH™-40WP</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.

<b>Dispersing agent (trade secret)</b>	
Persistence and degradability	Biodegrades slowly.
Biochemical oxygen demand (BOD)	0.021 g O <sub>2</sub> /g substance (5 day/day); 0.043 g O <sub>2</sub> /g (30 day/days)

### 12.3. Bioaccumulative potential

<b>MESH™-40WP</b>	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

# MESH™-40WP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flurazole), 9, III

UN-No.(DOT) : UN3077

Proper Shipping Name (DOT) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flurazole)

Packing group (DOT) : III - Minor Danger

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Dangerous for the environment : Yes

Marine pollutant : Yes



#### Additional information

Emergency Response Guide (ERG) Number : 171

Other information : Non-bulk (<= 882 lbs / 400 kg) Not Regulated; Bulk (> 882 lbs / 400 kg) Regulated as stated

#### Transport by sea

##### IMDG

Transport hazard class(es) (IMDG) : 9



Marine pollutant : Yes

UN-No. (IMDG) : 3077

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flurazole), 9, III, MARINE POLLUTANT

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

#### Air transport

##### IATA

Transport hazard class(es) (IATA) : 9



Marine pollutant : Yes

UN-No. (IATA) : 3077

Transport document description (IATA) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flurazole), 9, III

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Packing group (IATA) : III - Minor Danger

# MESH™-40WP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

##### Flurazole (72850-64-7)

EPA TSCA Regulatory Flag P - P - indicates a commenced Premanufacture Notice (PMN) substance.

##### Dispersing agent (trade secret)

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under Chemical Data Reporting Rule (formerly the Inventory Update Reporting Rule), i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 711).

#### 15.2. International regulations

##### CANADA

##### Flurazole (72850-64-7)

Listed on the Canadian NDSL (Non-Domestic Substances List)

##### Silicon dioxide (cristobalite) (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### Dispersing agent (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### 15.3. US State regulations

**WARNING** This product can expose you to Silicon dioxide (cristobalite), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

##### Silicon dioxide (cristobalite) (14808-60-7)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

##### Silicon dioxide (cristobalite) (14808-60-7)

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations  
U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

Revision date : 06/18/2018

Data sources : ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. Manufacturer Information. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

Full text of H-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1A	Carcinogenicity, Category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:


# MESH™-40WP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average

- NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.
- NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



Indication of changes:  
Product and company identification.

**SDS Prepared by:** The Redstone Group, LLC.  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio, USA 43016  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*