

# SAFETY DATA SHEET

## Metam KLR 54%



Version 1.2 PRD      Revision Date: 06/27/2017      SDS Number: 15000103671 SDSUS / EN / 0001      Date of last issue: 03/03/2016      Date of first issue: 10/22/2015

---

### SECTION 1. IDENTIFICATION

Product name : Metam KLR 54%

Product code : 51144-00, P5114401

EPA Registration Number : 45728-27

**Manufacturer or supplier's details**

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive  
Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone number : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

**Recommended use of the chemical and restrictions on use**

Recommended use : Agrochemical (soil disinfectant)

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with 29 CFR 1910.1200**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

Carcinogenicity : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2

Corrosive to metals : Category 1

**GHS label elements**

Hazard pictograms :

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

## Metam KLR 54%



Version: 1.2 PRD  
Revision Date: 06/27/2017  
SDS Number: 150000103671  
Date of last issue: 03/03/2016  
Date of first issue: 10/22/2015  
SDSUS / EN / 0001

H351 Suspected of causing cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H302 Harmful if swallowed.  
H332 Harmful if inhaled.  
H290 May be corrosive to metals.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
metam potassium	137-41-7	54

# SAFETY DATA SHEET

## Metam KLR 54%



Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	06/27/2017	150000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

### SECTION 4. FIRST AID MEASURES

- General advice : Show this safety data sheet to the doctor in attendance.  
Call a physician immediately.
- If inhaled : Move to fresh air.  
If breathing is difficult, give oxygen.  
If not breathing, give artificial respiration.  
Treat symptomatically.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and plenty of water.  
Wash off immediately with plenty of water for at least 15 minutes.  
Wash contaminated clothing before re-use.  
In the case of skin irritation or allergic reactions see a physician.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.  
If easy to do, remove contact lens, if worn.  
Call a physician or poison control centre immediately.
- If swallowed : Seek medical advice.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Health injuries may be delayed.  
Liver disorders  
Kidney disorders  
Headache  
Nausea  
Use of alcoholic beverages may enhance toxic effects  
Harmful if swallowed.  
Harmful if inhaled.  
Causes severe skin burns and eye damage.  
Suspected of causing cancer.  
Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : General advice for dithiocarbamates  
Biomonitoring possible at chronic exposure: determination of TTCA in the urine at the end of the workday/week.  
Bloodtesting for delayed effects: liver tests, kidney function, thyroid function

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Water spray

# SAFETY DATA SHEET

## Metam KLR 54%



Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	06/27/2017	150000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

- 
- |   |   |   |
|---|---|---|
| Unsuitable extinguishing media                | : | Do not use a solid water stream as it may scatter and spread fire.<br>Do NOT use water jet.                       |
| Hazardous combustion products                 | : | Nitrogen oxides (NOx)<br>Carbon monoxide<br>Sulphur oxides  |
| Further information                           | : | Do not allow run-off from fire fighting to enter drains or water courses.   |
| Special protective equipment for firefighters | : | Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Wear appropriate personal protective equipment.<br>Local authorities should be advised if significant spillages cannot be contained.  |
| Environmental precautions   | : | Avoid release to the environment.   |
| Methods and materials for containment and cleaning up               | : | Sweep up or vacuum up spillage and collect in suitable container for disposal.<br>Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). |

---

### SECTION 7. HANDLING AND STORAGE

- |   |   |  |
|---|---|--|
| Advice on protection against fire and explosion | : | Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).   |
| Advice on safe handling                         | : | Do not breathe vapours or spray mist.<br>Do not get on skin or clothing.<br>Do not get in eyes.<br>Avoid contact with skin, eyes and clothing.<br>Do not swallow.<br>Ensure adequate ventilation.<br>Wash thoroughly after handling. |
| Conditions for safe storage                     | : | Keep tightly closed.   |

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- |                      |   |  |
|----------------------|---|--|
| Engineering measures | : | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to con- |
|----------------------|---|--|

# SAFETY DATA SHEET

## Metam KLR 54%



Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	06/27/207	15000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

---

ditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.  
Ensure adequate ventilation.

### Personal protective equipment

- Respiratory protection : Wear respiratory protection.
- Filter type : Filter type ABEK-P
- Hand protection
- Remarks : Neoprene gloves Rubber gloves The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove.
- Eye protection : Safety glasses  
Tightly fitting safety goggles  
Face-shield
- Skin and body protection : Complete suit protecting against chemicals
- Protective measures : Remove respiratory and skin/eye protection only after vapours have been cleared from the area.  
Ensure that eye flushing systems and safety showers are located close to the working place.  
Use personal protective equipment as required.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : light yellow
- pH : 7.5 - 10.5  
Concentration: 510 g/l
- Melting point/freezing point : No data available
- Boiling point/boiling range : 97 - 102 °C
- Flash point : Not applicable
- Flammability (solid, gas) : not auto-flammable
- Vapour pressure : 0.057 Pa (20 °C)

# SAFETY DATA SHEET



## Metam KLR 54%

Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	06/27/2017	150000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

Density : 1.28 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : completely soluble

Partition coefficient: n-octanol/water : log Pow: -2.9

Viscosity  
Viscosity, dynamic : 3.77 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous decomposition products formed under fire conditions.  
Corrosive in contact with metals  
MITC vapour can be released during processing

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids  
Metals

Hazardous decomposition products : Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Carbon disulfide  
MITC vapour can be released during processing

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed.  
Harmful if inhaled.

#### Product:

Acute oral toxicity : LD50 Oral (Rat): 1,000 mg/kg  
Remarks: Harmful if swallowed.

Acute inhalation toxicity : LC50 (Rat): 3.03 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

## Metam KLR 54%



Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	06/27/2017	150000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

---

Remarks: Harmful if inhaled.

Acute dermal toxicity : LD50 Dermal (Rat): > 2,000 mg/kg

Remarks: No significant adverse effects were reported

### **Skin corrosion/irritation**

Causes severe burns.

#### **Product:**

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

Remarks: Causes severe skin burns.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Product:**

Assessment: Corrosive

Remarks: Causes serious eye damage.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Product:**

Result: Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Product:**

Germ cell mutagenicity - Assessment : Did not show mutagenic effects in animal experiments.

### **Carcinogenicity**

Suspected of causing cancer.

#### **Product:**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# SAFETY DATA SHEET

## Metam KLR 54%



Version 1.2 PRD	Revision Date: 06/27/2017	SDS Number: 150000103671 SDSUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015
-----------------------	------------------------------	--	---

---

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

#### Product:

Reproductive toxicity - Assessment : Possible risk of harm to the unborn child.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Product:

Target Organs: Nasal inner lining, Kidney, Liver, Bladder

### Aspiration toxicity

Not classified based on available information.

#### Product:

No aspiration toxicity classification

### Information on likely routes of exposure

#### Product:

Skin contact : Symptoms: Causes skin burns.

Eye contact : Symptoms: Causes eye burns.

### Further information

#### Product:

Remarks: None known.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Fish): 0.10 - 100 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

## Metam KLR 54%



Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	06/27/2017	150000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 0.56 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : IC50 (Bacteria): 4.36 mg/l  
Exposure time: 3 h

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Readily biodegradable

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### Mobility in soil

#### Product:

Distribution among environmental compartments : Koc: < 50

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

**IATA-DGR**  
UN/ID No. : UN 3267

# SAFETY DATA SHEET

## Metam KLR 54%



Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	06/27/2017	150000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

Proper shipping name : Corrosive liquid, basic, organic, n.o.s.  
(Metam-Potassium 54% in water)

Class : 8  
Packing group : II  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

### IMDG-Code

UN number : UN 3267  
Proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.  
(Metam-Potassium 54% in water)  
Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3267  
Proper shipping name : Corrosive liquid, basic, organic, n.o.s.  
(Metam-Potassium 54% in water)  
Class : 8  
Packing group : II  
Labels : Class 8 - Corrosive  
ERG Code : 153  
Marine pollutant : no

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute Health Hazard  
Chronic Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
metam potassium 137-41-7 50 - 70 %

#### EPA Labeling Information

This Chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger. Fatal if absorbed through skin. Corrosive. Causes skin burns and irreversible eye damage. Do not get in eyes, on skin, or on clothing. May be fatal if swallowed or inhaled. Do not breathe vapor or mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### The components of this product are reported in the following inventories:

CH INV : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

## Metam KLR 54%



Version	Revision Date:	SDS Number:	Date of last issue: 03/03/2016
1.2	02/27/2017	150000103671	Date of first issue: 10/22/2015
PRD		SDSUS / EN / 0001	

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : Not listed

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;

# SAFETY DATA SHEET

## Metam KLR 54%



Version  
1.2  
PRD

Revision Date:  
06/27/2017


SDS Number:  
150000103671  
SDSUS / EN / 0001

Date of last issue: 03/03/2016  
Date of first issue: 10/22/2015

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### NFPA:



#### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 06/27/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN