

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

### SECTION 1. IDENTIFICATION

Product name : MICROMITE® 80WGS

Product code : 400000004000

#### Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc  
245 Freight St  
Waterbury, CT  
United States of America  
06702  
Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet :  
sds.request@arysta.com

#### 1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300  
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

#### Recommended use of the chemical and restrictions on use

Recommended use : Insect Growth Regulator

Restrictions on use : Agriculture, For professional users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Eye irritation : Category 2B

Carcinogenicity : Category 1A

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version  
1.9

Revision Date:  
10/01/2015

MSDS Number:  
400000004000

Country: US  
Language: EN

### GHS Label element

Hazard pictograms



Signal word

: Danger

Hazard statements

: H320 Causes eye irritation.  
H350 May cause cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P281 Use personal protective equipment as required.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P391 Collect spillage.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
N-[[4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	>= 70 - < 90
kaolin	1332-58-7	>= 1 - < 5
2,6-difluorobenzamide	18063-03-1	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

- If inhaled : Remove to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Call a POISON CENTER or doctor/ physician.
- In case of skin contact : Remove contaminated clothing and shoes.  
Wash off immediately with plenty of water for at least 15 minutes.  
Call a POISON CENTER or doctor/ physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Call a POISON CENTER or doctor/ physician.
- If swallowed : Call a physician or poison control centre immediately.  
Do not induce vomiting without medical advice.  
Rinse mouth with water.  
  
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : irritant effects  
Causes eye irritation.  
May cause cancer.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Foam  
Water mist
- Unsuitable extinguishing media : Water spray
- Specific hazards during fire-fighting : No information available.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Full protective flameproof clothing  
Complete suit protecting against chemicals
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective : Wear suitable protective equipment.
-

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

equipment and emergency procedures

Environmental precautions : Do not allow material to contaminate ground water system.  
Do not allow uncontrolled discharge of product into the environment.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Use plant protection products safely. Always read the label and product information before use.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep in a dry, cool place.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable fraction)	2 mg/m <sup>3</sup>	ACGIH
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (respirable dust fraction)	5 mg/m <sup>3</sup>	OSHA P0

#### Personal protective equipment

Respiratory protection : Dust safety masks are recommended when the dust concentration is more than 10 mg/m<sup>3</sup>.

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

it. Before removing gloves clean them with soap and water.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Colour : grey, brown

Odour : No data available

Odour Threshold : No data available

pH : 9 - 11, Concentration: 1 g/l

Melting point/range : No data available

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : 0.7 g/cm<sup>3</sup>

Bulk density : 490 - 560 kg/m<sup>3</sup>

Solubility(ies)  
Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

### Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Strong acids and strong bases  
Strong oxidizing agents

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.  
Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation

Eye contact

### Acute toxicity

#### **Product:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.12 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
GLP: yes

---

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version      Revision Date:      MSDS Number:      Country: US  
1.9          10/01/2015          400000004000      Language: EN

---

### **Components:**

#### **kaolin:**

Acute oral toxicity                      : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity                    : LD50 (Rat): > 5,000 mg/kg

#### **2,6-difluorobenzamide:**

Acute oral toxicity                      : LD50 (Rat): 3,299 mg/kg

Acute inhalation toxicity              : LC50 (Rat): > 2.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity estimate: > 16.5 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity                    : LD50 (Rat): > 5,000 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Species: Rabbit  
Exposure time: 4 h  
Result: No skin irritation  
GLP: yes

### **Components:**

#### **2,6-difluorobenzamide:**

Result: Skin irritation

### **Serious eye damage/eye irritation**

#### **Product:**

Species: Rabbit  
Result: Mild eye irritation  
GLP: yes

### **Components:**

#### **2,6-difluorobenzamide:**

Result: Eye irritation

### **Respiratory or skin sensitisation**

#### **Product:**

Species: Guinea pig  
Method: Buehler Test  
Result: Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

### Germ cell mutagenicity

**Product:**

Germ cell mutagenicity - Assessment : Based on available data, the classification criteria are not met.

### Carcinogenicity

**Product:**

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

### IARC

Group 1: Carcinogenic to humans

kaolin 1332-58-7

### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### NTP

Known to be human carcinogen

kaolin 1332-58-7

### Reproductive toxicity

**Product:**

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

### STOT - single exposure

**Product:**

Assessment: Based on available data, the classification criteria are not met.

### **Components:**

**2,6-difluorobenzamide:**

Exposure routes: Inhalation

Assessment: May cause respiratory irritation.

### STOT - repeated exposure

**Product:**

Assessment: Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

- Toxicity to fish : NOEC (Zebra fish (Brachydanio rerio)): > 102 mg/l  
Exposure time: 96 h  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0026 mg/l  
Exposure time: 48 h  
GLP: yes
- Toxicity to algae : EC50 (Scenedesmus capricornutum (fresh water algae)): 20 mg/l  
Exposure time: 72 h  
GLP: yes
- M-Factor (Acute aquatic toxicity) : 100

##### Components:

##### **kaolin:**

- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 1,100 mg/l  
Exposure time: 48 h

#### Persistence and degradability

##### Product:

- Biodegradability : Remarks: No data available

#### Bioaccumulative potential

##### Product:

- Bioaccumulation : Remarks: No data available

#### Mobility in soil

##### Product:

- Mobility : Remarks: No data available

#### Other adverse effects

##### Product:

- Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulation

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Diflubenzuron)  
Class : 9  
Packing group : III  
Labels : 9

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., Environmentally hazardous substance, solid, n.o.s.  
(Diflubenzuron)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Diflubenzuron)

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (Diflubenzuron)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Diflubenzuron)  
Remarks : Not regulated by DOT and TDG if shipped or transported in packaging less than 400KG by road and/or rail. Please refer to 49 CFR for any details.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
sodium dodecylbenzenesulfonate	25155-30-0	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SSARA 311/312 Hazards** : Acute Health Hazard  
Chronic Health Hazard

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I-intermediate or Final VOC's (40 CFR 60.489).

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

sodium dodecylbenzenesulfonate      25155-30-0      0.66 %

toluene      108-88-3      0.0165 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

sodium dodecylbenzenesulfonate      25155-30-0      0.66 %

toluene      108-88-3      0.0165 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

kaolin      1332-58-7

quartz (SiO<sub>2</sub>)      14808-60-7

4-chloroaniline      106-47-8

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

toluene      108-88-3

---

### FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

### CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic invertebrate organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters.

This product may contaminate water through drift of spray in wind. This product has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination or water from rainfall-runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version 1.9      Revision Date: 10/01/2015      MSDS Number: 400000004000      Country: US  
Language: EN

---

hours. Sound erosion control practices will reduce this product's contribution to surface water contamination.

Bees and other insect pollinators can be exposed to this pesticide from: • Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications • Ingestion of residues in nectar and pollen when the pesticide is applied as a foliar application.

When Using This Product Take Steps To: • Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site. • Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

---

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; EC<sub>x</sub> - Concentration associated with x% response; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ErC<sub>x</sub> - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version  
1.9


Revision Date:  
10/01/2015

MSDS Number:  
400000004000

Country: US  
Language: EN

### Further information

#### NFPA:



#### HMIS III:

HEALTH	1*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 10/01/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479

# SAFETY DATA SHEET

## MICROMITE® 80WGS

Version  
1.9

Revision Date:  
10/01/2015

MSDS Number:  
400000004000

Country: US  
Language: EN

---

	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 113 711 9144
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670