

**MIRAVIS BOLD FUNGICIDE**

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

---

**SECTION 1. IDENTIFICATION**

Product name : MIRAVIS BOLD FUNGICIDE  
Design code : A19649B  
Product Registration number : 33213  
Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada  
Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504  
Emergency telephone number : 1-800-327-8633 (FAST MED)

**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Acute toxicity (Inhalation) : Category 4

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H332 Harmful if inhaled.

Precautionary statements :

**Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P271 Use only outdoors or in a well-ventilated area.

**Response:**

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

**Other hazards**

None known.

## MIRAVIS BOLD FUNGICIDE

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
pydiflumetofen	1228284-64-7	18.3486
propane-1,2-diol	57-55-6	>= 5 - < 10

Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

## MIRAVIS BOLD FUNGICIDE

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
pydiflumetofen	1228284-64-7	TWA	5 mg/m <sup>3</sup>	Syngenta
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND

## MIRAVIS BOLD FUNGICIDE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.2	01/27/2020	S00058488829	

PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection
- Remarks : No special protective equipment required.
- Eye protection : No special protective equipment required.
- Skin and body protection : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : cream to milky white
- Odour : No data available
- Odour Threshold : No data available
- pH : 5.9 - 7  
Concentration: 1 % w/v
- Melting point/range : No data available

**MIRAVIS BOLD FUNGICIDE**

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

---

Boiling point/boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.09 g/cm <sup>3</sup>
Solubility(ies)		
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	> 650 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	80.8 mPa.s ( 20 - 25 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation

**MIRAVIS BOLD FUNGICIDE**

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): 2,958 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Components:****pydiflumetofen:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****pydiflumetofen:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation

**Components:****pydiflumetofen:**

Species : Rabbit  
Result : No eye irritation

## MIRAVIS BOLD FUNGICIDE

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

### Respiratory or skin sensitisation

#### Product:

Test Type : Local lymph node assay (LLNA)  
 Species : Mouse  
 Result : Did not cause sensitisation on laboratory animals.

#### Components:

##### pydiflumetofen:

Test Type : mouse lymphoma cells  
 Species : Mouse  
 Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

#### Components:

##### pydiflumetofen:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

##### pydiflumetofen:

Carcinogenicity - Assessment : Liver tumours noted in mice that are not relevant to humans.

### Reproductive toxicity

#### Components:

##### pydiflumetofen:

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.4 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.1 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
 Exposure time: 72 h

## MIRAVIS BOLD FUNGICIDE

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.32 mg/l  
End point: Growth rate  
Exposure time: 72 h

### Components:

#### **pydiflumetofen:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.42 mg/l  
Exposure time: 48 h
- LC50 (Americamysis): 0.16 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 5.9 mg/l  
Exposure time: 96 h
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.093 mg/l  
End point: Growth rate  
Exposure time: 96 h
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.025 mg/l  
Exposure time: 32 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.042 mg/l  
Exposure time: 21 d
- NOEC (Americamysis): 0.076 mg/l  
Exposure time: 28 d
- M-Factor (Chronic aquatic toxicity) : 1

### **Persistence and degradability**

#### Components:

#### **pydiflumetofen:**

- Biodegradability : Result: Not readily biodegradable.
- Stability in water : Remarks: The substance is stable in water.

### **Bioaccumulative potential**

#### Components:

#### **pydiflumetofen:**

- Bioaccumulation : Remarks: Does not bioaccumulate.



## MIRAVIS BOLD FUNGICIDE

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

Partition coefficient: n-octanol/water : log Pow: 3.8 (25 °C)

### Mobility in soil

#### Components:

#### pydiflumetofen:

Distribution among environmental compartments : Remarks: Low mobility in soil.  
 Stability in soil : Dissipation time: 674 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Persistent in soil.

### Other adverse effects

#### Components:

#### pydiflumetofen:

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling information  
 Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Do not dispose of waste into sewer.  
 Where possible recycling is preferred to disposal or incineration.  
 If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling information  
 Empty remaining contents.  
 Triple rinse containers.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYDIFLUMETOFEN)  
 Class : 9

## MIRAVIS BOLD FUNGICIDE

Version 1.2      Revision Date: 01/27/2020      SDS Number: S00058488829      This version replaces all previous versions.

Packing group : III  
 Labels : 9

**IATA-DGR**  
 UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (PYDIFLUMETOFEN)  
 Class : 9  
 Packing group : III  
 Labels : Class 9 - Miscellaneous dangerous substances and articles  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

**IMDG-Code**  
 UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYDIFLUMETOFEN)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### TDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYDIFLUMETOFEN)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 ERG Code : 171  
 Marine pollutant : yes(PYDIFLUMETOFEN)  
 Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle.  
 1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

Warning, contains the allergen 1,2-benzisothiazolin-3-one  
 Contains the allergen sulfites

## MIRAVIS BOLD FUNGICIDE

Version 1.2	Revision Date: 01/27/2020	SDS Number: S00058488829	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Warning

### The components of this product are reported in the following inventories:

DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. pydiflumetofen
		Siloxanes and Silicones, di-Me, polymers with silica-1,1,1-trimethyl-N-(trimethylsilyl)silanamine hydrolysis products and trimethylsilyl silicate
		Oxirane, 2-methyl-, polymer with oxirane

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -

**MIRAVIS BOLD FUNGICIDE**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.2	01/27/2020	S00058488829	

Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/27/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN