# SAFETY DATA SHEET



### 1. Identification

Product identifier NDemand High End LR

Other means of identification None

Recommended use Ag Product - Plant Nutrition

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address Wilbur-Ellis Company LLC

8131 W. Grandbridge Blvd, Suite 200

Kennewick, WA 99336

**United States** 

**Telephone** Branded Products Information (800) 500-1698

E-mail SDS@WilburEllis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300 Chemtrec - International +1 703-741-5970

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, inhalation Category 4
Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2B

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Causes skin irritation. Causes eye irritation. Harmful if inhaled. May cause

respiratory irritation.

Precautionary statement

**Prevention** Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves.

Response IF SWALLOWED: Call a poison center or doctor or doctor if you feel unwell. If on skin: Wash with

plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor if you feel unwell. Specific treatment (see this label). Rinse mouth. If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents and container in accordance with government regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

### **Mixtures**

| Chemical name                            | Common name and synonyms | CAS number | %         |
|--|--------------------------|------------|-----------|
| Urea                                     |                          | 57-13-6    | 30 - < 40 |
| EDTA Acid                                |                          | 60-00-4    | 5 - < 10  |
| Ethanolamine                             |                          | 141-43-5   | 5 - < 10  |
| Manganese (ii) Chloride                  |                          | 7773-01-5  | 1 - < 3   |
| Orthoboric Acid                          |                          | 10043-35-3 | 1 - < 3   |
| Other components below reportable levels | 5                        |            | 50 - < 60 |

Percentage ranges of composition to protect confidentiality or due to batch variation.

### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor if you feel unwell. Call a

physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. Get medical attention if

irritation develops and persists. If skin irritation occurs: Get medical attention. Wash contaminated

clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. If

eye irritation persists: Get medical attention.

Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. If Ingestion vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical

cause respiratory irritation. Skin irritation. May cause redness and pain.

attention if you feel unwell. Irritation of eyes, Exposed individuals may experience eye tearing, redness, and discomfort, May

Most important symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Indication of immediate medical attention and special treatment needed

**General information** 

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid inhalation of vapors and spray mists. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

## Oc

| Components                                 | Туре  | Value            |                     |
|--|---|------------------|---------------------|
| Ethanolamine (CAS<br>141-43-5)             | PEL   | 6 mg/m3          |                     |
| Manganese (ii) Chloride<br>(CAS 7773-01-5) | Ceiling                                     | 3 ppm<br>5 mg/m3 |                     |
| US. ACGIH Threshold Lim                    | it Values                                   |                  |                     |
| Components                                 | Туре  | Value            | Form                |
| Ethanolamine (CAS<br>141-43-5)             | STEL  | 6 ppm            |                     |
|  | TWA   | 3 ppm            |                     |
| Manganese (ii) Chloride<br>(CAS 7773-01-5) | TWA   | 0.1 mg/m3        | Inhalable fraction. |
|  |   | 0.02 mg/m3       | Respirable fraction |
| Orthoboric Acid (CAS<br>10043-35-3)        | STEL  | 6 mg/m3          | Inhalable fraction. |
|  | TWA   | 2 mg/m3          | Inhalable fraction. |
| US. NIOSH: Pocket Guide                    | to Chemical Hazards                         |                  |                     |
| Components                                 | Туре  | Value            | Form                |
| Ethanolamine (CAS 141-43-5)                | STEL  | 15 mg/m3         |                     |
|  |   | 6 ppm            |                     |
|  | TWA   | 8 mg/m3          |                     |
|  |   | 3 ppm            |                     |
| Manganese (ii) Chloride (CAS 7773-01-5)    | STEL  | 3 mg/m3          | Fume.               |
|  | TWA   | 1 mg/m3          | Fume.               |
| US. Workplace Environme                    | ntal Exposure Level (WEEL) Guides           |                  |                     |
| Components                                 | Туре  | Value            | Form                |
| Urea (CAS 57-13-6)                         | TWA   | 10 mg/m3         | Total particulate.  |
| ogical limit values                        | No biological exposure limits noted for the | ingredient(s)    |                     |

Biolog Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye

wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapor cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Clear blue liquid

Physical state Liquid. Liquid. **Form** Color Clear blue Not available. Odor Odor threshold Not available. 8.5 - 9.5рH Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water)

Partition coefficient

Not available.

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 10.46 lb/gal Specific gravity 1.25

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong acids. Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Harmful if inhaled.

**Skin contact** Causes skin irritation.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

**Eye contact**Causes eye irritation. **Ingestion**Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May

cause respiratory irritation. Skin irritation. May cause redness and pain.

## Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if inhaled. Harmful if swallowed. May cause respiratory

irritation.

| Components                  | Species | Test Results                |
|-----------------------------|---------|-----------------------------|
| EDTA Acid (CAS 60-00-4)     |         |                             |
| Acute                       |         |                             |
| Oral                        |         |                             |
| LD50                        | Rat     | 4500 mg/kg                  |
| Ethanolamine (CAS 141-43-5) |         |                             |
| Acute                       |         |                             |
| Dermal                      |         |                             |
| LD50                        | Rabbit  | 2881 mg/kg, 24 Hours        |
|                             |         | 2.46 - 2.83 ml/kg, 24 Hours |
| Inhalation                  |         |                             |
| LC50                        | Rat     | > 1.3 mg/l, 6 Hours         |
| Oral                        |         |                             |
| LD50                        | Rat     | 1515 mg/kg                  |
|                             |         | 1089 mg/kg                  |
|                             |         | 1.19 ml/kg                  |
| Urea (CAS 57-13-6)          |         | -                           |
| Acute                       |         |                             |
| Oral                        |         |                             |
| LD50                        | Mouse   | 13000 mg/kg                 |
|                             | Rat     | 15000 mg/kg                 |
| Other                       |         |                             |
| LD50                        | Mouse   | 9200 mg/kg                  |
|                             | Rat     | 8200 mg/kg                  |
|                             |         | <b>3_</b> 3 <b>3</b>        |

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

**Chronic effects** May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Ethanolamine -1.31 Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents and container in accordance with government regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

EDTA Acid (CAS 60-00-4) Listed.

Manganese (ii) Chloride (CAS 7773-01-5) Listed.

## SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

## SARA 313 (TRI reporting)

| Chemical name       | CAS number | % by wt. |
|---------------------|------------|----------|
| MANGANESE COMPOUNDS | 7773-01-5  | 1 - < 3  |

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese (ii) Chloride (CAS 7773-01-5)

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US state regulations**

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

### **US. Massachusetts RTK - Substance List**

EDTA Acid (CAS 60-00-4) Ethanolamine (CAS 141-43-5)

## US. New Jersey Worker and Community Right-to-Know Act

EDTA Acid (CAS 60-00-4)

Ethanolamine (CAS 141-43-5)

Manganese (ii) Chloride (CAS 7773-01-5)

Orthoboric Acid (CAS 10043-35-3)

# US. Pennsylvania Worker and Community Right-to-Know Law

EDTA Acid (CAS 60-00-4)

Ethanolamine (CAS 141-43-5)

### **US. Rhode Island RTK**

EDTA Acid (CAS 60-00-4)

Manganese (ii) Chloride (CAS 7773-01-5)

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)   | Yes                    |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand          | New Zealand Inventory  | Yes                    |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |

3789 Version #: 01 Issue date: 04-06-2016

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

**Issue date** 04-06-2016

Version # 01

NFPA ratings Health: 2

Flammability: 0 Instability: 0

NFPA ratings

country(s).



**Disclaimer** 

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.