# SAFETY DATA SHEET



#### 1. Identification

**Product identifier Ndemand Manganese** 

Other means of identification

Ag Product - Plant Nutrition Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Wilbur-Ellis Company LLC Company name **Address** 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

**United States** 

**Telephone** Branded Products Information (800) 500-1698

SDS@wilburellis.com E-mail

Chemtrec - Domestic **Emergency phone number** (800) 424-9300

Chemtrec - International +1 703-741-5970

## 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes skin irritation. Causes serious eye irritation.

**Precautionary statement** 

Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection. Prevention

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical

attention. Take off contaminated clothing and wash before reuse.

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

#### 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name       | Common name and synonyms | CAS number | %         |
|---------------------|--------------------------|------------|-----------|
| Urea                |                          | 57-13-6    | 20 - < 30 |
| EDTA Acid           |                          | 60-00-4    | 10 - < 20 |
| Manganese Oxide     |                          | 1313-13-9  | 3 - < 5   |
| Potassium Hydroxide |                          | 1310-58-3  | 3 - < 5   |

Material name: Ndemand Manganese SDS US 1/7 3794 Version #: 02 Revision date: 09-26-2017 Issue date: 04-07-2016

| Chemical name                            | Common name and synonyms | CAS number  | %         |
|--|--------------------------|-------------|-----------|
| Proprietary Ingredient(s)                |                          | Proprietary | 1 - < 3   |
| Other components below reportable levels |                          |             | 50 - < 60 |

Percentage ranges of composition to protect confidentiality or due to batch variation.

#### 4. First-aid measures

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Inhalation

Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. Get medical attention if

irritation develops and persists. If skin irritation occurs: Get medical attention. Wash contaminated

clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. If

eye irritation persists: Get medical attention.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Most important

vision. Skin irritation. May cause redness and pain. symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

#### Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## **Environmental precautions**

7. Handling and storage

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate Precautions for safe handling ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

Avoid discharge into drains, water courses or onto the ground.

practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Ndemand Manganese SDS US 2/7

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

| Components                             | Туре                                       | Value        |                      |
|--|--|--------------|----------------------|
| Manganese Oxide (CAS<br>1313-13-9)     | Ceiling                                    | 5 mg/m3      |                      |
| Proprietary Ingredient(s)              | PEL  | 6 mg/m3      |                      |
|  |  | 3 ppm        |                      |
| US. ACGIH Threshold Limit Value        | es   |              |                      |
| Components                             | Туре                                       | Value        | Form                 |
| Manganese Oxide (CAS<br>1313-13-9)     | TWA  | 0.1 mg/m3    | Inhalable fraction.  |
| ,                                      |  | 0.02 mg/m3   | Respirable fraction. |
| Potassium Hydroxide (CAS<br>1310-58-3) | Ceiling                                    | 2 mg/m3      |                      |
| Proprietary Ingredient(s)              | STEL                                       | 6 ppm        |                      |
| , , ,                                  | TWA  | 3 ppm        |                      |
| US. NIOSH: Pocket Guide to Che         | mical Hazards                              |              |                      |
| Components                             | Туре                                       | Value        | Form                 |
| Manganese Oxide (CAS<br>1313-13-9)     | STEL                                       | 3 mg/m3      | Fume.                |
| ,                                      | TWA  | 1 mg/m3      | Fume.                |
| Potassium Hydroxide (CAS<br>1310-58-3) | TWA  | 2 mg/m3      |                      |
| Proprietary Ingredient(s)              | STEL                                       | 15 mg/m3     |                      |
|  |  | 6 ppm        |                      |
|  | TWA  | 8 mg/m3      |                      |
|  |  | 3 ppm        |                      |
| US. Workplace Environmental Ex         | posure Level (WEEL) Guides                 |              |                      |
| Components                             | Турѐ                                       | Value        | Form                 |
| Urea (CAS 57-13-6)                     | TWA  | 10 mg/m3     | Total particulate.   |
| ogical limit values No                 | biological exposure limits noted for the i | naredient(s) |                      |

**Biological limit values** 

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** Clear blue liquid

Physical state
Form
Liquid.
Color
Clear blue.
Odor
Not available.
Odor threshold
Not available.

Material name: Ndemand Manganese

9.3 - 10.3 pН Melting point/freezing point Not available.

Initial boiling point and boiling

range

Not available.

Flash point Not available. Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

10.53 lb/gal **Density** Specific gravity > 1.26

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Causes serious eye irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and

toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

Acute toxicity

Components Species Test Results

EDTA Acid (CAS 60-00-4)

**Acute** 

Oral

LD50 Rat 4500 mg/kg

Potassium Hydroxide (CAS 1310-58-3)

Acute Oral

LD50 Rat 388 mg/kg

Proprietary Ingredient(s)

<u>Acute</u> Dermal

LD50 Rabbit 2881 mg/kg, 24 Hours

2.46 - 2.83 ml/kg, 24 Hours

Inhalation

LC50 Rat 10 - 20 mg/l, 4 Hours

Oral

LD50 Rat 1515 mg/kg

1089 mg/kg 1.19 ml/kg

Urea (CAS 57-13-6)

**Acute** 

Oral

LD50 Mouse 13000 mg/kg

Rat 15000 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ

toxicity - repeated

exposure

Not classified.

**Aspiration hazard** 

Not available.

**Chronic effects** 

May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents and container in accordance with government regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not established.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are listed on or exempted from the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

EDTA Acid (CAS 60-00-4)

Manganese Oxide (CAS 1313-13-9)

Potassium Hydroxide (CAS 1310-58-3)

Listed.

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

Material name: Ndemand Manganese s

#### SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.MANGANESE COMPOUNDS1313-13-93 - < 5</td>

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Oxide (CAS 1313-13-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# 16. Other information, including date of preparation or last revision

 Issue date
 04-07-2016

 Revision date
 09-26-2017

Version # 02

NFPA ratings Health: 2

Flammability: 0 Instability: 0

NFPA ratings



**Disclaimer** 

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: Ndemand Manganese

3794 Version #: 02 Revision date: 09-26-2017 Issue date: 04-07-2016 7 / 7