



Partners with solutions

MATERIAL SAFETY DATA SHEET

OHP, INC.
P.O. BOX 230, MAINLAND, PA 19451
800-659-6745

Revision Date: 03/31/2011
Approval Date: 04/06/2010

TRANSPORTATION EMERGENCY (24 hours a day)
CHEMTREC:(800) 424-9300

EMERGENCY (24 hours a day) AND PRODUCT INFORMATION
OHP, Inc.:(800) 356-4647

OHP 6672™ 4.5 F

EPA Registration Number: 59807-5

I. PRODUCT IDENTIFICATION:

PRODUCT NAME: OHP 6672 4.5 F
SYNONYMS: Thiophanate-methyl
PRODUCT TYPE: Fungicide

II. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	% BY WEIGHT
Thiophanate-methyl	23564-05-8	46.2%
Other Ingredients	57-55-6	53.8%
Including:		
Propylene Glycol		

III. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Appearance and Odor: Opaque colored liquid.

Warning Statements: Caution. Keep out of reach of children. Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

POTENTIAL HEALTH EFFECTS:

Likely Routes of Exposure : Inhalation, eye and skin contact.

EYE CONTACT: Mildly irritating based on toxicity studies.

SKIN CONTACT: Minimally toxic and slightly irritating based on toxicity studies.

INGESTION: Slightly toxic if ingested based on toxicity studies.

INHALATION: Low inhalation toxicity based on toxicity studies.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

See Section XI: TOXICOLOGICAL INFORMATION for more information

POTENTIAL ENVIRONMENTAL

EFFECTS:: Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

See Section XII: ECOLOGICAL INFORMATION for more information.

IV. FIRST AID MEASURES

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

V. FIRE FIGHTING MEASURES

Flash Point: Not applicable due to aqueous formulation

Autoignition Temperature: Not determined

Flammability Limits: Not determined

Extinguishing Media:
Recommended for large fires: foam or water spray.
Recommended for small fires: dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later.

MATERIAL SAFETY DATA SHEET

OHP 6672™ 4.5 F

EPA Registration Number: 59807-5

Hazardous Decomposition Materials

(Under Fire Conditions) . . . : May produce oxides of carbon, nitrogen and sulfur.

National Fire Protection Association (NFPA) Hazard Rating Rating for this product:

Health	Flammability	Reactivity
1	1	0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate
3 = Serious 4 = Severe

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section VIII.

Environmental Precautions . . . : Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup.

See Section XIII: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

VII. HANDLING AND STORAGE

HANDLING: Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Store in original container in a dry, temperature controlled secured area. Do not contaminate water, food, or feed by storage or disposal.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

PERSONAL PROTECTIVE EQUIPMENT:

Eyes/Face Protection: Not normally required. To avoid contact with eyes, wear chemical goggles or shielded safety glasses. An emergency eye-wash or water supply should be readily accessible to the work area.

Skin Protection: Handlers mixing, loading and applying the product as a dip (including application of product in kaolinite clay to conifer seedling roots) must wear coveralls over long-sleeved shirt and long pants, chemical-resistant footwear plus socks, chemical-resistant gloves and chemical-resistant apron. All other mixers, loaders and applicators must wear long pants and long-sleeved shirt, shoes plus socks, chemical-resistant gloves for all mixers and loaders and for applicators using hand held equipment and chemical-resistant apron for mixers, loaders and other handlers exposed to the concentrate.

An emergency shower or water supply should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene

Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

- 1) Do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Thiophanate-methyl	NE	NE	NE	NE	
Propylene Glycol	10 (WEEL)	NE	NE	NE	mg/m ³

NE = Not Established

MATERIAL SAFETY DATA SHEET

OHP 6672™ 4.5 F

EPA Registration Number: 59807-5

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Opaque colored liquid
Boiling Point: Not determined
Solubility in Water: Dispersible
Density: 10.0 pounds/gallon
Specific Gravity: 1.208 @ 20°C
Evaporation Rate: Not determined
Vapor Density: Not determined
Freezing Point: Not determined
Vapor Pressure: Not determined
pH: 5 – 6 (1% solution)
Viscosity: 273.358 cSt @ 20°C

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

X. STABILITY AND REACTIVITY

Chemical Stability: This material is stable under normal handling and storage conditions.
Conditions to Avoid: Excessive heat. Do not store near heat or flame.
Incompatible Materials: Strong oxidizing agents: bases and acids.
Hazardous Decomposition Products: Under fire conditions may produce oxides of carbon, nitrogen and sulfur.
Hazardous Reactions: Hazardous polymerization will not occur.

XI. TOXICOLOGICAL INFORMATION

Toxicological Data

Data from laboratory studies on a similar, but not identical, formulation:

Oral: Rat LD50: 1,750 mg/kg (female) (estimated based on mortalities for doses tested)
Dermal: Rat LD50: >5,000 mg/kg
Inhalation: Rat 4-hr LC50: >2.05 mg/L
Eye Irritation: Rabbit: Mildly irritating
Skin Irritation: Rabbit: Slightly irritating
Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.
Subchronic (Target Organ) Effects: Repeated overexposure to thiophanate methyl may cause mild anemia and affect the liver and thyroid. Overexposure to propylene glycol has

been associated with kidney toxicity, liver toxicity (animals) and lactic acidosis. Very high dose acute exposure may result in CNS and cardiac effects.

Carcinogenicity / Chronic Health Effects:

Prolonged overexposure to thiophanate methyl may affect the liver and thyroid. Thiophanate methyl produced dose-dependent increases in benign liver tumors in mice and thyroid tumors in rats. Overexposure to propylene glycol has been associated with kidney toxicity, liver toxicity (animals) and lactic acidosis.

Reproductive Toxicity:

Thiophanate methyl did not cause reproductive toxicity in multi-generation studies in rats. In the mouse, propylene glycol was not a reproductive toxicant.

Developmental Toxicity:

In a rabbit study with thiophanate methyl, slight skeletal variations and decreased fetal weights were observed at doses that were also toxic to mother animals. In a series of animal studies, propylene glycol was not a developmental toxicant.

Genotoxicity:

There have been some positive and some negative studies, but the weight of evidence is that thiophanate methyl is not mutagenic. Propylene glycol was consistently nonmutagenic.

Assessment Carcinogenicity:

None listed with ACGIH, IARC, NTP or OSHA. See Section II: HAZARDS IDENTIFICATION for more information.

XII. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on Thiophanate Methyl Technical:
96-hour LC50 Bluegill: >41 ppm
96-hour LC50 Rainbow Trout: 8.3 ppm
48-hour EC50 Daphnia: 5.4 ppm
96-hour LC50 Mysid: 1.1 ppm
Bobwhite Quail 8-day Dietary LC50: >10,000 ppm
Mallard Duck Oral LD50: 4,640 mg/kg
48-hour Bee Contact LD50: >100 µg/bee

Environmental Fate:

Thiophanate methyl degrades primarily to MBC whether on foliage, in soil or in water in a matter of days. Both photolysis and hydrolysis are important routes of degradation. MBC is microbially degraded, but stable to aqueous photodegradation, stable to hydrolysis at pH values ranging from 5 to 7 and stable to soil photolysis. Metabolism under aerobic and anaerobic conditions in both soil and water proceeds at a slow rate. Under application conditions, average half-lives are about 20 to 50 days, but may be as short as a few days with repeated use.

MATERIAL SAFETY DATA SHEET

OHP 6672™ 4.5 F

EPA Registration Number: 59807-5

XIII. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and

Disposal: **Nonrefillable Containers**

5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

XIV. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section VII: HANDLING AND STORAGE of this MSDS.

DOT

< 2 gallons per completed package

Non Regulated

≥ 2 gallons but < 119 gallons per completed package

UN 3082, Environmentally hazardous substances, liquid, n.o.s., 9, III, (thiophanate-methyl), RQ

≥ 119 gallons per completed package

UN 3082, Environmentally hazardous substances, liquid, n.o.s., 9, III, (thiophanate-methyl), Marine Pollutant, RQ

IMDG: UN 3082, Environmentally hazardous substances, liquid, n.o.s., 9, III, (thiophanate-methyl), Marine Pollutant

IATA: Non Regulated

XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):
Immediate

Section 313 Toxic Chemical(s):

Thiophanate Methyl (CAS No. 23564-05-8) 46.2% by weight in product.

Reportable Quantity (RQ) under U.S. CERCLA:

Thiophanate Methyl (CAS No. 23564-05-8) 10 pounds

RCRA Waste Code:

Thiophanate Methyl (CAS No. 23564-05-8) U409

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65:

WARNING. This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

XVI. OTHER INFORMATION

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, OHP, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will OHP, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

OHP 6672 is a trademark of OHP, Inc.

