# **Material Safety Data Sheet**

OnyxPro® Insecticide

**SDS** #: 6206-2-A **Revision Date:** 2013-03-18

**Version** 3.01



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name OnyxPro® Insecticide

Formula code 6206

Active Ingredient(s) Bifenthrin

**Synonyms** FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC:

2-methylbiphenyl-3-ylmethyl

 $(Z)\hbox{-}(1RS)\hbox{-}cis\hbox{-}3\hbox{-}(2\hbox{-}chloro\hbox{-}3,3,3\hbox{-}trifluoroprop\hbox{-}1\hbox{-}enyl)\hbox{-}2,2\hbox{-}dimethylcyclopropanecarboxylate}.$ 

Chemical Family Pyrethroid Pesticide

Recommended use Insecticide

Manufacturer Emergency telephone number

FMC Corporation

Agricultural Products Group For leak, fire, spill or accident emergencies, call: 1735 Market Street +1 800 / 424 9300 (CHEMTREC - U.S.A.)

Philadelphia, PA 19103 +1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

General Information: Medical Emergencies:

Phone: (215) 299-6000 (800) 331-3148 (U.S.A. & Canada)

E-Mail: msdsinfo@fmc.com +1 (651) 632-6793 (All Other Countries - Collect)

### 2. Hazards identification

Appearance amber liquid

Physical state Liquid

Odor hydrocarbon-like

Physical or Chemical Hazards .

Flammable properties Combustible liquid

**Potential health effects** 

Principle Routes of Exposure Skin contact, Eye contact, Inhalation. Ingestion.

Acute effects

**Eyes** Irritating to eyes.

SkinIrritating to skin. Prolonged or repeated contact may dry skin and cause irritation.InhalationMay cause irritation of respiratory tract. May cause drowsiness and dizziness.

#### OnyxPro® Insecticide

MSDS #: 6206-2-A **Revision Date: 2013-03-18** 

Version 3.01

Ingestion Toxic if swallowed. May cause central nervous system depression. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. Effects are expected to be similar to those that are seen with acute toxicity. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as

numbness), and liver and kidney damage.

**Environmental hazard** Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# 3. Composition/information on ingredients

#### **Hazardous ingredients**

**Chronic effects** 

Chemical Name	CAS-No	Weight %
1,1'-Biphenyl, bis(1-methylethyl)-	69009-90-1	30-40
Bifenthrin	82657-04-3	23.34
Petroleum distillates, hydrotreated light	64742-47-8	10-20
Benzenesulfonic acid, dodecyl-, branched, calcium salts	70528-83-5	1-5

#### 4. First aid measures

Eye contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses,

if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

for further treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a

poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give

anything by mouth to an unconscious person.

Notes to physician Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a

> pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption

and so should be avoided.

# 5. Fire-fighting measures

Flammable properties Combustible liquid

67 °C / 153-158 °F **Flash Point** 

not applicable **Sensitivity to Mechanical Impact** Sensitivity to Static Discharge not applicable

Suitable extinguishing media Use CO2, dry chemical, or foam.

**Hazardous combustion products** Toxic fumes may be produced.

for firefighters

Protective equipment and precautions

As in any fire, wear self-contained breathing apparatus and full protective gear.

NFPA

**Health Hazard** 1 **Flammability** 

#### OnyxPro® Insecticide

MSDS #: 6206-2-A Revision Date: 2013-03-18

Version 3.01

**Stability** 0 **Special Hazards** -

#### 6. Accidental release measures

**Personal precautions** Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8.

**Environmental precautions** Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams,

ponds, and sewer drains.

Methods for containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to

containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb

rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or

disposal. Dispose of waste as indicated in Section 13.

Other For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product

and Company Identification" above.

# 7. Handling and storage

**Handling** Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

**Storage** Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources

of ignition. Keep out of reach of children and animals. Store in original container only.

# 8. Exposure controls/personal protection

# **Exposure guidelines**

Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m³ Skin			

#### **Occupational exposure controls**

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and

wear the recommended equipment.

**Personal Protective Equipment** 

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective

equipment suppliers. These recommendations apply to the product as supplied.

**Respiratory protection** For dust, splash, mist or spray exposures wear a filtering mask.

**Eye/face protection** For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield.

**Skin and body protection** Wear long-sleeved shirt, long pants, socks, shoes, and gloves.

**Hand protection** Protective gloves

MSDS #: 6206-2-A Revision Date: 2013-03-18

Version 3.01

Hygiene measures

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

# 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearanceamber liquidColoramberPhysical stateLiquid

**Odor** hydrocarbon-like

pH No information available. 3.9
 Melting Point/Range No information available.
 Freezing point No information available.

Boiling Point/Range not applicable

**Flash Point** 67 - 70 °C / 153-158 °F

Evaporation ratenot applicableFlammable propertiesCombustible liquidVapor pressureNo information available.Vapor densityNo information available.Density8.59 lb/gal

Specific Gravity

8.59 lb/gal

1.031 @ 20 °C

Water solubility

Emulsifies

**Percent volatile** No information available.

Partition coefficient: not applicable

**Viscosity** No information available.

9.2 Other information

# 10. Stability and reactivity

Stability Stable.

Conditions to avoid Heat, flames and sparks

**Hazardous decomposition products** May emit toxic fumes under fire conditions. Carbon oxides, Hydrogen chloride, Hydrogen fluoride.

Hazardous polymerization Hazardous polymerization does not occur.

# 11. Toxicological information

**Eye contact** Moderately irritating to skin rabbit.

**Skin contact** Irritating to skin (rabbit).

**Ingestion** Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge. Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema.

Inhalation Inhalation of hydrocarbon vapors may cause headaches, dizziness, disturbances in vision,

drowsiness, respiratory irritation, anesthesia, unconsciousness, and other central nervous system

effects.

> 2,000 mg/kg (rabbit)

LD50 Oral 153 mg/kg (rat)

Sensitization Sensitizer

#### OnyxPro® Insecticide

MSDS #: 6206-2-A Revision Date: 2013-03-18

Version 3.01

#### **Chronic Toxicity - Other Ingredient(s)**

Chronic Toxicity Effects are expected to be similar to those that are seen with acute toxicity. Chronic exposure to

aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as

numbness), and liver and kidney damage.

**Carcinogenicity** Bifenthrin: Did not show carcinogenic effects in animal experiments.

Mutagenicity Bifenthrin: Not genotoxic.

**Reproductive toxicity** Bifenthrin: No toxicity to reproduction.

Neurological Effects Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may

disappear with continued exposure.

**Developmental Toxicity** Bifenthrin: Not teratogenic in animal studies

Target Organ Effects Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably

not of toxicological concern.

# 12. Ecological information

#### **Ecotoxicity**

Bifenthrin (82657-04-3)

Active Ingredient(s)	Duration	Species	Value	Units:
Bifenthrin	EC50	Aquatic organisms	0.11 - 0.57	μg/L
Bifenthrin	96 h LC50	Fish	0.1 - 2.0	μg/L
Bifenthrin	LD50 Oral	Bobwhite quail	>1800	mg/kg
Bifenthrin	LD50 Oral	Mallard duck	>2150	mg/kg
Bifenthrin	LD50	Bee	0.1	μg/bee

Chemical Name	Toxicity to algae	Toxicity to fish	 Toxicity to daphnia and other aquatic invertebrates
Petroleum distillates,		LC50= 45 mg/L Pimephales	LC50 = 4720 mg/L 96 h
hydrotreated light		promelas 96 h LC50= 2.2 mg/L	
		Lepomis macrochirus 96 h	
		LC50= 2.4 mg/L Oncorhynchus	
		mykiss 96 h	

### **Environmental Fate**

Bifenthrin (82657-04-3)

Active Ingredient(s)	Type of Test	Result
Bifenthrin	Bioconcentration factor (BCF)	1709
Bifenthrin	Half-life in soil	~85 days
Bifenthrin	log Pow	6.6
Bifenthrin	Mobility in soil	Not expected to reach groundwater
Bifenthrin	Stability in water	Stable to hydrolysis over a wide range of pH values.

Persistence and degradability Inherently biodegradable.

# 13. Disposal considerations

Waste disposal methods

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

**MSDS** #: 6206-2-A **Revision Date:** 2013-03-18

Version 3.01

Contaminated packaging

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

# 14. Transport information

DOT USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D" transition

to "Limited Quantity" by 1/1/2014. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond (new). Please prepare shipping

documents to match the carton mark.

Packaging Type4 x 1 quart, 4 x 4 x 1 quartProper shipping nameConsumer Commodity

Hazard class ORM-D

Packaging Type Non-Bulk

Proper shipping name Pyrethroid pesticide, liquid, toxic

UN/ID No UN3352
Hazard Class 6.1
Packing group III

**TDG**The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not applicable

when shipped only by road or rail in Canada.

UN/ID No UN3352

Proper shipping name Pyrethroid pesticide, liquid, toxic

Hazard Class 6.1
Packing group III

Marine pollutant Bifenthrin.

ICAO/IATA

UN/ID No UN3352

**Proper shipping name** Pyrethroid pesticide, liquid, toxic

Hazard Class6.1Packing groupIIIMarine pollutantBifer

Marine pollutantBifenthrinLimited quantity611 / 60L

IMDG/IMO

UN/ID No UN3352

**Proper shipping name** Pyrethroid pesticide, liquid, toxic

Hazard Class 6.1
Packing group III
Marine pollutant Bifenthrin

MSDS #: 6206-2-A Revision Date: 2013-03-18

Version 3.01

# 15. Regulatory information

#### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values
			%
Bifenthrin	82657-04-3	23.34	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	U.S TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
1,1'-Biphenyl, bis(1-methylethyl)-	06/28/1984

#### **International Regulations**

Mexico - Grade

No information available.

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class** 

B3 Combustible liquid D1B Toxic materials D2B Toxic materials







MSDS #: 6206-2-A Revision Date: 2013-03-18

Version 3.01

# 16. Other information

**Revision Date:** 2013-03-18

**Reason for revision:** (M)SDS sections updated.

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

#### **Prepared By**

FMC Corporation
FMC Logo - Trademark of FMC Corporation

© 2013 FMC Corporation. All Rights Reserved.

**End of Material Safety Data Sheet**