Material Safety Data Sheet

Ortho® MAX PRO™ Insecticide

MSDS #: 1349-3-A

Revision Date: 2013-07-11

Version 1



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 And Canadian Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Ortho® MAX PRO™ Insecticide

Formula code 1349

Active Ingredient(s) Bifenthrin

FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl **Synonyms**

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC:

2-methylbiphenyl-3-ylmethyl

(Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate.

Chemical Family Pyrethroid Pesticide

Recommended use: Insecticide

Manufacturer **Emergency telephone number**

FMC Corporation For leak, fire, spill or accident emergencies, call: Agricultural Products Group 1 800 / 424 9300 (CHEMTREC - U.S.A.)

1735 Market Street 1703/5273887 (CHEMTREC - Collect - All Other Countries)

Philadelphia, PA 19103 Medical Emergencies:

General Information: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect) Phone: (215) 299-6000

E-Mail: msdsinfo@fmc.com

2. HAZARDS IDENTIFICATION

Beige liquid Appearance

Physical state Liquid

Odor Mild

Potential health effects

Acute effects

Eyes May cause slight irritation.

Skin May cause sensitization by skin contact.

May cause irritation of respiratory tract. May cause additional effects as listed under "Ingestion". Inhalation Ingestion

Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

May cause drowsiness and dizziness.

MSDS #: 1349-3-A Revision Date: 2013-07-11

Version 1

Chronic effects Repeated or prolonged exposure may cause central nervous system effects.

Environmental hazardVery toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical Name	CAS-No	Weight %
Bifenthrin	82657-04-3	7.9
Propylene glycol	57-55-6	5-10

4. FIRST AID MEASURES

Eye contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses,

if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

for further treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an

ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison

control center or doctor for further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of

water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or

doctor. Do not give anything by mouth to an unconscious person.

Notes to physician This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should

be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase

absorption and so should be avoided.

5. FIRE-FIGHTING MEASURES

Flash Point $> 100 \, ^{\circ}\text{C} \, / > 212 \, ^{\circ}\text{F}$

Method Tag Closed Cup

Sensitivity to Mechanical Impact Not applicable Sensitivity to Static Discharge Not applicable

Suitable extinguishing media Foam. Carbon dioxide (CO₂). Dry chemical. Soft stream or water fog only if necessary.

Protective equipment and precautions

for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

NFPA

Health Hazard 1
Flammability 1
Stability 0
Special Hazards -

MSDS #: 1349-3-A Revision Date: 2013-07-11

Version 1

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For

personal protection see section 8.

Environmental precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams,

ponds, and sewer drains.

Methods for containment Dike to prevent runoff.

Methods for cleaning upAbsorb with earth, sand or other non-combustible material and transfer to containers for later

disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to

recycling or disposal. Dispose of waste as indicated in Section 13.

Other For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product

and Company Identification" above.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources

of ignition. Keep out of reach of children and animals. Store in original container only.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure guidelines

Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol			TWA: 10 mg/m ³ TWA: 50 ppm	
57-55-6			TWA: 155 mg/m ³	

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and

wear the recommended equipment.

Personal Protective Equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective

equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection For dust, splash, mist or spray exposures wear a filtering mask.

Eye/face protection For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield.

Skin and body protection Wear long-sleeved shirt, long pants, socks, shoes, and gloves.

Hand protection Protective gloves

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to

eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household

laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

MSDS #: 1349-3-A **Revision Date:** 2013-07-11

Version 1

Information on basic physical and chemical properties

AppearanceBeige liquidColorBeigePhysical stateLiquidOdorMildpH6.7

Melting Point/Range No information available. Freezing point No information available.

Boiling Point/Range Not applicable

Flash Point > 100 °C / > 212 °F Tag Closed Cup

Evaporation rate Not applicable

Vapor pressureNo information available.Vapor densityNo information available.

Density8.53 lb/galSpecific Gravity1.024 @ 20 °CWater solubilityDispersible in waterPercent volatileNo information available.

Partition coefficient: Not applicable

Viscosity No information available.

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Conditions to avoid Heat, flames and sparks

Hazardous decomposition products Carbon oxides, Hydrogen chloride, Hydrogen fluoride, Chlorine, Fluorine.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute effects

Eye contactExpected to be practically non-irritating, rabbitSkin contactNon-irritating during normal use, (rabbit)

Ingestion Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge.

 LD50 Dermal
 > 2,000 mg/kg (rabbit)

 LD50 Oral
 632 mg/kg (Rat)

 LC50 Inhalation:
 11.58 mg/L 1 hr (Rat)

Sensitization Bifenthrin: May cause sensitization by skin contact.

Chronic effects

Chronic Toxicity Repeated or prolonged exposure may cause central nervous system effects.

Carcinogenicity Bifenthrin: Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Did not show carcinogenic effects in animal experiments.

Mutagenicity Bifenthrin: Not genotoxic

Neurological Effects Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may

disappear with continued exposure

Ortho® MAX PROTM Insecticide

MSDS #: 1349-3-A Revision Date: 2013-07-11

Version 1

Developmental Toxicity Bifenthrin: Not teratogenic in animal studies.

Target Organ Effects Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably

not of toxicological concern.

Chronic Toxicity - Other Ingredient(s) Repeated overexposure to propylene glycol can produce central nervous system depression,

hemolysis and minimal kidney damage.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units:
Bifenthrin	EC50	Aquatic organisms	0.11 - 0.57	μg/L
Bifenthrin	96 h LC50	Fish	0.1 - 2.0	μg/L
Bifenthrin	LD50 Oral	Bobwhite quail	>1800	mg/kg
Bifenthrin	LD50 Oral	Mallard duck	>2150	mg/kg
Bifenthrin	LD50	Bee	0.1	μg/bee

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Bifenthrin		LC50 0.0001-0.00019 mg/L Oncorhynchus mykiss 96 h LC50 0.0003-0.00038 mg/L Lepomis macrochirus 96 h		EC50 0.00135 - 0.00195 mg/L 48 h
Propylene glycol	19000 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50 51600 mg/L Oncorhynchus mykiss 96 h LC50 41 - 47 mL/L Oncorhynchus mykiss 96 h LC50 51400 mg/L Pimephales promelas 96 h LC50 710 mg/L Pimephales promelas 96 h		EC50 > >10000 mg/L 24 h EC50 > >1000 mg/L 48 h

Environmental Fate

Bifenthrin (82657-04-3)			
Active Ingredient(s)	Type of Test	Result	
Bifenthrin	Bioconcentration factor (BCF)	1709	
Bifenthrin	Half-life in soil	~85 days	
Bifenthrin	log Pow	6.6	
Bifenthrin	Mobility in soil	Not expected to reach groundwater	
Bifenthrin	Stability in water	Stable to hydrolysis over a wide range of pH	
		values.	

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot

be disposed of by use according to label instructions, contact appropriate disposal authorities for

guidance.

Contaminated packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the

product label for container disposal instructions.

14. TRANSPORT INFORMATION

Ortho® MAX PRO™ Insecticide

MSDS #: 1349-3-A **Revision Date:** 2013-07-11

Version 1

DOT This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR

Parts 100 through 185.

Packaging Type Bulk, Non-Bulk

TDG The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not applicable

when shipped only by road or rail in Canada.

UN/ID No UN3082 Hazard Class 9 Packing group III

Marine pollutant Bifenthrin.

ICAO/IATA

UN/ID No UN3082
Hazard Class 9
Packing group III
Marine pollutant Bifenthrin

Limited quantity 30 kg G

IMDG/IMO

UN/ID No
UN3082
Hazard Class
9
Packing group
III
EmS No.
F-A, S-F
Marine pollutant
Bifenthrin

MSDS #: 1349-3-A **Revision Date:** 2013-07-11

Version 1

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin	82657-04-3	7.9	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

International Regulations

Mexico - Grade Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class D2B Toxic materials



16. OTHER INFORMATION

Revision Date: 2013-07-11

Reason for revision: (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation FMC Logo - Trademark of FMC Corporation

© 2013 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet