

**PALISADE MAXX**

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

---

**SECTION 1. IDENTIFICATION**

Product name : PALISADE MAXX  
Design code. : A19238C  
Product Registration number : 100-1677

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)  
  
Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192  
Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Plant growth regulator  
Restrictions on use : General Use Pesticide

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin sensitization : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Warning  
Hazard Statements : H227 Combustible liquid.  
H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
Precautionary Statements : **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

---

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

No smoking.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P363 Wash contaminated clothing before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
(2-methoxymethylethoxy)propanol	34590-94-8	$\geq 30 - < 50$
trinexapac-ethyl	95266-40-3	11.3
calcium dodecylbenzene sulphonate	26264-06-2	$\geq 5 - < 10$
2-methylpropan-1-ol	78-83-1	$\geq 1 - < 5$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.  
 If breathing is irregular or stopped, administer artificial respiration.  
 Keep patient warm and at rest.  
 Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.  
 Wash off immediately with plenty of water.  
 If skin irritation persists, call a physician.  
 Wash contaminated clothing before re-use.

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		TWA	100 ppm 600 mg/m <sup>3</sup>	NIOSH REL
		ST	150 ppm 900 mg/m <sup>3</sup>	NIOSH REL
		TWA	100 ppm 600 mg/m <sup>3</sup>	OSHA Z-1
		TWA	100 ppm 600 mg/m <sup>3</sup>	OSHA P0
		STEL	150 ppm 900 mg/m <sup>3</sup>	OSHA P0
trinexapac-ethyl	95266-40-3	TWA	5 mg/m <sup>3</sup>	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm	ACGIH
		TWA	50 ppm 150 mg/m <sup>3</sup>	NIOSH REL
		TWA	100 ppm 300 mg/m <sup>3</sup>	OSHA Z-1
		TWA	50 ppm 150 mg/m <sup>3</sup>	OSHA P0

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

protection measure if exposure cannot be eliminated.  
The extent of these protection measures depends on the actual risks in use.  
Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:

Protective measures : Impervious clothing  
The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : clear  
Color : yellow  
Odor : strong  
Odor Threshold : No data available

**PALISADE MAXX**

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

pH	:	2.8 Concentration: 100 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	172 °F / 78 °C  Method: Pensky-Martens closed cup, Non-equilibrium method
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.03 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	644 °F / 340 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	98 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	30.5 mN/m
Particle size	:	No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.

**PALISADE MAXX**

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : No decomposition if used as directed.  
Incompatible materials : None known.  
Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 2.85 - 5.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Components:****trinexapac-ethyl:**

Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**2-methylpropan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 - 2,460 mg/kg

**PALISADE MAXX**Version  
1.0Revision Date:  
03/29/2021SDS Number:  
S00033250364

This version replaces all previous versions.

**Skin corrosion/irritation****Product:**Species : Rabbit  
Result : No skin irritation**Components:****trinexapac-ethyl:**Species : Rabbit  
Result : No skin irritation**calcium dodecylbenzene sulphonate:**

Result : Irritating to skin.

**2-methylpropan-1-ol:**

Result : Irritating to skin.

**Serious eye damage/eye irritation****Product:**Species : Rabbit  
Result : No eye irritation**Components:****trinexapac-ethyl:**Species : Rabbit  
Result : No eye irritation**calcium dodecylbenzene sulphonate:**

Result : Risk of serious damage to eyes.

**2-methylpropan-1-ol:**

Result : Risk of serious damage to eyes.

**Respiratory or skin sensitization****Product:**Test Type : mouse lymphoma cells  
Species : Mouse  
Result : The product is a skin sensitizer, sub-category 1B.**Components:****trinexapac-ethyl:**Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitization on laboratory animals.



**PALISADE MAXX**Version  
1.0Revision Date:  
03/29/2021SDS Number:  
S00033250364

This version replaces all previous versions.

**Germ cell mutagenicity****Components:****(2-methoxymethylethoxy)propanol:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

**trinexapac-ethyl:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity****Components:****trinexapac-ethyl:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.**Reproductive toxicity****Components:****(2-methoxymethylethoxy)propanol:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fetal development.

**trinexapac-ethyl:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**STOT-single exposure****Components:****2-methylpropan-1-ol:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**Repeated dose toxicity****Components:****trinexapac-ethyl:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 100 mg/l  
End point: Growth rate  
Exposure time: 72 h

##### Components:

##### **trinexapac-ethyl:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 6.5 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 24.5 mg/l  
Exposure time: 96 h
- ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l  
Exposure time: 14 d
- EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l  
Exposure time: 14 d
- NOEC (Myriophyllum spicatum (Eurasian watermilfoil)): 0.025 mg/l  
End point: Growth rate  
Exposure time: 14 d
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.41 mg/l  
Exposure time: 35 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.4 mg/l  
Exposure time: 21 d
- M-Factor (Chronic aquatic) : 1

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

toxicity)  
 Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
 Exposure time: 3 h

### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.  
 Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### calcium dodecylbenzene sulphonate:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 2-methylpropan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l  
 Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
 Exposure time: 21 d

### Persistence and degradability

#### Components:

#### trinexapac-ethyl:

Biodegradability : Result: Not readily biodegradable.  
 Stability in water : Degradation half life: 3.9 - 5.5 d  
 Remarks: Product is not persistent.

#### 2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

#### trinexapac-ethyl:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -2.1 (77 °F / 25 °C)  
 log Pow: -0.29 (77 °F / 25 °C)

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

log Pow: 1.5 (77 °F / 25 °C)

### Mobility in soil

#### Components:

##### trinexapac-ethyl:

Distribution among environmental compartments : Remarks: Moderately mobile in soils  
 Stability in soil : Dissipation time: < 0.2 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### trinexapac-ethyl:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### 2-methylpropan-1-ol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Do not dispose of waste into sewer.  
 Where possible recycling is preferred to disposal or incineration.  
 If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
 Triple rinse containers.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)  
 Class : 9

## PALISADE MAXX

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

Packing group : III  
Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(TRINEXAPAC-ETHYL)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(TRINEXAPAC-ETHYL)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : NA 1993  
Proper shipping name : Combustible liquid, n.o.s.  
(ISOBUTANOL AND (2-METHOXYMETHYLETHOXY)PROPANOL)  
Class : CBL  
Packing group : III  
Labels : NONE  
ERG Code : 128  
Marine pollutant : no  
Remarks : Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**PALISADE MAXX**

Version 1.0      Revision Date: 03/29/2021      SDS Number: S00033250364      This version replaces all previous versions.

**Caution**

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
calcium dodecylbenzene sulpho-nate	26264-06-2	1000	20000

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Respiratory or skin sensitization

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**The ingredients of this product are reported in the following inventories:**

**TSCA** : On or in compliance with the active portion of the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


**SECTION 16. OTHER INFORMATION****Further information**

## PALISADE MAXX

Version  
1.0Revision Date:  
03/29/2021SDS Number:  
S00033250364

This version replaces all previous versions.

### NFPA 704:



### HMIS® IV:

HEALTH	/	2
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average

AiIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Oth-

**PALISADE MAXX**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	03/29/2021	S00033250364	

erwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/29/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8