

# **Safety Data Sheet**

Issue Date: 12-May-2011 Revision Date: 25-Sept-2015 Version 2

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Parrot 4L

Other means of identification

SDS # ADAMA-019F

Registration Number(s) EPA Reg. No. 66222-54

UN/ID No UN3082

Recommended use of the chemical and restrictions on use

Recommended Use EPA registered pesticide.

#### Details of the supplier of the safety data sheet

**Manufacturer Address** 

Makhteshim Agan of North America, Inc. (d/b/a ADAMA) 3120 Highwoods Blvd., Suite 100 Raleigh, NC 27604 1-919-256-9300

**Emergency Telephone Number** 

**Emergency Telephone (24 hr)** For fire, spill and/or leak contact INFOTRAC:

1-800-535-5053 (North America) 1-352-323-3500 (International) For medical emergencies and health/safety inquiries, contact PROSAR:

1-877-250-9291

## 2. HAZARDS IDENTIFICATION

This chemical is a product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-EPA registered chemicals. Please see Section 15 for additional EPA information.

Appearance White liquid Physical State Liquid Odor Odorless

#### Classification

| Acute toxicity - Oral                              | Category 4 |
|--|------------|
| Carcinogenicity                                    | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

# Signal Word Warning

## **Hazard Statements**

Harmful if swallowed

Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure



#### **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth

# Precautionary Statements - Storage

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Very toxic to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name       | CAS No      | Weight-% |
|---------------------|-------------|----------|
| Diuron              | 330-54-1    | 40.7     |
| Proprietary Solvent | Proprietary | <6       |

## 4. FIRST-AID MEASURES

### **First Aid Measures**

General Advice IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. When

possible, have the product container or label with you when calling a poison control center

or doctor or going for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at

least 15 minutes.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do not induce vomiting without medical advice.

## Most important symptoms and effects

**Symptoms** Irritating to eyes, respiratory system & skin.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water spray (fog). Foam.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Negligible fire hazard.

Hazardous Combustion Products Smoke, fumes or vapors, and oxides of carbon.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate area of unprotected personnel. Remain upwind of fire to avoid hazardous vapors and decomposition products. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Isolate hazard

area. Keep unnecessary and unprotected personnel from entering.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Cover liquid spill with sand, earth or other non-combustible absorbent material. Sweep up

and shovel into suitable containers for disposal. Dispose of in accordance with federal,

state and local regulations.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

Do not breathe dust/fume/gas/mist/vapors/spray.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Do not contaminate water, food, or feed by storage or disposal. Keep/store only in original

container. Store locked up.

Packaging Materials Do not reuse container.

**Incompatible Materials**None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

| Chemical Name       | ACGIH TLV                       | OSHA PEL   | NIOSH IDLH                |
|---------------------|---------------------------------|--|---------------------------|
| Diuron<br>330-54-1  | TWA: 10 mg/m <sup>3</sup>       | (vacated) TWA: 10 mg/m <sup>3</sup>                                | TWA: 10 mg/m <sup>3</sup> |
| Proprietary Solvent | Ceiling: 100 mg/m³ aerosol only | (vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m <sup>3</sup> | -                         |

## Appropriate engineering controls

**Engineering Controls** Please refer to the product label. Use only with adequate ventilation. Use process

enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure

to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Protective eyewear recommended.

**Skin and Body Protection**Wear long-sleeved shirt, long pants, and shoes plus socks. Use chemical resistant gloves,

such as P.V.C., butyl-rubber, nitrile-rubber, or neoprene.

**Respiratory Protection** NIOSH-approved respirator or mask in the absence of adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling. Take off all contaminated clothing and wash it before reuse. Follow all label instructions. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and

warm/tepid water.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical StateLiquidOdorOdorlessAppearanceWhite liquidOdor ThresholdNot determinedColorWhiteOdor ThresholdNot determined

Property Values Remarks • Method

pH 6.25 @ 25°C

Melting Point/Freezing Point

Boiling Point/Boiling Range

Not determined

Not determined

Flash Point >93 °C / 200 °F Tag Closed Cup

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure

Not determined
Not determined
Not determined

Vapor DensityNot determinedSpecific Gravity1.1786@ 75°F (23°C)

Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** 494.0 mPas **Explosive Properties** Not determined

Oxidizing Properties Slight oxidizing agent and slight reducing agent

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Harmful if swallowed.

**Component Information** 

| Component imormation |                      |                         |                    |
|----------------------|----------------------|-------------------------|--------------------|
| Chemical Name        | Oral LD50            | Dermal LD50             | Inhalation LC50    |
| Diuron               | = 1017 mg/kg (Rat)   | > 5 g/kg (Rat)          | > 0.265 mg/L (Rat) |
| 330-54-1             |                      |                         |                    |
| Proprietary Solvent  | = 4000 mg/kg ( Rat ) | = 9530 µL/kg ( Rabbit ) | -                  |

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Suspected of causing cancer.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Acute Oral LD50 (Rat): >1,919 mg/kg
Acute Dermal LD50 (Rabbit): >5,000 mg/kg
Acute Inhalation LC50 (Rat): >2.02 mg/L (4-hr)

**Eye Irritation**: Minimally irritating. **Dermal Irritation**: Non-irritating.

Dermal Sensitization: Not a skin sensitizer.

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects. For terrestrial uses only. Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water sources. Apply this product only as specified on this label.

## **Component Information**

| Chemical Name       | Algae/aquatic plants    | Fish                        | Toxicity to              | Crustacea                 |
|---------------------|-------------------------|-----------------------------|--------------------------|---------------------------|
|                     |                         |                             | microorganisms           |                           |
| Diuron              | 0.022: 96 h Desmodesmus | 13.4 - 15: 96 h Pimephales  | EC50 = 16.38 mg/L 5 min  | 1.4: 48 h Daphnia magna   |
| 330-54-1            | subspicatus mg/L EC50   | promelas mg/L LC50 flow-    |                          | mg/L EC50 6.3 - 13: 48 h  |
|                     | 0.036: 72 h Desmodesmus | through 13.4 - 15: 96 h     |                          | Daphnia magna mg/L EC50   |
|                     | subspicatus mg/L EC50   | Pimephales promelas mg/L    |                          | Static                    |
|                     | static 0.1: 72 h        | LC50 static 2.3 - 3.3: 96 h |                          |                           |
|                     | Pseudokirchneriella     | Lepomis macrochirus mg/L    |                          |                           |
|                     | subcapitata mg/L EC50   | LC50 static 4: 96 h Lepomis |                          |                           |
|                     | static 0.0007: 96 h     | macrochirus mg/L LC50 1.5 - |                          |                           |
|                     | Pseudokirchneriella     | 2.54: 96 h Oncorhynchus     |                          |                           |
|                     | subcapitata mg/L EC50   | mykiss mg/L LC50 static     |                          |                           |
|                     | static                  | 14.7: 96 h Oncorhynchus     |                          |                           |
|                     |                         | mykiss mg/L LC50 2.9: 96 h  |                          |                           |
|                     |                         | Cyprinus carpio mg/L LC50   |                          |                           |
| Proprietary Solvent | 6500 - 13000: 96 h      | 41000: 96 h Oncorhynchus    | EC50 = 10000 mg/L 16 h   | 46300: 48 h Daphnia magna |
|                     | Pseudokirchneriella     | mykiss mg/L LC50 14 - 18:   | EC50 = 620 mg/L 30 min   | mg/L EC50                 |
|                     | subcapitata mg/L EC50   | 96 h Oncorhynchus mykiss    | EC50 = 620.0 mg/L 30 min |                           |
|                     |                         | mL/L LC50 static 27540: 96  | _                        |                           |
|                     |                         | h Lepomis macrochirus mg/L  |                          |                           |
|                     |                         | LC50 static 40761: 96 h     |                          |                           |
|                     |                         | Oncorhynchus mykiss mg/L    |                          |                           |
|                     |                         | LC50 static 40000 - 60000:  |                          |                           |
|                     |                         | 96 h Pimephales promelas    |                          |                           |
|                     |                         | mg/L LC50 static 16000: 96  |                          |                           |
|                     |                         | h Poecilia reticulata mg/L  |                          |                           |
|                     |                         | LC50 static                 |                          |                           |

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## **Mobility**

| Chemical Name       | Partition Coefficient |
|---------------------|-----------------------|
| Diuron              | 2.82                  |
| 330-54-1            |                       |
| Proprietary Solvent | -1.93                 |

## **Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL

RECOMMENDATIONS.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for

guidance.

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified

as a hazardous waste.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### 14. TRANSPORT INFORMATION

**DOT** Package less than 25 gallons: Not regulated

Package more than 25 Gallons:

UN/ID No UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Diuron)

Hazard Class 9
Packing Group III

**Reportable Quantity (RQ) Marine Pollutant**Diuron- 100 lbs (25 gallons of Diuron 4L ®)

Yes if package over 119 Gallons (450 L)

**IATA** 

UN/ID No UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Diuron)

Hazard Class 9
Packing Group III

**IMDG** 

UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Diuron)

Hazard Class 9
Packing Group III

Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**US Federal Regulations** 

| Chemical Name       | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------|--------------------------|----------------|--------------------------|
| Diuron              | 100 lb                   |                | RQ 100 lb final RQ       |
| 330-54-1            |                          |                | RQ 45.4 kg final RQ      |
| Proprietary Solvent | 5000 lb                  |                | RQ 5000 lb final RQ      |
|                     |                          |                | RQ 2270 kg final RQ      |

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardYesFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

**SARA 313** 

| Chemical Name     | CAS No   | Weight-% | SARA 313 - Threshold<br>Values % |
|-------------------|----------|----------|----------------------------------|
| Diuron - 330-54-1 | 330-54-1 | 40.7     | 1.0                              |
| Glycol - 107-21-1 | 107-21-1 | 5.93     | 1.0                              |

**CWA (Clean Water Act)** 

| OTTA (Olcali Water Act) |                  |                        |                           |                 |
|-------------------------|------------------|------------------------|---------------------------|-----------------|
| Component               | CWA - Reportable | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous |
|                         | Quantities       |                        |                           | Substances      |
| Diuron                  | 100 lb           |                        |                           | X               |
| 330-54-1 ( 40.7 )       |                  |                        |                           |                 |

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name     | California Proposition 65 |
|-------------------|---------------------------|
| Diuron - 330-54-1 | Carcinogen                |

U.S. State Right-to-Know Regulations

| Chemical Name       | New Jersey | Massachusetts | Pennsylvania |
|---------------------|------------|---------------|--------------|
| Diuron              | X          | X             | X            |
| 330-54-1            |            |               |              |
| Proprietary Solvent | X          | X             | X            |

## EPA Pesticide Registration Number EPA Reg. No. 66222-54

## **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

## **EPA Pesticide Label**

Signal word: Caution

Harmful if swallowed.

#### Difference between SDS and EPA pesticide label

|                          | EPA                  | OSHA  |
|--------------------------|----------------------|---|
| Signal Word              | Caution              | Warning   |
| Acute toxicity - Oral    | Harmful if swallowed | Harmful if swallowed  |
| Carcinogenicity          | N/A                  | Suspected of causing cancer                                       |
| STOT - repeated exposure | N/A                  | May cause damage to organs through prolonged or repeated exposure |

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards200NoneHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection200See section 8

Issue Date:12-May-2011Revision Date:25-Sept-2015

**Revision Note:** Updated format from 19-Jun-2014

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**