SAFETY DATA SHEET



1. Identification

Product identifier Perfection Fuerte 25-3-10

Other means of identification None.

Recommended use Not available.

Recommended restrictions The ingredients used to produce this material contain crystalline silica in a form not-respirable or

carcinogenic due to its manufacturing method and structure. Do not attempt to grind or mill this

product.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Wilbur-Ellis Company LLC Company name 3300 S. Parker Rd Ste. 500 **Address**

Aurora, CO 80014

United States

Telephone **Branded Products** (800) 500-1698

Information

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

+1 703-741-5970 Chemtrec - International

Manufactured For: Not available.

2. Hazard(s) identification

Not classified. **Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Not available. Not available. Response Storage Not available. Not available. **Disposal** Hazard(s) not otherwise None known.

classified (HNOC)

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	40 - < 50
Ammonium Sulfate		7783-20-2	20 - < 30
Iron Sucrate		Not Available	5 - < 10
Calcium Carbonate		471-34-1	1 - < 3
Other components below reportable	levels		20 - < 30

Composition comments Occupational Exposure Limits for impurities are listed in Section 8.

Material name: Perfection Fuerte 25-3-10 5254 Version #: 03 Revision date: 08-21-2024 Issue date: 02-08-2021

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Most important

symptoms/effects, acute and

delayed

Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special Treat symptomatically.

treatment needed **General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is soluble in water. Stop the flow of material, if this is without risk. Following product

recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Iron Sucrate	PEL	10 mg/m3	Fume.	
US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000) Components Type Value Form				
Calcium Carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	
		50 mppcf	Total dust.	
		15 mppcf	Respirable fraction.	
Iron Sucrate	TWA	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	

Material name: Perfection Fuerte 25-3-10

SDS US 5254 Version #: 03 Revision date: 08-21-2024 Issue date: 02-08-2021

US. OSHA Table Z-3 Permissible Exposure Limits (P	PEL) for Mineral Dusts (29 CFR 1910.1000)
---	---

Form Components **Type** Value 50 mppcf Total dust. 15 mppcf Respirable fraction. **US. ACGIH Threshold Limit Values (TLV)** Components **Type** Value **Form** Respirable fraction. Iron Sucrate TWA 5 mg/m3 NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Value Components **Type IDLH** Iron Sucrate 2500 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Form Components Value Type Calcium Carbonate (CAS TWA 5 mg/m3 Respirable. 471-34-1) 10 mg/m3 Total Iron Sucrate **TWA** 5 mg/m3 Dust and fume. US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Urea (CAS 57-13-6)

Biological limit values
Appropriate engineering
controls

Components

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Value

10 mg/m3

Form

Total particulate.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Type

TWA

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Granular Blend

Physical state Solid.

Form Solid. Solid Granules
Color Various colored granules

Odor Odorless.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) 90 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
Perfection Fuerte 25-3-10		
<u>Acute</u>		
Dermal		

 Solid

 LD50
 Rabbit
 > 2000 mg/kg, 24 hours

 Oral

Solid

LD50 Rat 8800 mg/kg

Components Species Test Results

Ammonium Sulfate (CAS 7783-20-2)

Acute Dermal

LD50 Mouse > 2000 mg/kg

Rat > 2000 mg/kg

Material name: Perfection Fuerte 25-3-10

5254 Version #: 03 Revision date: 08-21-2024 Issue date: 02-08-2021 4 / 7

SDS US

Species Test Results Components Oral LD50 Mouse > 2000 mg/kg Rat 4250 mg/kg Calcium Carbonate (CAS 471-34-1) **Acute** Dermal > 2000 mg/kg, 24 Hours LD50 Rat Oral LD50 Rat > 2000 mg/kg Iron Sucrate Acute Oral LD50 Rat > 10000 mg/kg Urea (CAS 57-13-6) **Acute** Oral 13000 mg/kg LD50 Mouse Rat 15000 mg/kg Other LD50 Mouse 9200 mg/kg 8200 mg/kg Rat

Skin corrosion/irritationMay be irritating to the skin.Serious eye damage/eyeMay be irritating to eyes.

irritation

Respiratory or skin sensitization

Respiratory sensitizationNot a respiratory sensitizer. **Skin sensitization**May be irritating to the skin.

Germ cell mutagenicity Not classified.

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Iron Sucrate (CAS Not Available) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified. single exposure

Specific target organ toxicity -

y - Not classified.

repeated exposure

Aspiration hazard Not classified.

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil This product is water soluble and may disperse in soil.

Material name: Perfection Fuerte 25-3-10
5254 Version #: 03 Revision date: 08-21-2024 Issue date: 02-08-2021

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200. All components are listed on or exempted from the

U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Ammonium Sulfate (CAS 7783-20-2)

1.0 % One-Time Export Notification only.

Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

Ammonium Sulfate (CAS 7783-20-2)

721.11253

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

5254 Version #: 03 Revision date: 08-21-2024 Issue date: 02-08-2021

US state regulations

California Proposition 65



WARNING: This product can expose you to cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

Cadmium (CAS 7440-43-9)

16. Other information, including date of preparation or last revision

02-08-2021 Issue date **Revision date** 08-21-2024

Version # 03

NFPA ratings Health: 1

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and the manufacturer disclaims all liability for reliance thereon. The user should

satisfy himself that he has all current data relevant to his particular use.

Material name: Perfection Fuerte 25-3-10

7/7 5254 Version #: 03 Revision date: 08-21-2024 Issue date: 02-08-2021