Safety Data Sheet



Preparation Date 04-May-2015 Revision date 29-May-2025 Revision Number: 6

1. Identification of the Substance/Preparation and of the Company/Undertaking

Identification of the product

Product Description PERM-UP 3.2 EC INSECTICIDE

Other means of identification

 Internal SDS code
 12U-119

 UN/ID no
 UN1993

 Registration number(s)
 70506-9

Recommended use of the chemical and restrictions on use

Recommended use Insecticide.

Uses advised against Activities contrary to label recommendation

Details of the Supplier of the Safety Data Sheet

Supplier Address UPL NA Inc. PO Box 12219

Research Triangle Park, NC 27709-12219

Emergency telephone number

Company Phone Number 1-800-438-6071

Emergency telephone number Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887

Medical: Rocky Mountain Poison and Drug Safety (866) 673-6671 (24hrs)

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
FLAMMABLE LIQUIDS	Category 3

Label elements

EMERGENCY OVERVIEW

WARNING

Hazard Statements

HARMFUL IF SWALLOWED Harmful in contact with skin May cause an allergic skin reaction Flammable liquid and vapor



Appearance amber Physical state Liquid Odor Slight Odor

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not get in eyes, on skin, or on clothing

Contaminated work clothing should not be allowed out of the workplace

Do not spray on an open flame or other ignition source

Keep only in original container

Ground/bond container and receiving equipment

Take precautionary measures against static discharge

Call a POISON CENTER or doctor if you feel unwell

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC) OTHER INFORMATION

- Causes mild skin irritation
- Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

3. Composition/information on Ingredients

Chemical name	CAS No	Weight-%
Permethrin technical	52645-53-1	36.8
1,2,4-trimethyl benzene	95-63-6	<4
C9aromatic hydrocarbons	64742-95-6	26

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye contact

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

12U-119 PERM-UP 3.2 EC INSECTICIDE

Skin contactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Call a poison control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison

control center immediately.

Ingestion Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Call a physician or poison control center immediately.

Protection of First-aidersUse personal protective equipment.

Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and

Effects

no data available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician Reversible skin sensations (parethesia) may occur and ordinary skin salves have been

found useful in reducing discomfort. Contains aromatic hydrocarbons that may produce a severe pneumonitis if aspirated during vomiting. Consideration should be given to gastric lavagewith an endotracheal tube in place. Treatment is otherwise controlled by removal of

exposure followed by symptomatic and supportive care.

5. Fire-fighting measures

Suitable extinguishing media

Carbon dioxide (CO2).

Use: Dry chemical. Water spray. alcohol-resistant foam.

Unsuitable extinguishing media no data available.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Vapors are heavier than air and may travel along the ground or be moved by ventilation and

ignited by heat, pilot lights, and other flames and ignition sources at locations distant from

material handling point.

Explosion data

Protective equipment and precautions for firefighters

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Remove all sources

of ignition. Wash thoroughly after handling. ELIMINATE all ignition sources (no smoking,

flares, sparks or flames in immediate area).

Environmental Precautions

Environmental precautions Consult a regulatory specialist to determine appropriate state or local reporting

requirements, for assistance in waste characterization and/or hazardous waste disposal

and other requirements listed in pertinent environmental permits.

Methods and material for containment and cleaning up

Methods for Clean-Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Ground and bond containers when transferring material. Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Handling Wear personal protective equipment. Keep away from open flames, hot surfaces and

sources of ignition. Avoid contact with skin and eyes. Remove and wash contaminated

clothing before re-use. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of Storage

children. Keep in a dry, cool and well-ventilated place.

Strong oxidizing agents. incompatible materials

8. Exposure Controls/Personal Protection

Exposure guidelines

Chemical name		ACGIH TLV	OSHA PEL
1,2,4-trimethyl benzene		TWA: 10 ppm	
Engineering controls Investiga		Investigate engineering ted	chniques to reduce exposures. Local mechanical exhaust
		ventilation is preferred. Co	onsult ACGIH ventilation manual or NFPA Standard 91 for design

of exhaust systems.

Personal protective equipment

Use eye protection to avoid eye contact. Where there is potential for eye contact have eye **Eye/Face Protection**

flushing equipment available. Safety glasses with side-shields. If splashes are likely to

occur, wear:. Goggles.

Skin protection

Wear protective gloves/clothing. Socks and footwear.

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment **Respiratory protection**

appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection

programs must comply with 29 CFR 1910.134.

General hygiene considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eve/face protection. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance amber **Physical state** Liquid Slight Odor Odor

No information available color

Property VALUES Remarks/ Method

4.9 None known Melting point/freezing point 5.9 °C None known **Boiling Point/Range** None known Flash Point 44 °C None known

Evaporation Rate None known Flammability (solid, gas) None known Specific gravity 1.039 @20 C None known **Bulk density** 8.65 lb/gal None known Water solubility None known Solubility in Other Solvents **Emulsifies** None known Partition coefficient: n-octanol/water None known **Autoignition temperature** None known **Decomposition temperature** None known **Viscosity** None known

9.2 OTHER INFORMATION- NONE

10. Stability and Reactivity

Reactivity

no data available

Chemical stability

Stable under normal conditions. Hazardous polymerisation does not occur.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization Hazardous polymerisation does not occur.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides.

11. Toxicological Information

Information on Likely Routes of Exposure

Product information Perm-Up 3.2

Acute oral LD50
Acute dermal LD50
Acute inhalation LC50
Eye irritation
Skin irritation
Dermal sensitization

1030 mg/kg (rat)
>2,000 mg.kg (rabbit)
>25.7 mg/L/4hr(rat)
Moderately irritating
Moderately irritating
Not a sensitizer

Skin sensitizations are reversible and usually subside within 12 hours. Permethrin contact with skin has rarely produced skin sensitizations such as numbing, burning, and tingling. Large doses of permethrin to laboratory animals have produced symptoms such as dirrhea, salivation, tremors, intermittent convulsions. Overexposure to animals via inhalation has also produced hyperactivity and hypersensitivity.

Permethrin did not cause resproductive toxicity or teratogenicity. Analysis of chronic feeding studies in both mice and rats with permethrin resulted in the conclusion that permethrin's potential for induction of oncogenicity in experimental animals is low and the likelihood of oncogenic effects in human is nonexistent or extremely low. Long term feeding studies in animals resulted in increased liver and kidney weights, induction of the liver microsomal drug metabolizing enzyme system, and histopathological changes in the liver and lungs. An overall absence of genotoxicity has been demonstrated in mutagenicity testing with permethrin.

Inhalation

Based on available data, the classification criteria are not met.

Eye contact Moderately irritating to the eyes.

Skin contact Skin exposure may result in rashes, numbing, burning or tingling sensation which is

reversible and usually subsides within 12 hours.

Based on available data, the classification criteria are not met.

Ingestion MAY BE HARMFUL IF SWALLOWED.

Information on Toxicological Effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic effects no data available.

Carcinogenicity The information below indicates whether any agency has listed any ingredient as a

carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Permethrin technical	-	Group 3		-
52645-53-1				

Reproductive effects
STOT - Single Exposure
STOT - Repeated Exposure
Not Available.
no data available.

Chronic toxicity Avoid repeated exposure.

Target organ effects kidney, Respiratory System, EYES, skin, Central Nervous System (CNS), blood.

Aspiration hazard No information available.

Numerical Measures of Toxicity - Product information

LD50 Oral 1030 mg/kg (rat) **LD50 Dermal** > 2000 mg/kg (rabbit)

LC50 Inhalation LC50 > 25.7 mg/l (rat) (4-hr)

12. Ecological Information

Marine Pollutant. (Permethrin).

ecotoxicity

Permethrin in soil is stable over a wide range of pH values when applied at agricultural use rates. Permethrin has moderate rate of degradation in soil, At termicidal use rates, permethrin degrades at a slower rate which is governed by soil characteristics such as soil type, microbial population concentration in soil and aerobic conditions of the soil. Due to its high affinity for organic matter, there is little potential for movement in soil or entry into ground water. Permethrin has a low Pow of 6.1 but a low potential to bioconcentrate (BCF=500) due to the ease with which it is metabolized.

Extrememly toxic to fish = 0.05 ug/L to 315 ug/L

Extremely toxic to aquatic arthropods LC50 = 0.02 ug/L to 7.6 ug/L

Marine species are often more sensitive than freshwater species. Bacteria, algae, mollusks and amphibians are much more tolerant of permethrin than the fish and arthopods. Care should be taken to avoid contamination of the aquatic environment. Permethrin is slightly toxic to birds and oral L50 values are greater than 3,600 mg/kg. Longer dietary studies showed that concentrations of up to 500 ppm in the diet had no effect on bird reproduction. Permethrin is extremely toxic to fish, aquatic invertebrates and honey bees.

rainbow trout 96 hr LC50 = 2.5 ug/L Bluegill sunfish 95 hr LC50 = 1.8 ug/L Japanese quail LD50 = 23,000 mg/kg Mallard duck LD50 = 11,257 mg/kg

Persistence/Degradability

no data available.

Bioaccumulation/ Accumulation

Bioaccumulative potential.

Chemical name	Log Pow
Permethrin technical 52645-53-1	6.5
1,2,4-trimethyl benzene 95-63-6	3.63

Other Adverse Effects

no data available

13. Disposal Considerations

Waste Treatment Methods

Waste Disposal Method Pesticide wastes can be hazardous. Improper disposal of excess pesticide or rinsate is a

violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging Refer to product label.

14. Transport Information

DOT

When shipped domestically IN NON-BULK packages by highway this material is classed as

a combustible liquid and as such is not subject to the DOT regulations per 49 CFR

173.150(f) (2) and therefore can be designated as Not Regulated

UN/ID no UN1993

Proper shipping name Flammable liquid, n.o.s (hydrocarbon solvent, 1,2,4-trimethylbenzene)

Hazard class 3
Packing group PG II

IMDG - Marine Pollutant Marine Pollutant. (Permethrin).

<u>ICAO</u>

UN/ID no UN1993

Proper shipping name Flammable liquid, n.o.s (hydrocarbon solvent, 1,2,4-trimethylbenzene)

Hazard class 3
Packing group PG III

Description IMDG - Marine Pollutant (Permethrin)

IATA

UN/ID no UN1993

Proper shipping name Flammable liquid, n.o.s (hydrocarbon solvent, 1,2,4-trimethylbenzene)

Hazard class 3
Packing group PG III

Description IMDG - Marine Pollutant (Permethrin)

IMDG

UN/ID no UN1993

Proper shipping name Flammable liquid, n.o.s (hydrocarbon solvent, 1,2,4-trimethylbenzene)

Hazard class

Packing group PG III

Environmental hazards Yes (Permethrin)

15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word CAUTION

Ventilation Control PESTICIDE APPLICATORS & WORKERS THESE WORKERS MUST REFER TO

PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA

WORKER PROTECTION STANDARD 40 CFR PART 170.

Restricted Use Pesticide. Keep out of Reach of Children. Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. This product is highly toxic to bees. Toxic to fish and aquatic inverebrates.

International Inventories

USINV Not present
DSL/NDSL Not present
EINECS/ Not Present
ELINCS

ENCS

China

Not Present

KECL

Not Present

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

CERCLA

Not applicable

CERCLA

SARA Product RQ 0

RCRA

Pesticide Information

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Permethrin technical			X	

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

52645-53-1 (36.8)			
C9aromatic hydrocarbons		X	
64742-95-6 (26)			

State Regulations

California Proposition 65 **Prop 65 Pictogram**

This product contains the following Proposition 65 chemicals:



Prop 65 Warning Statement California Proposition 65

WARNING

This product can expose you to chemicals which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Permethrin technical -	X	X			
52645-53-1					
1,2,4-trimethyl benzene -	X	X	X	X	
95-63-6					

International regulations

U.S. EPA Label information

EPA Pesticide registration number 70506-9

16. Other Information

NFPA HEALTH 1 flammability 2 Instability 0 Physical hazard -

Preparation Date04-May-2015Revision date29-May-2025

Revision Summary

(added technical marine pollutant reference)

Disclaimer

UPL NA Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPL NA Inc. and UPL NA Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of SDS