Version: 9



SAFETY DATA SHEET

1. Identification:					
Product Identifier:		Piccolo [®]			
Other Means of Identification:		EPA registration number 62097-11-82917			
Distributed by:		Fine Americas, Inc. 1850 Mt. Diablo Blvd., Suite 405, Walnut Creek, CA 94596, USA Tel: 925-932-8800			
Emergency Phone Numb	er:	Chemtrec 1-800-424-9300 (24 hours)			
Recommended Use:		Ornamental plant growth regulator			
Restrictions on Use:		Keep out of reach of children			
2. Hazard(s) Identificatio Standard, 29 CFR 1910.120		is not classified as hazardous as defined by OS	HA Hazard Communication		
Class/Category:	•	Not Classified			
Route of Exposure:		Most likely exposure routes are dermal a	and oral.		
Hazards Not Otherwise (Classified:	None known			
Signal word:		None			
Symbol(s):		None			
Hazard Statements:		None assigned			
Precautionary Statements:		Prevention: None assigned Response: None assigned Storage: None assigned Disposal: None assigned			
3. Composition:					
This product contains the	following com	oonents classified as hazardous under 29	CFR 1910.1200		
CAS number:		Component:	Percent:		
76738-62-0	Paclobutraz	ol	0.4%		
9084-06-4	Dispersant	1%			
The remainder of the mixt	ure is non-haz	ardous and not required to be disclosed by	y 29 CFR 1910.1200.		
4. First Aid Measures:					
Inhalation:		Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice			
Eyes:		Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice / attention.			
Skin:		Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice			
Ingestion:		Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.			
Symptoms/Effects:		Acute: Not known Delayed: Not known			
Indication of immediate medical		No applicable information			
attention and special treatment					
needed, if necessary:					
Fire Fighting Measure	es:				
Extinguishing Media:		Suitable: For small fires use foam, carbon dioxide, halon or dry powder extinguishers. For large fires use foam or water-			
		fog. Keep fire exposed containers cool by spraying with			

Version: 9



			water.			
		Unsuitable		ter iets.		
Specific Hazards Arising from the Chemical:		Unsuitable: Avoid the use of water jets. Water used for extinguishing must be retained and not allowed to contaminate water courses. Products of combustion and decomposition: carbon oxides and aldehydes. May evolve hazardous fumes.				
Protective Equipment and		Wear full p	rotective clothing and	self-contained breat	hing apparatus.	
Precautions for Firefighters:						
6. Accidental Release Measures:						
Personal Precautions, Protective Equipment and Emergency Procedures:		Refer to Section 8 "Exposure controls/personal protection".				
Methods for Containment an Clean-Up:	d	media, and contaminat	led material for safe did l collect in sealable poted area with water and sulting from the use of	oly-lined containers. d dispose of waste	Clean water safely.	
		site or at a	n approved waste disp ection 13. Disposal Co	oosal facility.	·	
7. Handling and Storage:						
Precautions for Safe Handling:		Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.				
Conditions for Safe Storage:		Keep container closed when not in use. See also Section 10. Stability and Reactivity.				
8. Exposure Controls/Persor	nal Protec		oonon to oranimity and			
. Exposure Controls/Personal Protection:						
Component Exposure Limits	:	A PEL	Cal/OSHA PEL	NIOSH REL	ACGIH TLV	
	:	A PEL Mg/m3	Cal/OSHA PEL 8-hr TWA (ST) STEL	NIOSH REL Up to 10 hr TW (ST) STEL	ACGIH TLV 8-hr TWA (ST) STEL	
Component Exposure Limits	: OSH		8-hr TWA		8-hr TWA	
Component Exposure Limits	: OSH		8-hr TWA (ST) STEL	Up to 10 hr TW (ST) STEL	8-hr TWA (ST) STEL	
Component Exposure Limits Substance	: OSH ppm	Mg/m3	8-hr TWA (ST) STEL	Up to 10 hr TW (ST) STEL (C) Ceiling A	8-hr TWA (ST) STEL	
No listed components Appropriate Engineering Cor Personal Protective Equipment:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applii ce: Wea Wea glove ory: A res	8-hr TWA (ST) STEL (C) Ceiling -	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Wea Wea glove ory: A results	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance.	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Wea glove ory: A results	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance.	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applii ce: Wea glove ory: A res subs	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance.	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Wea glove ory: A resubstitute of the substitute of the substi	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold: pH:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Weat Weat Glove Substitute of the Substitut	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d ailable lution)	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Wea glove ory: A results Brown liquitodorless No data av 6.5 (1% so No data av	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d ailable lution) ailable	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Boiling Point:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applie ce: Wea	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d ailable lution) ailable °C)	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Boiling Point: Flash Point:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applie ce: Wea	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d ailable lution) ailable °C) ash (closed cup)	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Boiling Point: Flash Point: Evaporation Rate:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Wear glove substitute of the substitute of	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d ailable lution) ailable °C) ash (closed cup) ailable	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Boiling Point: Flash Point:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Wea glove ory: A results Brown liquitodorless No data av 6.5 (1% soon No data av 212°F (100 Does not flamma LFL: not ap	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d ailable lution) ailable °C) ash (closed cup) ailable able oplicable	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	
No listed components Appropriate Engineering Cor Personal Protective Equipment: 9. Physical and chemical pro Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Boiling Point: Flash Point: Evaporation Rate:	ppm - ntrols: Eyes/Fa Skin: Respirat	Mg/m3 - No applicate: Wea glove ory: A results Brown liquitodorless No data av 6.5 (1% soon No data av 212°F (100 Does not flands av Not flamma	8-hr TWA (ST) STEL (C) Ceiling - cable information avail r suitable eye/face pro r long sleeved shirt ar es. Remove and wash spirator is not normally stance. d ailable lution) ailable °C) ash (closed cup) ailable able oplicable oplicable	Up to 10 hr TW (ST) STEL (C) Ceiling A - lable. btection. ad long pants, socks contaminated cloth	8-hr TWA (ST) STEL (C) Ceiling - s, shoes, and ing before reuse.	

Version: 9



Relative Density: 1.02 Forms table suspension at 68°F	Vanor Doneity	No data available				
Solubility (HzO): Forms table suspension at 68°F	Vapor Density:		:			
Partition Coefficient: No data available						
Auto-Ignition Temperature: > 752°F (400°C)						
Decomposition Temperature: No data available			!			
International Content Inte		` ,				
10. Chemical Stability and Reactivity Information: Reactivity: No applicable information available						
Reactivity: No applicable information available			0°C)			
Chemical Stability: Stable in original containers for at least 2 years at ambient temperatures. (40-70°F) Possibility of Hazardous Reactions: No applicable information available Conditions to Avoid: Excessive heat; thermal decomposition will evolve toxic and irritant vapors. Incompatible Materials: No applicable information available Hazardous Decomposition Products: None under normal conditions of storage and use. 11. Toxicological Information: Likely Routes of Exposure: Symptoms: Dermal and Oral Inhalation: No data available Eye: Non-irritant (skin: Non-irritant ingestion: No data available Inhalation: Loso Rat >2.000 mg/kg (EPA category III) Acute Toxicity: Oral: LDso Rat >2.55 mg/kg (EPA category IV) Skin Corrosion/Irritation: Non-irritant (rabbit) (EPA category IV) Skin Corrosion/Irritation: Non-irritant (rabbit) (EPA category IV) Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) (EPA category IV) Sensitization: Non-sensitizing (guinea pig) (EPA category IV) Sensitization: None (active ingredient) (EPA category IV) Carcinogenicity: None (active ingredient)						
temperatures. (40-70°F) Possibility of Hazardous Reactions: Conditions to Avoid: Excessive heat; thermal decomposition will evolve toxic and irritant vapors. Incompatible Materials: No applicable information available None under normal conditions of storage and use. Products: 11. Toxicological Information: Likely Routes of Exposure: Dermal and Oral Inhalation: No data available Eye: Non-irritant Skin: Non-irritant Ingestion: No data available Acute Toxicity: Dermal: Libso Rat > 2,000 mg/kg (EPA category III) Inhalation: LCso Rat > 2,000 mg/kg (EPA category IV) Dermal: LDso Rat > 2,000 mg/kg (EPA category IV) Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) Serious Eye Damage/Eye Irritation: Non-sensitizing (guinea pig) Germ Cell Mutagenicity: None (active ingredient) Sepecific Target Organ Toxicity: Specific Target Organ Toxicity:						
Reactions: Excessive heat; thermal decomposition will evolve toxic and irritant vapors.	Chemical Stability:	temperatures. (40-70°F)				
Vapors						
None under normal conditions of storage and use.	Conditions to Avoid:	·				
Hazardous Decomposition Products: None under normal conditions of storage and use.	Incompatible Materials:					
Products: 11. Toxicological Information: Likely Routes of Exposure: Dermal and Oral Inhalation: No data available Eye: Non-irritant Skin: Non-irritant Ingestion: No data available Eye: Non-irritant Ingestion: No data available Eye: Non-irritant Ingestion: No data available Dermal: LDsc Rat >2,000 mg/kg (EPA category III) Dermal: LDsc Rat >2,55 mg/kg (EPA category IV) Dermal: LDsc Rat >2,000 mg/kg (EPA category IV) Dermal: LDsc Rat >2,000 mg/kg (EPA category IV) Dermal: LDsc Rat >2,000 mg/kg (EPA category IV) Skin Corrosion/Irritation: Non-irritant (rabbit) (EPA category IV) Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) (EPA category IV) Sensitization: Non-sensitizing (guinea pig) (EPA category IV) (EPA	Hazardous Decomposition	None under norm	al conditions of stora	age and use.		
Likely Routes of Exposure: Symptoms: Inhalation: No data available Eye: Non-irritant Skin: Non-irritant Ingestion: No data available Inhalation: LO ₅₀ Rat > 2.000 mg/kg (EPA category III) Inhalation: LO ₅₀ Rat > 2.55 mg/kg (EPA category IV) Bermal: Skin Corrosion/Irritation: Non-irritant Inhalation: LO ₅₀ Rat > 2.55 mg/kg (EPA category IV) Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) (EPA category IV) Sensitization: Non-sensitizing (guinea pig) Germ Cell Mutagenicity: None (active ingredient) Carcinogenicity: None of the components of this product are listed as carcinogens by NTP, IARC or OSHA. Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Species: Exposure: No data available Repeated Exposure: No data available Rep						
Likely Routes of Exposure: Symptoms: Inhalation: No data available Eye: Non-irritant Skin: Non-irritant Ingestion: No data available Inhalation: LO ₅₀ Rat > 2.000 mg/kg (EPA category III) Inhalation: LO ₅₀ Rat > 2.55 mg/kg (EPA category IV) Bermal: Skin Corrosion/Irritation: Non-irritant Inhalation: LO ₅₀ Rat > 2.55 mg/kg (EPA category IV) Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) (EPA category IV) Sensitization: Non-sensitizing (guinea pig) Germ Cell Mutagenicity: None (active ingredient) Carcinogenicity: None of the components of this product are listed as carcinogens by NTP, IARC or OSHA. Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Species: Exposure: No data available Repeated Exposure: No data available Rep	11. Toxicological Information:					
Eye: Non-irritant Skin: Non-irritant Non-irritant Ingestion: No data available						
Skin: Non-irritant Ingestion: No data available	Symptoms:	Inhalation: No da	ta available			
Ingestion: No data available						
Acute Toxicity: Oral: LD₅₀ Rat >2,000 mg/kg (EPA category III) Inhalation: LO₅₀ Rat >2,55 mg/kg (EPA category IV) Dermal: LD₅₀ Rat >2,000 mg/kg (EPA category IV) Skin Corrosion/Irritation: Non-irritant (rabbit) (EPA category IV) Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) (EPA category IV) Sensitization: Non-sensitizing (guinea pig) Germ Cell Mutagenicity: None (active ingredient) Carcinogenicity: None of the components of this product are listed as carcinogens by NTP, IARC or OSHA. Reproductive/Developmental Toxicity: No data available. Toxicity: Single Exposure: No data available Repeated Exposure: No data available 12. Ecological Information: Exposure Time LC50/EC50/IC50 Fish 96hr NOEC >100 mg/I Daphnia 48hr NOEC >100 mg/I Algae 72hr EC50 >100 mg/I Bird (Mallard Duck) n/a NOEL >0.002 mg (oran1) NOEL >0.002 mg (oran1) NOEL >0.002 mg (oran1) NOEL >0.004 mg (percutaneous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. <tr< th=""><th></th><th></th><th></th><th></th></tr<>						
Inhalation: LC50 Rat >2.55 mg/kg (EPA category IV)						
Dermal: LD50 Rat >2,000 mg/kg (EPA category III)	Acute Toxicity:					
Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) (EPA category IV) Serious Eye Damage/Eye Irritation: Non-sensitizing (guinea pig) Germ Cell Mutagenicity: None (active ingredient) Carcinogenicity: None of the components of this product are listed as carcinogens by NTP, IARC or OSHA. Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Single Exposure: No data available Repeated Exposure: No data available Repeated Exposure: No data available 12. Ecological Information: Ecotoxicity: Species: Exposure Time LC50/EC50/IC50 Fish 96hr NOEC >100 mg/I Daphnia 48hr NOEC >100 mg/I Algae 72hr EC50 >100 mg/I Bird (Mallard Duck) No In/a LC50 >7,900 mg/kg Bee n/a NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Other Adverse Effects: None known						
Serious Eye Damage/Eye Irritation: Non-irritant (rabbit) (EPA category IV) Sensitization: Non-sensitizing (guinea pig) Germ Cell Mutagenicity: None (active ingredient) Carcinogenicity: None of the components of this product are listed as carcinogens by NTP, IARC or OSHA. Reproductive/Developmental Toxicity: No data available.						
Sensitization: Non-sensitizing (guinea pig)		•	, , ,			
None (active ingredient) Carcinogenicity:				(EPA category IV)		
Carcinogenicity: None of the components of this product are listed as carcinogens by NTP, IARC or OSHA. Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Single Exposure: No data available Repeated Exposure: No data available 12. Ecological Information: Ecotoxicity: Species: Species: Exposure Time LC50/EC50/IC50 Fish 96hr NOEC >100 mg/l Daphnia 48hr NOEC >100 mg/l Algae 72hr EC50 >100 mg/l Bird (Mallard Duck) Bee n/a NOEL >0.002 mg (oranl) NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Other Adverse Effects: None known						
NTP, IARC or OSHA.		, ,				
Toxicity: Specific Target Organ Toxicity: Single Exposure: No data available Repeated Exposure: No data available Repeated Exposure: No data available 12. Ecological Information: Ecotoxicity: Species: Exposure Time LC50/EC50/IC50 Fish 96hr NOEC >100 mg/l Daphnia 48hr NOEC >100 mg/l Algae 72hr EC50 >100 mg/l Bird (Mallard Duck) n/a LC50 >7,900 mg/kg Bee n/a NOEL >0.002 mg (oranl) NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known	3 3					
Specific Target Organ Toxicity: Single Exposure: No data available Repeated Exposure: No data available 12. Ecological Information: Ecotoxicity: Species: Species: Exposure Time LC50/EC50/IC50 Fish 96hr NOEC >100 mg/l Daphnia 48hr NOEC >100 mg/l Algae 72hr EC50 >100 mg/L Bird (Mallard Duck) NoEL >0.002 mg (oranl) NOEL >0.002 mg (oranl) NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known	•	No data available		·		
Repeated Exposure: No data available						
Ecotoxicity: Exposure Time LC50/EC50/IC50						
Ecotoxicity: Species: Exposure Time Bird (Mallard Duck) Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. High LC50/EC50/IC50 Bird (NOEC >100 mg/l ROEC >100 mg/l ROEC >100 mg/l ROEC >000 mg/kg NOEL >0.002 mg (oranl) NOEL >0.004 mg (percutaneou orange) No data available. Mobility in Soil: No data available. No data available. Other Adverse Effects: None known	10 - 1 1 1 1 1	Repeated Exposi	ure: No data availabi	e		
Species: Exposure Time LC50/EC50/IC50 Fish 96hr NOEC >100 mg/l Daphnia 48hr NOEC >100 mg/l Algae 72hr EC50 >100 mg/L Bird (Mallard Duck) n/a LC50 >7,900 mg/kg Bee NOEL >0.002 mg (oranl) NOEL >0.004 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known						
Fish 96hr NOEC >100 mg/l Daphnia 48hr NOEC >100 mg/l Algae 72hr EC50 >100 mg/L Bird (Mallard Duck) n/a LC50 >7,900 mg/kg Bee NOEL >0.002 mg (oranl) NOEL >0.004 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known			Exposure Time	LC50/EC50/IC50		
Daphnia 48hr NOEC >100 mg/l Algae 72hr EC50 >100 mg/L Bird (Mallard Duck) n/a LC50 >7,900 mg/kg Bee n/a NOEL >0.002 mg (oranl) NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known	•		•			
Algae 72hr EC50 >100 mg/L Bird (Mallard Duck) n/a LC50 >7,900 mg/kg Bee n/a NOEL >0.002 mg (oranl) NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known						
Bird (Mallard Duck) Bee n/a NOEL >0.002 mg (oranl) NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known						
Bee n/a NOEL >0.002 mg (oranl) NOEL >0.04 mg (percutaneou Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known						
Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: Other Adverse Effects: None known	,					
Persistence and Degradability: Half-life of active ingredient is between 0.5-1.0 years in general, <42d in calcareous clay, <140 d in coarse, sandy loam. No data available. Mobility in Soil: Other Adverse Effects: None known				NOEL >0.04 mg (percutaneous)		
in calcareous clay, <140 d in coarse, sandy loam. Bioaccumulation Potential: No data available. Mobility in Soil: No data available. Other Adverse Effects: None known	Persistence and Degradability:	Half-life of active	ingredient is betwee			
Bioaccumulation Potential: Mobility in Soil: No data available. No data available. Other Adverse Effects: None known						
Other Adverse Effects: None known	Bioaccumulation Potential:			-		
13 Disposal Considerations:	Other Adverse Effects:	None known				
To: Disposar Considerations.	13. Disposal Considerations:					
Disposal Instructions: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.						

Version: 9



	Container disposal: Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.			begins r 10 or er the en offer anitary			
14. Transport Information:	Nieters Perlie						
UN Proper Shipping Name: Hazard Class:	Not applicable						
UN Number:		Not applicable					
Packaging Group:	Not applicable	Not applicable					
Marine Pollutant:	Not applicable						
NMFC number/class:	101685/065 Plant growth inhibitor, modifier or regulator, NOIBN						
15. Regulatory Information:							
SARA: No reportable components							
CERCLA:	No reportable components						
TSCA:	All components of this product are either listed or are exempt on the TSCA inventory. The following components of this product are subject to the reporting requirements of Section 12(b) of TSCA: None						
Component Analysis – State:			_				
The following components appear on o							
Component	CAS 57-55-6	CA	MA	MN	NJ	PA ✓	RI
Propylene gylcol California Prop 65:	No listings				v	V	V
This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.							
EPA signal word:	CAUTION						
Classifications under 40 CFR 156.63 a							
Precautionary Statements:	HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION. Harmful if absorbed through skin. Avoid contact with skin or clothing.						
Pictograms/Symbols:	None						

16. Other Information:

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label

Version: 9



shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.		
Issue Date/Version:	04/03/18 version 9	
Supersedes:	10/18/16 version 8	