

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

### SECTION 1. IDENTIFICATION

Product name : POSTERITY FORTE  
Design code : A21461D

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide  
Restrictions on use : General Use Pesticide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4  
Eye irritation : Category 2A  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 2 (Bile duct)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H227 Combustible liquid.  
H319 Causes serious eye irritation.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

### Precautionary Statements

:

#### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
propiconazole (ISO)	60207-90-1	11.6387
octan-1-ol	111-87-5	$\geq 10 - < 20$
azoxystrobin (ISO)	131860-33-8	9.3156
pydiflumetofen	1228284-64-7	6.9868
propane-1,2,3-triol	56-81-5	$\geq 1 - < 5$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice

:

Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

- |   |   |   |
|---|---|---|
| If inhaled  | : | center or physician, or going for treatment.<br>Take the victim into fresh air.<br>If breathing is irregular or stopped, administer artificial respiration.<br>Keep patient warm and at rest.<br>Call a physician or poison control center immediately. |
| In case of skin contact                                     | : | Take off all contaminated clothing immediately.<br>Wash off immediately with plenty of water.<br>If skin irritation persists, call a physician.<br>Wash contaminated clothing before re-use.  |
| In case of eye contact                                      | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Immediate medical attention is required.  |
| If swallowed  | : | If swallowed, seek medical advice immediately and show this container or label.<br>Do NOT induce vomiting.  |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific<br>No symptoms known or expected.<br>Causes serious eye irritation.<br>Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure.  |
| Notes to physician  | : | There is no specific antidote available.<br>Treat symptomatically.  |

## SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |  |
|---------------------------------------|---|--|
| Suitable extinguishing media          | : | Extinguishing media - small fires<br>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Extinguishing media - large fires<br>Alcohol-resistant foam   |
| Unsuitable extinguishing media        | : | Do not use a solid water stream as it may scatter and spread fire.   |
| Specific hazards during fire fighting | : | As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).<br>Exposure to decomposition products may be a hazard to health.<br>Flash back possible over considerable distance. |
| Hazardous combustion products         | : | Carbon oxides<br>Nitrogen oxides (NOx)<br>Chlorine compounds<br>Fluorine compounds   |
| Further information                   | : | Do not allow run-off from fire fighting to enter drains or water courses.<br>Cool closed containers exposed to fire with water spray.  |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

Special protective equipment : Wear full protective clothing and self-contained breathing apparatus for fire-fighters

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propiconazole (ISO)	60207-90-1	TWA	5 mg/m3	Syngenta
octan-1-ol	111-87-5	TWA	50 ppm	US WEEL
azoxystrobin (ISO)	131860-33-8	TWA	0.7 mg/m3	Syngenta

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

pydiflumetofen	1228284-64-7	TWA	5 mg/m3	Syngenta
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige

Odor : No data available

Odor Threshold : No data available

pH : 5 - 9  
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Method: Pensky-Martens closed cup  
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

Relative vapor density	:	No data available
Density	:	1.05 - 1.09 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Particle characteristics	:	
Particle size	:	No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

### Acute toxicity

Not classified due to lack of data.

### Product:

Acute oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion.
---------------------	---	---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

### Components:

#### **propiconazole (ISO):**

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

#### **octan-1-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **azoxystrobin (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.698 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **pydiflumetofen:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

### propane-1,2,3-triol:

Acute oral toxicity : LD50 (Rat, female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, female): > 5,000 mg/kg

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Species	: Rabbit
Result	: No skin irritation
Remarks	: Based on data from similar materials

### Components:

#### propiconazole (ISO):

Species : Rabbit  
Result : No skin irritation

#### octan-1-ol:

Species : Rabbit  
Result : No skin irritation

#### azoxystrobin (ISO):

Species : Rabbit  
Result : No skin irritation

#### pydiflumetofen:

Species : Rabbit  
Result : No skin irritation

#### propane-1,2,3-triol:

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Species	:	Rabbit
Result	:	Eye irritation

#### Components:

##### propiconazole (ISO):

Species	:	Rabbit
Result	:	No eye irritation

##### octan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

##### azoxystrobin (ISO):

Species	:	Rabbit
Result	:	No eye irritation

##### pydiflumetofen:

Species	:	Rabbit
Result	:	No eye irritation

##### propane-1,2,3-triol:

Species	:	Rabbit
Result	:	No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### Respiratory sensitization

Not classified due to lack of data.

#### Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Not a skin sensitizer.

#### Components:

##### propiconazole (ISO):

Species	:	Guinea pig
Result	:	The product is a skin sensitizer, sub-category 1B.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

### octan-1-ol:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

### azoxystrobin (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

### pydiflumetofen:

Test Type	:	mouse lymphoma cells
Species	:	Mouse
Result	:	Does not cause skin sensitization.

### propane-1,2,3-triol:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects
-------------------------------------	---	---

#### Components:

### propiconazole (ISO):

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

### octan-1-ol:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

### azoxystrobin (ISO):

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

### pydiflumetofen:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

### propane-1,2,3-triol:

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects
-------------------------------------	---	---

### Carcinogenicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

### Components:

#### **propiconazole (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **octan-1-ol:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **azoxystrobin (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **pydiflumetofen:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **propane-1,2,3-triol:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### Components:

#### **propiconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

#### **octan-1-ol:**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### **azoxystrobin (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### **pydiflumetofen:**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### **propane-1,2,3-triol:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

### STOT-single exposure

Not classified due to lack of data.

#### Components:

##### **propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **octan-1-ol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **pydiflumetofen:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

#### Components:

##### **propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **octan-1-ol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **azoxystrobin (ISO):**

Target Organs : Bile duct  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **pydiflumetofen:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **propane-1,2,3-triol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **propiconazole (ISO):**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 4.3 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Americamysis): 0.51 mg/l<br>Exposure time: 96 h  |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 8.9 mg/l<br>Exposure time: 96 h<br><br>EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.96 mg/l<br>End point: Growth rate<br>Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.068 mg/l<br>Exposure time: 95 d  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Americamysis): 0.11 mg/l<br>Exposure time: 28 d  |
| Toxicity to microorganisms   | : | EC50 (activated sludge): > 100 mg/l<br>Exposure time: 3 h  |

##### **octan-1-ol:**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): 13.3 mg/l<br>Exposure time: 96 h            |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 20 mg/l<br>Exposure time: 48 h                        |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 14 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 1 mg/l<br>Exposure time: 21 d                         |

##### **azoxystrobin (ISO):**

- |                               |   |  |
|-------------------------------|---|--|
| Toxicity to fish              | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other | : | EC50 (Daphnia magna (Water flea)): 0.28 mg/l                                 |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

aquatic invertebrates

Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic plants

: ErC50 (Raphidocelis subcapitata (freshwater green alga)):  
1.109 mg/l

Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):  
0.0303 mg/l

End point: Growth rate

Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l  
End point: Growth rate

Exposure time: 72 h

Toxicity to fish (Chronic toxicity)

: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l  
Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 0.044 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.00954 mg/l  
Exposure time: 28 d

Toxicity to microorganisms

: IC50 (Pseudomonas putida): > 3.2 mg/l  
Exposure time: 6 h

### pydiflumetofen:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.42 mg/l  
Exposure time: 48 h

LC50 (Hyalomma azteca (Amphipod)): 0.12 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants

: ErC50 (Raphidocelis subcapitata (freshwater green alga)): >  
5.9 mg/l

Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 2.3  
mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

End point: Growth rate  
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 1.6 mg/l  
Exposure time: 72 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.97 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 0.15 mg/l  
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.042 mg/l  
Exposure time: 21 d

### Persistence and degradability

#### Components:

##### **propiconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **octan-1-ol:**

Biodegradability : Result: Readily biodegradable.

##### **azoxystrobin (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 224 d  
Remarks: Persistent in water.

##### **pydiflumetofen:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 236 d  
Remarks: Persistent in water.

### Bioaccumulative potential

#### Components:

##### **propiconazole (ISO):**

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.72 (77 °F / 25 °C)

##### **azoxystrobin (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

### pydiflumetofen:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.8 (77 °F / 25 °C)

### Mobility in soil

#### Components:

#### propiconazole (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 66 - 170 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 81.3 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### pydiflumetofen:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 674 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Persistent in soil.

### Other adverse effects

#### Components:

#### propiconazole (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

#### octan-1-ol:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

#### azoxystrobin (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

### pydiflumetofen:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.  
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(AZOXYSTROBIN, PROPICONAZOLE)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(AZOXYSTROBIN, PROPICONAZOLE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(AZOXYSTROBIN, PROPICONAZOLE)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging  
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

propiconazole (ISO)	60207-90-1	>= 10 - < 20 %
------------------------	------------	----------------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024


### California Prop. 65

WARNING: This product can expose you to chemicals including quartz (SiO<sub>2</sub>), which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification Sys-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## POSTERITY FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 12/10/2024
2.0	03/14/2025	S00084421952	Date of first issue: 12/10/2024

tem; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN