

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : POSTERITY XT
Design code : A22070C

Product Registration number : 100-1654

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Eye irritation : Category 2A
Skin sensitization : Category 1
Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361d Suspected of damaging the unborn child.

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

Precautionary Statements

Prevention:
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P261 Avoid breathing mist or vapors.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P363 Wash contaminated clothing before reuse.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
octan-1-ol	111-87-5	>= 10 - < 20
propiconazole	60207-90-1	10.2891
Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide	Not Assigned	>= 5 - < 10
Azoxystrobin	131860-33-8	6.1673
propane-1,2-diol	57-55-6	>= 5 - < 10
pydiflumetofen	1228284-64-7	1.033

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one	55965-84-9	>= 0.0015 - < 0.1
--	------------	-------------------

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
octan-1-ol	111-87-5	TWA	50 ppm	US WEEL
propiconazole	60207-90-1	TWA	5 mg/m ³	Syngenta
Azoxystrobin	131860-33-8	TWA	4 mg/m ³	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
pydiflumetofen	1228284-64-7	TWA	5 mg/m ³	Syngenta

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

POSTERITY XT

Version 0.0	Revision Date: 06/13/2023	SDS Number: S00059522236	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Tightly fitting safety goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige

Odor : No data available

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

Odor Threshold	:	No data available
pH	:	5 - 9 Concentration: 1 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	0.99 - 1.03 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	806 °F / 430 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	No dangerous reaction known under conditions of normal use.

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

tions
 Conditions to avoid : No decomposition if used as directed.
 Incompatible materials : None known.
 Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
 Inhalation
 Skin contact
 Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 1,098 mg/kg
 Acute inhalation toxicity : LC50 (Rat, female): > 0.57 - < 2.08 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Components:

propiconazole:

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg
 Acute inhalation toxicity : LC50 (Rat, male and female): > 5.8 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity
 Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Azoxystrobin:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
 Acute inhalation toxicity : LC50 (Rat, female): 0.7 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

pydiflumetofen:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is highly toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is highly toxic after single contact with skin.

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : Mild skin irritation

Components:**propiconazole:**

Species : Rabbit
Result : No skin irritation

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Result : Irritating to skin.

Azoxystrobin:

Species : Rabbit
Result : No skin irritation

pydiflumetofen:

Species : Rabbit
Result : No skin irritation

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : Eye irritation

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

Components:**octan-1-ol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

propiconazole:

Species : Rabbit
Result : No eye irritation

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Result : Risk of serious damage to eyes.

Azoxystrobin:

Species : Rabbit
Result : No eye irritation

pydiflumetofen:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Product:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Does not cause skin sensitization.

Species : Humans
Result : Probability or evidence of skin sensitization in humans

Components:**propiconazole:**

Species : Guinea pig
Result : The product is a skin sensitizer, sub-category 1B.

Azoxystrobin:

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

pydiflumetofen:

Test Type : mouse lymphoma cells
Species : Mouse
Result : Did not cause sensitization on laboratory animals.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Result : The product is a skin sensitizer, sub-category 1A.

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

Germ cell mutagenicity

Components:

propiconazole:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Azoxystrobin:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

pydiflumetofen:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

propiconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Azoxystrobin:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

pydiflumetofen:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

propiconazole:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Azoxystrobin:

Reproductive toxicity - Assessment : No toxicity to reproduction

pydiflumetofen:

Reproductive toxicity - Assessment : No toxicity to reproduction

POSTERITY XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/13/2023	S00059522236	

essment

STOT-single exposure

Components:

propiconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

pydiflumetofen:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Components:

propiconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Azoxystrobin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

pydiflumetofen:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

octan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 14 mg/l
Exposure time: 96 h

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 1 mg/l
Exposure time: 21 d
- propiconazole:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 4.3 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Americamysis*): 0.51 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 8.9 mg/l
Exposure time: 96 h
- EC10 (*Raphidocelis subcapitata* (freshwater green alga)): 0.96 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 0.068 mg/l
Exposure time: 95 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Americamysis*): 0.11 mg/l
Exposure time: 28 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.

Azoxystrobin:

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.47 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.28 mg/l
Exposure time: 48 h
- EC50 (*Americamysis*): 0.055 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 2 mg/l
Exposure time: 96 h
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 0.038 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (*Navicula pelliculosa* (Freshwater diatom)): 0.301 mg/l
Exposure time: 96 h

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

- NOEC (*Navicula pelliculosa* (Freshwater diatom)): 0.02 mg/l
End point: Growth rate
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.16 mg/l
Exposure time: 28 d
- NOEC (*Pimephales promelas* (fathead minnow)): 0.147 mg/l
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.044 mg/l
Exposure time: 21 d
- NOEC (*Americamysis*): 0.0095 mg/l
Exposure time: 28 d
- Toxicity to microorganisms : IC50 (*Pseudomonas putida*): > 3.2 mg/l
Exposure time: 6 h

pydiflumetofen:

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.18 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.42 mg/l
Exposure time: 48 h
- LC50 (*Hyalella azteca* (Amphipod)): 0.12 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 5.9 mg/l
Exposure time: 72 h
- EC10 (*Raphidocelis subcapitata* (freshwater green alga)): 2.3 mg/l
End point: Growth rate
Exposure time: 72 h
- ErC50 (*Navicula pelliculosa* (Freshwater diatom)): 1.6 mg/l
Exposure time: 72 h
- EC10 (*Navicula pelliculosa* (Freshwater diatom)): 0.97 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.025 mg/l
Exposure time: 32 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.042 mg/l
Exposure time: 21 d
- 5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.22 mg/l

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 0.1 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.048 mg/l Exposure time: 72 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0012 mg/l End point: Growth rate Exposure time: 72 h
		ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l Exposure time: 48 h
		NOEC (Skeletonema costatum (marine diatom)): 0.00064 mg/l End point: Growth rate Exposure time: 48 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.098 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia): 0.004 mg/l Exposure time: 21 d

Persistence and degradability

Components:

octan-1-ol:

Biodegradability : Result: Readily biodegradable.

propiconazole:

Biodegradability : Result: Not readily biodegradable.

Azoxystrobin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 214 d
Remarks: The substance is stable in water.

pydiflumetofen:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 236 d
Remarks: Persistent in water.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Biodegradability : Result: Readily biodegradable.

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

Bioaccumulative potential

Components:

propiconazole:

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.72 (77 °F / 25 °C)

Azoxystrobin:

Bioaccumulation : Remarks: Does not bioaccumulate.

pydiflumetofen:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.8 (77 °F / 25 °C)

Mobility in soil

Components:

propiconazole:

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

Stability in soil : Dissipation time: 66 - 170 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Azoxystrobin:

Distribution among environmental compartments : Remarks: Azoxystrobin has low to very high mobility in soil.

Stability in soil : Dissipation time: 80 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

pydiflumetofen:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 674 d
Percentage dissipation: 50 % (DT50)
Remarks: Persistent in soil.

Other adverse effects

Components:

octan-1-ol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

propiconazole:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

POSTERITY XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/13/2023	S00059522236	

very persistent and very bioaccumulating (vPvB).

Azoxystrobin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

pydiflumetofen:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN, PROPICONAZOLE)

Class : 9
Packing group : III
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(AZOXYSTROBIN, PROPICONAZOLE)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo) : 964

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

aircraft)
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, PROPICONAZOLE)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

Causes substantial but temporary eye injury.

Do not get in eyes or on clothing.

Wear appropriate protective eyewear such as goggles

Wear appropriate protective eyewear such as face shield.

Wear appropriate protective eyewear such as safety glasses.

Harmful if absorbed through skin.

Harmful if swallowed.

Harmful if inhaled.

Avoid contact with skin.

POSTERITY XT

Version 0.0 Revision Date: 06/13/2023 SDS Number: S00059522236 This version replaces all previous versions.

Avoid breathing spray mist.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Reproductive toxicity
Serious eye damage or eye irritation


SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

propiconazole 60207-90-1 >= 10 - < 20 %

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limits
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
Syngenta / TWA : Time weighted average
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation,

POSTERITY XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/13/2023	S00059522236	

and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/13/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8