# SAFETY DATA SHEET



## 1. Identification

Product identifier WECO Powershift Premix

Other means of identification None

Recommended use Ag Product - Plant Nutrition

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address Wilbur-Ellis Company LLC

8131 W. Grandbridge Blvd, Suite 200

Kennewick, WA 99336

**United States** 

**Telephone** Branded Products Information (800) 500-1698

E-mail SDS@WilburEllis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300 Chemtrec - International +1 703-741-5970

### 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

**Prevention** Wash thoroughly after handling. Wear protective gloves. Wear eye protection/face protection.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If eye irritation

persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
EDTA Acid		60-00-4	20 - < 30
Zinc Oxide		1314-13-2	3 - < 5

Chemical name	Common name and synonyms	CAS number	%
Aqua Ammonia		1336-21-6	1 - < 3
Other components below reportable levels			70 - < 80

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Ingestion

delayed

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Inhalation

Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Most important Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. symptoms/effects, acute and

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

Move containers from fire area if you can do so without risk. equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

During fire, gases hazardous to health may be formed.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Never return spills to original containers for re-use.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices. Use care in

handling/storage. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

# 8. Exposure controls/personal protection

## Oc

Components	Туре	Value	Form		
Aqua Ammonia (CAS 1336-21-6)	PEL	35 mg/m3			
Zinc Oxide (CAS 1314-13-2)	PEL	50 ppm 5 mg/m3	Respirable fraction.		
1011 10 2)		5 mg/m3 15 mg/m3	Fume. Total dust.		
US. ACGIH Threshold Lim	nit Values		_		
Components	Туре	Value	Form		
Aqua Ammonia (CAS 1336-21-6)	STEL	35 ppm			
	TWA	25 ppm			
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.		
1011 10 2)	TWA	2 mg/m3	Respirable fraction.		
US. NIOSH: Pocket Guide	to Chemical Hazards				
Components	Туре	Value	Form		
Aqua Ammonia (CAS 1336-21-6)	STEL	27 mg/m3			
,		35 ppm			
	TWA	18 mg/m3			
		25 ppm			
Zinc Oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.		
,	STEL	10 mg/m3	Fume.		
	TWA	5 mg/m3	Dust.		
		5 mg/m3	Fume.		
logical limit values	No biological exposure limits noted fo	r the ingredient(s).			
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilatio or other engineering controls to maintain airborne levels below recommended exposure limits. I exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.				
vidual protection measure Eye/face protection	es, such as personal protective equipm Face shield is recommended. Wear s		s (or goggles).		
Skin protection Hand protection	Wear appropriate chemical resistant supplier.	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.			
Other	Wear appropriate chemical resistant	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.			
Respiratory protection	In case of insufficient ventilation, wea	r suitable respiratory equipme	ent.		
Thermal hazards	Wear appropriate thermal protective of	Wear appropriate thermal protective clothing, when necessary.			
neral hygiene siderations	Always observe good personal hygier and before eating, drinking, and/or sn equipment to remove contaminants.				

# 9. Physical and chemical properties

**Appearance** Tan liquid. Liquid. Physical state Liquid. **Form** Tan. Color

Odor Not available. Not available. **Odor threshold** 

7.2 - 7.5 pН

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. **Evaporation rate** Not available. Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Explosive properties** Not explosive. Not oxidizing. Oxidizing properties

Pounds per gallon 9.56 Specific gravity 1.15

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

### 11. Toxicological information

#### Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Causes skin irritation. Skin contact

Eve contact Causes serious eye irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

toxicological characteristics

### Information on toxicological effects

**Acute toxicity** 

Components **Species Test Results** 

EDTA Acid (CAS 60-00-4)

**Acute** 

Oral

LD50 Rat 4500 mg/kg

Zinc Oxide (CAS 1314-13-2)

**Acute** Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Inhalation

LC50 Rat > 5700 mg/m3, 4 Hours

Oral

LD50 Mouse > 5000 mg/kg

Rat > 15000 mg/kg > 5000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Specific target organ

toxicity - repeated

exposure

Not classified.

Not classified.

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied. Empty containers should be taken to an approved waste handling site

for recycling or disposal.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

# 15. Regulatory information

**US federal regulations** All components are listed on or exempted from the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Aqua Ammonia (CAS 1336-21-6)

EDTA Acid (CAS 60-00-4)

Zinc Oxide (CAS 1314-13-2)

Listed.

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
ZINC COMPOUNDS	1314-13-2	3 - < 5	
AMMONIA (INCLUDES ANHYDROUS A	AMMONIA A <b>nib</b> 36-21-6	1 - < 3	
AQUEOUS AMMONIA FROM WATER I	DISSOCIABLE		
AMMONIUM SALTS AND OTHER SOU	RCES; 10% OF		
TOTAL AQUEOUS AMMONIA IS REPO	RTABLE		
UNDER THIS LISTING)			

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## 16. Other information, including date of preparation or last revision

**Issue date** 03-08-2017

Version # 01

NFPA ratings Health: 2

Flammability: 0 Instability: 0

**NFPA** ratings



**Disclaimer** 

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: WECO Powershift Premix 4270 Version #: 01 Issue date: 03-08-2017