

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

1/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PROSPER® EVERGOL®
Product code (UVP) 79659202
SDS Number 102000022377
EPA Registration No. 264-1121

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide, Insecticide, Seed treatment
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP
800 North Lindbergh Blvd.
St. Louis, MO 63167
USA
Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200
Reproductive toxicity: Effects on or via lactation

Labelling in accordance with regulation HCS 29CFR §1910.1200

Hazard statements

May cause harm to breast-fed children.

Precautionary statements

Obtain special instructions before use.
Do not breathe dust or mist.
Avoid contact during pregnancy/ while nursing.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
IF exposed or concerned: Get medical advice/ attention.

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

2/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Clothianidin	210880-92-5	22.3
Penflufen	494793-67-8	0.82
Trifloxystrobin	141517-21-7	0.55
Metalaxyl	57837-19-1	0.55

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms	To date no symptoms are known.
Indication of any immediate medical attention and special treatment needed	
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

3/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO₂), Dry chemical

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 93.3 °C

Auto-ignition temperature 425 °C / 797 °F

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

4/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Clothianidin	210880-92-5	2.8 mg/m ³ (TWA)		OES BCS*
Penflufen	494793-67-8	1.1 mg/m ³ (TWA)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

5/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	blue
Physical State	Liquid
Odor	musty
Odour Threshold	No data available
pH	7.5 - 9.5 (100 %) (23 °C)
Viscosity, kinematic	No data available
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	1.30 g/cm ³ (20 °C)
Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	dispersible
Minimum Ignition Energy	Not applicable
Decomposition temperature	Stable under normal conditions.
Self-accelerating decomposition temperature (SADT)	No data available
Partition coefficient: n-octanol/water	Not applicable
Viscosity	210 - 320 mPa.s (20 °C) Velocity gradient 20 /s 115 - 180 mPa.s (20 °C) Velocity gradient 100 /s
Flammability	No data available
Flash point	> 93.3 °C
Auto-ignition temperature	425 °C / 797 °F
Lower explosion limit	No data available
Upper explosion limit	No data available

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

6/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

Explosivity	Not applicable
Particle size	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin Absorption, Ingestion, Eye contact, Inhalation

Immediate Effects

Skin Harmful if absorbed through skin.
Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity LC50 (Rat) > 2.254 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
Highest attainable concentration.
Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye irritation No eye irritation (Rabbit)
Respiratory or skin sensitisation Skin: Non-sensitizing. (Mouse)

Assessment STOT Specific target organ toxicity – single exposure

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

7/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

Clothianidin: Based on available data, the classification criteria are not met.
Penflufen: Based on available data, the classification criteria are not met.
Trifloxystrobin: Based on available data, the classification criteria are not met.
Metalaxyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Clothianidin did not cause specific target organ toxicity in experimental animal studies.
Penflufen did not cause specific target organ toxicity in experimental animal studies.
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.
Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Clothianidin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Clothianidin was not carcinogenic in lifetime feeding studies in rats and mice.
Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): ovaries, Brain, hematopoietic system. The mechanism that triggers these tumours is not relevant to humans.
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.
Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Clothianidin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Clothianidin is related to parental toxicity.
Penflufen did not cause reproductive toxicity in a two-generation study in rats.
Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.
Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

Assessment developmental toxicity

Clothianidin did not cause developmental toxicity in rats.
Clothianidin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Clothianidin are related to maternal toxicity.

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

8/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

Penflufen did not cause developmental toxicity in rats and rabbits.
Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.
Metalaxyl did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104.2 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient clothianidin.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 119 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient clothianidin.

EC50 (Chironomus riparius (non-biting midge)) 0.00106 mg/l
Exposure time: 28 d
The value mentioned relates to the active ingredient clothianidin.

EC50 (Daphnia magna (Water flea)) 0.016 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient trifloxystrobin.

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants

IC50 (Raphidocelis subcapitata (freshwater green alga)) > 120 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient clothianidin.

IC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient trifloxystrobin.

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient trifloxystrobin.

Biodegradability

Clothianidin:
Not rapidly biodegradable
Penflufen:
Not rapidly biodegradable

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

9/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

	Trifloxystrobin: Not rapidly biodegradable Metalaxyl: Not rapidly biodegradable
Koc	Clothianidin: Koc: 84 - 345 Penflufen: Koc: 280 Trifloxystrobin: Koc: 2377 Metalaxyl: Koc: 163
Bioaccumulation	Clothianidin: Does not bioaccumulate. Penflufen: Bioconcentration factor (BCF) 142 Does not bioaccumulate. Trifloxystrobin: Bioconcentration factor (BCF) 431 Does not bioaccumulate. Metalaxyl: Bioconcentration factor (BCF) < 7 Does not bioaccumulate.
Mobility in soil	Clothianidin: Moderately mobile in soils Penflufen: Moderately mobile in soils Trifloxystrobin: Slightly mobile in soils Metalaxyl: Moderately mobile in soils
Additional ecological information	Exposed treated seed may be hazardous to birds.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet. Puncture container to avoid re-use.

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

10/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN, TRIFLOXYSTROBIN SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN, TRIFLOXYSTROBIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1121

US Federal Regulations

TSCA list

Water	7732-18-5
Titanium dioxide	13463-67-7
1,2-Propanediol	57-55-6
White mineral oil	8042-47-5
29H,31H-Phthalocyaninato(2-)- N29,N30,N31,N32 copper	147-14-8
Polyethylene-polypropylene copolymer	9003-11-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Yes. Export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

11/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Titanium dioxide	13463-67-7
Quartz (SiO ₂)	14808-60-7
Sulphuric acid	7664-93-9
Crystalline quartz (respirable)	14808-60-7

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Titanium dioxide	13463-67-7	MN, RI
1,2-Propanediol	57-55-6	MN, RI
29H,31H-Phthalocyaninato(2-)- N29,N30,N31,N32 copper	147-14-8	CT, IL, MI, NJ

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified

SAFETY DATA SHEET



PROSPER® EVERGOL®

Version 4.0 / USA
102000022377

12/12
Revision Date: 05/06/2020
Print Date: 05/07/2020

NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 12. Ecological information. Reviewed and updated for general editorial purposes.

Revision Date: 05/06/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.