

Revision date: 2025/10/17 Page: 1/16

Version: 7.0 (30487422/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT Pro-Control Plus

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 414057

Registration number: EPA Registration number: 499-462 Chemical family: No applicable information available.

Synonyms: Pyrethrins + cyfluthrin + piperonyl butoxide

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Aerosol 1 Aerosols

Repr. Add. cat. lact. Reproductive toxicity

STOT SE 3 (May cause Specific target organ toxicity — single exposure

drowsiness and

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2025/10/17 Page: 2/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

dizziness.)

STOT SE 3 (irritating to Specific target organ toxicity — single exposure

respiratory system)

Aquatic Acute 1 Hazardous to the aquatic environment - acute Hazardous to the aquatic environment - chronic

Label elements

Pictogram:





Signal Word: Danger

Hazard Statement:

H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.
 H336 May cause drowsiness or dizziness.
 H362 May cause harm to breast-fed children.
 H335 May cause respiratory irritation.

H335 May cause respiratory irritat
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust or mist.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P263 Avoid contact during pregnancy and while nursing.
P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P391 Collect spillage.

P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50

°C/122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Revision date: 2025/10/17 Page: 3/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Labeling of special preparations (GHS):

Repeated exposure may cause skin dryness or cracking. May cause paraesthesia. Contains: Pyrethrins, Cyfluthrin

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Piperonylbutoxide

CAS Number: 51-03-6 Content (W/W): 1.0 % Synonym: Piperonylbutoxide

Pyrethrins

CAS Number: 8003-34-7 Content (W/W): 0.5 % Synonym: Pyrethrin

Cyfluthrin

CAS Number: 68359-37-5 Content (W/W): 0.1 % Synonym: No data available.

dimethyl ether

CAS Number: 115-10-6

Content (W/W): >= 45.0 - <= 70.0%

Synonym: Dimethyl ether

Acetone

CAS Number: 67-64-1

Content (W/W): > 10.0 - <= 30.0%

Synonym: 2-Propanone Acetone; Dimethyl ketone

Distillates, petroleum

CAS Number: 64742-47-8 Content (W/W): >= 1.0 - <= 5.0%

Synonym: Distillates, petroleum, hydrotreated light

The actual concentration is withheld as a trade secret. NJ TSRN: New Jersey Trade Secret Registry Number

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Revision date: 2025/10/17 Page: 4/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

If on skin:

Wash thoroughly with soap and water

If in eves:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, hydrocarbons

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Revision date: 2025/10/17 Page: 5/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Revision date: 2025/10/17 Page: 6/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Acetone ACGIH, US: TWA value 250 ppm; ACGIH, US: STEL value 500 ppm;

OSHA Z1: PEL 1,000 ppm 2,400 mg/m3;

NIO ID, US: LEL 2.5 %

NIO ID, US: IDLH 2,500 ppm; IDLH values based on the

1994 Revised Criteria

Distillates, petroleum ACGIH, US: Skin Designation Non-aerosol (total

hydrocarbon vapor); Danger of cutaneous

absorption

ACGIH, US: TWA value 200 mg/m3 Non-aerosol (total

hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol

exposures.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eve protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date: 2025/10/17 Page: 7/16 Version: 7.0 (30487422/SDS CPA US/EN)

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Physical state: liquid Form: liauid

Odour: characteristic, of acetone

Not determined due to potential health hazard by inhalation. Odour threshold:

Colour: straw yellow to orange

cloudy

approx. 5.5 - 7.5 pH value:

(1 %(m), approx. 22.5 °C)

Melting point: approx. -141 °C

Information applies to the propellant.

Sublimation point: No applicable information available.

Flash point: > -42 °C

Information applies to the propellant.

Extremely flammable. Flammability:

NFPA 30B flammability: Level 2 Aerosol

3.4 %(V)

Lower explosion limit: (air) Upper explosion limit: 18 %(V) (air)

Heat of Combustion: 23.14 kJ/g

Calculated using literature data

Autoignition: approx. 235 °C

Information applies to the propellant.

approx. 0.93 g/cm3 Density:

(20°C)

Relative density: No data available. Relative vapour density: not applicable

Partitioning coefficient nnot applicable for mixtures

octanol/water (log Pow):

Thermal decomposition: carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To

(calculated)

avoid thermal decomposition, do not overheat.

Viscosity, dynamic: approx. 1.81 mPa.s

(19.4 °C)

Viscosity, kinematic: No data available. Solubility in water: dispersible

Solubility (quantitative): No data available. Solubility (qualitative): No data available. Molecular weight: No data available. Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

Revision date: 2025/10/17 Page: 8/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

organic acids, oxidizing agents, acid anhydrides, strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Revision date: 2025/10/17 Page: 9/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: 4,180 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 5.42 mg/l Exposure time: 4 h An aerosol was tested. No mortality was observed.

Dermal

Type of value: LD50 Species: rabbit Value: > 2,000 mg/kg No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Skin</u>

Species: rabbit Result: non-irritant

<u>Eye</u>

Species: rabbit Result: non-irritant

Sensitization

Assessment of sensitization: No sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

modified Buehler test Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard

May also damage the lung at swallowing (aspiration hazard). The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Revision date: 2025/10/17 Page: 10/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Piperonvlbutoxide

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.

Information on: Cyfluthrin

Assessment of repeated dose toxicity: Based on the chemical structure a neurotoxic effect by repeated administration cannot be excluded.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Distillates (petroleum), hydrotreated light

Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Cyfluthrin

Assessment of reproduction toxicity: Animal studies indicated reproductive effects only at doses also toxic to the parental animals.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Cyfluthrin

Assessment of teratogenicity: May cause harm to children via breast-feeding.

Other Information

Misuse can be harmful to health. Has a degreasing effect on skin.

12. Ecological Information

Revision date: 2025/10/17 Page: 11/16

Version: 7.0 (30487422/SDS_CPA_US/EN)

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Acutely toxic for fish.

Toxicity to fish

Information on: pyrethrum

LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static)

LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: Cyfluthrin

LC50 (96 h) 0.00047 mg/l, Oncorhynchus mykiss

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 3.49 mg/l, Cyprinodon variegatus LC50 1.9 mg/l, Oncorhynchus mykiss

Information on: Acetone

LC50 (96 h) 6,210 mg/l, Pimephales promelas (OECD 203; ISO 7346; 84/449/EWG, C.1, Flow

through.)

The statement of the toxic effect relates to the analytically determined concentration.

LC50 (96 h) 5,540 mg/l, Oncorhynchus mykiss (Fish test acute, static)

Nominal concentration.

Information on: dimethyl ether

Aquatic invertebrates

Information on: pyrethrum

EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: Cyfluthrin

EC50 (48 h) 0.00016 mg/l, Daphnia magna

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 0.51 mg/l, Gammarus fasciatus LC50 0.49 mg/l, Mysidopsis bahia

Information on: Acetone

LC50 (48 h) 8,800 mg/l, Daphnia pulex (Daphnia test acute, static)

Nominal concentration.

LC50 (24 h) 2,100 mg/l, Artemia salina (Daphnia test acute, static)

Nominal concentration.

Information on: dimethyl ether

Aquatic plants

Information on: Cyfluthrin

EC50 (96 h) > 10 mg/l, Scenedesmus subspicatus

Revision date: 2025/10/17 Page: 12/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Information on: Acetone

Toxic limit concentration (8 d) 530 mg/l (biomass), Microcystis aeruginosa (DIN 38412 Part 9, static)

Nominal concentration.

Chronic toxicity to fish

Information on: Piperonylbutoxide

No observed effect concentration (35 d) 0.18 mg/l, Pimephales promelas (OPP 72-4 (EPA-

Guideline), Flow through.)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in

the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: Pyrethrins

No observed effect concentration 0.0019 mg/l, Pimephales promelas

Information on: Cyfluthrin

No observed effect concentration (58 d) 0.00001 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates

Information on: Piperonylbutoxide

No observed effect concentration (21 d) 0.03 mg/l, Daphnia magna (OPP 72-4 (EPA-Guideline),

Flow through.)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in

the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: Pyrethrins

No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna

Information on: Cyfluthrin

No observed effect concentration (28 d) 0.00041 µg/l, aquatic crustacea

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Piperonylbutoxide

Bioconcentration factor: 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)

Information on: Pyrethrins

Bioconcentration factor: 471

Revision date: 2025/10/17 Page: 13/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Accumulation in organisms is not to be expected.

Information on: Cyfluthrin

Bioconcentration factor: 506 Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Piperonylbutoxide

Adsorption to solid soil phase is not expected.

Information on: Pyrethrins

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Cyfluthrin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Proper shipping name: AEROSOLS

Revision date: 2025/10/17 Page: 14/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM

Marine pollutant: YES

Proper shipping name: AEROSOLS (contains DIMETHYLETHER, CYFLUTHRIN)

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS Number Chemical name Fiperonylbutoxide

CERCLA RQ
5000 LBSCAS Number
67-64-1Chemical name
Acetone

100 LBS 115-10-6; 64742- dimethyl ether; Distillates (petroleum), hydrotreated

47-8; 64742-47-8 light; Distillates, petroleum

1 LBS 8003-34-7 Pyrethrins

State regulations

State RTK	CAS Number	Chemical name
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
	64742-47-8	Distillates, petroleum
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether
	64742-47-8	Distillates, petroleum
	51-03-6	Piperonylbutoxide

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

Revision date: 2025/10/17 Page: 15/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

WARNING: This product can expose you to chemicals including Soots, tars, and mineral oils (untreated and mildly treated oils and used engine which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

EXTREMELY FLAMMABLE.

KEEP OUT OF REACH OF CHILDREN.

Hazards to humans and domestic animals.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid breathing mist/spray.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product.

As soon as possible, wash thoroughly and change into clean clothing.

Keep and wash personal protective equipment separately from other laundry.

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Aerosol container contains flammable gas under pressure.

Keep away from heat, open flames, and sparks.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/10/17

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED

Revision date: 2025/10/17 Page: 16/16 Version: 7.0 (30487422/SDS_CPA_US/EN)

WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/17 Version: 7.0
Date / Previous version: 2024/03/26 Previous version: 6.0

Date / Frevious version. 2024/03/20 Frevious version. 6.0

END OF DATA SHEET