

Revision date: 2021/09/07 Page: 1/14 Version: 1.0 (30790001/SDS GEN US/EN)

### 1. Identification

## Product identifier used on the label

# PT Vedira Pressurized

#### Recommended use of the chemical and restriction on use

Recommended use\*: technical preconcentrate

## Details of the supplier of the safety data sheet

#### Company:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713 USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

### 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Asp. Tox. 1 Aspiration hazard Flam. Liq. 2 Flammable liquids Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

STOT SE 3 (Vapours may cause Specific target organ toxicity — single exposure

drowsiness and dizziness.)

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2021/09/07 Page: 2/14 Version: 1.0 (30790001/SDS GEN US/EN)

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

#### Label elements

#### Pictogram:



## Signal Word: Danger

#### Hazard Statement:

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.
P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection.

P243 Take action to prevent static discharges. P261 Avoid breathing mist or vapour or spray.

P241 Use explosion-proof electrical, ventilating and lighting equipment.

P242 Use only non-sparking tools.

P240 Ground and bond container and receiving equipment.
P264 Wash contaminated body parts thoroughly after handling.

# Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Remove or Take off immediately all contaminated

clothing. Rinse skin with water or shower.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or physician. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P391 Collect spillage.

P332 + P313 If skin irritation occurs: Get medical attention.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use water spray, dry powder, foam or carbon dioxide for

extinction.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Precautionary Statements (Storage):

P233 Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Revision date: 2021/09/07 Page: 3/14 Version: 1.0 (30790001/SDS GEN US/EN)

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

#### Hazards not otherwise classified

<u>Labeling of special preparations (GHS):</u>
May cause paraesthesia. alpha-cypermethrin

## 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

CAS Number: 1207727-04-5 Content (W/W): 0.21 % Synonym: Broflanilide

alpha-Cypermethrin

CAS Number: 67375-30-8 Content (W/W): 0.05 % Synonym: No data available.

Distillates, petroleum

CAS Number: 64742-47-8 Content (W/W): 75.0 - 85.0%

Synonym: Distillates, petroleum, hydrotreated light

2-Propanol

CAS Number: 67-63-0

Content (W/W): 15.0 - 20.0% Synonym: Isopropyl alcohol

#### 4. First-Aid Measures

## **Description of first aid measures**

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

#### lf in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Revision date: 2021/09/07 Page: 4/14 Version: 1.0 (30790001/SDS GEN US/EN)

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

## Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

## Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

# 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

## Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen fluoride, Hydrogen chloride, hydrogen bromide, nitrogen oxides, halogenated compounds, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

## Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### **Further information:**

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

## **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Revision date: 2021/09/07 Page: 5/14 Version: 1.0 (30790001/SDS GEN US/EN)

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

## 7. Handling and Storage

## Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

#### Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

## Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

## 8. Exposure Controls/Personal Protection

# Components with occupational exposure limits

2-Propanol ACGIH, US: STEL value 400 ppm;

ACGIH, US: TWA value 200 ppm;
OSHA Z1: PEL 400 ppm 980 mg/m3;

Distillates, petroleum ACGIH, US: TWA value 200 mg/m3 Non-aerosol (total

hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol

exposures.

ACGIH, US: Skin Designation Non-aerosol (total

hydrocarbon vapor); Danger of cutaneous

absorption

### Personal protective equipment

#### Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

## Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Revision date: 2021/09/07 Page: 6/14 Version: 1.0 (30790001/SDS GEN US/EN)

# **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

## General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid

Odour: mild, of petroleum distillate (e.g. gasoline, kerosene)
Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: clea

pH value: The product has not been tested.

Melting point: approx. 0 °C Boiling point: approx. 82 °C

Information applies to the solvent.

Flash point: -22 °C

The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition.

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: approx. 247 °C

Information applies to the solvent.

Vapour pressure: approx. 43.28 hPa

(20°C)

The product has not been tested. The statement has been derived from the

properties of the individual

components.

Density: approx. 0.8 g/cm3

(20 °C)

Vapour density: Heavier than air. Partitioning coefficient n-not applicable

octanol/water (log Pow):

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, kinematic: 2 mm2/s

(40°C)

Information based on the main

components.

Solubility in water: insoluble

Revision date: 2021/09/07 Page: 7/14 Version: 1.0 (30790001/SDS GEN US/EN)

Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See SDS section 7 - Handling and storage.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents

## Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

## 11. Toxicological information

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion.

<u>Oral</u>

Type of value: ATE Value: > 5,000 mg/kg

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

Type of value: LD50

Species: rat

Revision date: 2021/09/07 Page: 8/14 Version: 1.0 (30790001/SDS GEN US/EN)

Value: > 5,000 mg/kg (OECD Guideline 425)

Information on: alpha-cypermethrin

Type of value: LD50 Species: rat (male/female)

Value: 57 mg/kg (OECD Guideline 401)

.....

Inhalation

Type of value: ATE Value: > 20 mg/l Determined for vapor

Type of value: ATE Value: > 5 mg/l Determined for mist

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

Type of value: LC50

Species: rat

Value: > 2.2 mg/l (OECD Guideline 403)

Exposure time: 4 h

No mortality was observed.

Information on: alpha-cypermethrin

Type of value: LC50 Species: rat (female)

Value: 2.29 mg/l (OECD Guideline 403)

Exposure time: 4 h
Tested as dust aerosol.

Dermal

Type of value: ATE Value: > 5,000 mg/kg

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 402)

Information on: alpha-cypermethrin

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Revision date: 2021/09/07 Page: 9/14 Version: 1.0 (30790001/SDS GEN US/EN)

Assessment of irritating effects: The product has not been tested. The statement has been derived from the properties of the individual components. Skin contact causes irritation. Eye contact causes irritation.

#### Skin

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

Information on: alpha-cypermethrin

Species: rabbit

Result: Slightly irritating.

Information on: Distillates, petroleum

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

The product has not been tested. The statement has been derived from substances/products of a

similar structure or composition.

Species: rabbit Result: Irritant. Method: other

The product has not been tested. The statement has been derived from substances/products of a

similar structure or composition.

## <u>Eye</u>

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Information on: alpha-cypermethrin

Species: rabbit

Result: Slightly irritating.

Information on: 2-Propanol

Species: rabbit Result: Irritant.

Method: similar to OECD guideline 405

\_\_\_\_\_

#### <u>Sensitization</u>

Assessment of sensitization: The product has not been tested. The statement has been derived from the properties of the individual components. There is no evidence of a skin-sensitizing potential.

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: Non-sensitizing. Method: OECD Guideline 429

Revision date: 2021/09/07 Page: 10/14 Version: 1.0 (30790001/SDS GEN US/EN)

Information on: alpha-cypermethrin Guinea pig maximization test Species: guinea pig Result: Non-sensitizing.

Method: OECD Guideline 406

### Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. May also damage the lung at swallowing (aspiration hazard).

## **Chronic Toxicity/Effects**

## Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

## Information on: 2-Propanol

Assessment of repeated dose toxicity: No adverse effects were observed after repeated inhalative exposure in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses.

#### Information on: alpha-cypermethrin

Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

-----

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### Information on: Distillates, petroleum

Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

-----

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### **Teratogenicity**

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Revision date: 2021/09/07 Page: 11/14 Version: 1.0 (30790001/SDS GEN US/EN)

Other Information

Misuse can be harmful to health.

## 12. Ecological Information

## **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Toxicity to fish

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

LC50 (96 h) 0.246 mg/l, Lepomis macrochirus

Information on: alpha-cypermethrin

LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

\_\_\_\_\_

#### Aquatic invertebrates

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

LC50 (96 h) 0.000024 mg/l, Americamysis bahia LC50 (48 h) 0.000042 mg/l, Americamysis bahia

Information on: alpha-cypermethrin

EC50 (48 h) 12,6 ng/l, Chironomus riparius

-----

#### Aquatic plants

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

EC50 (72 h) > 0.33 mg/l (growth rate), Skeletonema costatum

No observed effect concentration (72 h) 0.13 mg/l (growth rate), Skeletonema costatum

Information on: alpha-cypermethrin

EC50 (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD guideline 221. static)

EC50 (72 h) > 0.027 mg/l (growth rate), Anabaena flos-aquae (OECD Guideline 201)

-----

#### Chronic toxicity to fish

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

No observed effect concentration (33 d) 0.051 mg/l, Pimephales promelas No observed effect concentration (34 d) 0.010 mg/l, Cyprinodon variegatus

Revision date: 2021/09/07 Page: 12/14 Version: 1.0 (30790001/SDS GEN US/EN)

Information on: alpha-cypermethrin

No observed effect concentration (34 d) 0,03 μg/L, Pimephales promelas (OPP 72-4 (EPA-

Guideline), Flow through.)

## Chronic toxicity to aquatic invertebrates

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

No observed effect concentration (28 d) 0,0000063 mg/L, Mysidopsis bahia

Information on: alpha-cypermethrin

No observed effect concentration (21 d) 0,03 μg/L, Daphnia magna (OPP 72-4 (EPA-Guideline),

semistatic)

.....

## Persistence and degradability

## Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment biodegradation and elimination (H2O)

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Not readily biodegradable (by OECD criteria).

Information on: alpha-cypermethrin

Not readily biodegradable (by OECD criteria).

-----

#### Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Bioaccumulation potential

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Bioconcentration factor: 189 - 234, Oncorhynchus mykiss (OECD-Guideline 305)

Information on: alpha-cypermethrin

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

-----

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date: 2021/09/07 Page: 13/14 Version: 1.0 (30790001/SDS GEN US/EN)

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamide)

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: alpha-cypermethrin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

\_\_\_\_\_

#### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## 13. Disposal considerations

### Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

#### Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## 14. Transport Information

# Land transport

**USDOT** 

Hazard class: 3 Packing group: II

ID number: UN 1993 Hazard label: 3, EHSM

Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains 2-PROPANOL,

**BROFLANILIDE**)

#### Sea transport

**IMDG** 

Hazard class: 3 Packing group: II

ID number: UN 1993 Hazard label: 3, EHSM Marine pollutant: YES

Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains 2-PROPANOL,

**BROFLANILIDE**)

#### Air transport

IATA/ICAO

Hazard class: 3 Packing group: II

ID number: UN 1993

Hazard label: 3

Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains 2-PROPANOL,

Revision date: 2021/09/07 Page: 14/14 Version: 1.0 (30790001/SDS GEN US/EN)

**BROFLANILIDE**)

## 15. Regulatory Information

### **Federal Regulations**

## Registration status:

Chemical TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

**EPCRA 313:** 

<u>CAS Number</u> <u>Chemical name</u> 67-63-0 2-Propanol

CERCLA RQCAS NumberChemical name5000 LBS121-44-8triethylamine

100 LBS 67-63-0; 64742- 2-Propanol; Distillates, petroleum

47-8

### **State regulations**

State RTK	CAS Number	Chemical name
NJ	67-63-0	2-Propanol
	64742-47-8	Distillates, petroleum
PA	67-63-0	2-Propanol
	64742-47-8	Distillates, petroleum

## Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including BUTYLATED HYDROXYANISOLE, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

#### 16. Other Information

## SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2021/09/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.