

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : QUADRIS TOP

Design code. : A13703G

Product Registration number : 100-1313

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481

Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Sub-category 1B

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

H317 May cause an allergic skin reaction.

Precautionary Statements

:

Prevention:

P261 Avoid breathing mist or vapors.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Azoxystrobin	131860-33-8	18.018
C16-18 alcohols, ethoxylated	68439-49-6	>= 10 - < 20
difenoconazole	119446-68-3	11.2613
propane-1,2-diol	57-55-6	>= 5 - < 10
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.
 If breathing is irregular or stopped, administer artificial respiration.

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

- Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.
- Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Azoxystrobin	131860-33-8	TWA	4 mg/m ³	Syngenta
difenoconazole	119446-68-3	TWA	5 mg/m ³	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
The extent of these protection measures depends on the actual risks in use.
Maintain air concentrations below occupational exposure

QUADRIS TOP

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	05/17/2023	S1356545232	

standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow to yellow

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

Odor	:	weak
Odor Threshold	:	No data available
pH	:	5 - 9 Concentration: 1 %w/v 7.5 - 8.5 (68 °F / 20 °C) Concentration: 100 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.11 g/cm ³ (68 °F / 20 °C)
Solubility(ies) Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	941 °F / 505 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	169 - 646 mPa.s (68 °F / 20 °C) 98.0 - 472 mPa.s (104 °F / 40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Surface tension : 27.9 mN/m, 68 °F / 20 °C
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : No decomposition if used as directed.
Incompatible materials : None known.
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity**Product:**

Acute oral toxicity : LD50 (Mouse, male and female): 1,424 mg/kg
Acute inhalation toxicity : LC50 (Rat, male and female): 2.06 - < 5.17 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:**Azoxystrobin:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat, female): 0.7 mg/l
Exposure time: 4 h

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

C16-18 alcohols, ethoxylated:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

difenoconazole:

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m3
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation

Components:

Azoxystrobin:

Species : Rabbit
Result : No skin irritation

difenoconazole:

Species : Rabbit
Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Method : in vitro skin corrosion test
Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

Components:**Azoxystrobin:**

Species : Rabbit
Result : No eye irritation

C16-18 alcohols, ethoxylated:

Result : Irreversible effects on the eye

difenoconazole:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result : Risk of serious damage to eyes.
Method : in vitro eye irritation test

Respiratory or skin sensitization**Product:**

Test Type : Buehler Test
Species : Guinea pig
Result : The product is a skin sensitizer, sub-category 1B.

Components:**Azoxystrobin:**

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

difenoconazole:

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity**Components:****Azoxystrobin:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

difenoconazole:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

Carcinogenicity

Components:

Azoxystrobin:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

difenoconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Components:

Azoxystrobin:

Reproductive toxicity - Assessment : No toxicity to reproduction

difenoconazole:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Components:

difenoconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Components:

Azoxystrobin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

difenoconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.7 mg/l
Exposure time: 96 h

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

LC50 (Cyprinus carpio (Carp)): 4.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3.9 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.23 mg/l
End point: Growth rate
Exposure time: 96 h

Components:

Azoxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.038 mg/l
End point: Growth rate
Exposure time: 96 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.301 mg/l
Exposure time: 96 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.02 mg/l
End point: Growth rate
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l
Exposure time: 28 d

NOEC (Pimephales promelas (fathead minnow)): 0.147 mg/l
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l
Exposure time: 21 d

NOEC (Americamysis): 0.0095 mg/l

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

- Exposure time: 28 d
- Toxicity to microorganisms : IC50 (*Pseudomonas putida*): > 3.2 mg/l
Exposure time: 6 h
- difenoconazole:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1.1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.77 mg/l
Exposure time: 48 h
- EC50 (*Americamysis*): 0.15 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC10 (*Navicula pelliculosa* (Freshwater diatom)): 0.0697 mg/l
End point: Growth rate
Exposure time: 72 h
- ErC50 (*Desmodesmus subspicatus* (green algae)): 0.0876 mg/l
Exposure time: 72 h
- EC10 (*Desmodesmus subspicatus* (green algae)): 0.015 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : EC10 (*Pimephales promelas* (fathead minnow)): 0.01298 mg/l
Exposure time: 34 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (*Daphnia magna* (Water flea)): 0.0078 mg/l
Exposure time: 21 d
- EC10 (*Americamysis*): 0.00572 mg/l
Exposure time: 28 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Persistence and degradability

Components:

Azoxystrobin:

- Biodegradability : Result: Not readily biodegradable.
- Stability in water : Degradation half life: 214 d
Remarks: The substance is stable in water.

difenoconazole:

- Biodegradability : Result: Not readily biodegradable.
- Stability in water : Degradation half life: 1 d

QUADRIS TOP

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	05/17/2023	S1356545232	

Remarks: Product is not persistent.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

Azoxystrobin:

Bioaccumulation : Remarks: Does not bioaccumulate.

difenoconazole:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.4 (77 °F / 25 °C)

Mobility in soil

Components:

Azoxystrobin:

Distribution among environmental compartments : Remarks: Azoxystrobin has low to very high mobility in soil.

Stability in soil : Dissipation time: 80 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

difenoconazole:

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Stability in soil : Dissipation time: 122 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

Azoxystrobin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

difenoconazole:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

QUADRIS TOP

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	05/17/2023	S1356545232	

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN, DIFENOCONAZOLE)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

- UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(AZOXYSTROBIN, DIFENOCONAZOLE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN, DIFENOCONAZOLE)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

QUADRIS TOP

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	05/17/2023	S1356545232	

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wear protective eyewear.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization


SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION**Further information**

QUADRIS TOP

Version 0.0 Revision Date: 05/17/2023 SDS Number: S1356545232 This version replaces all previous versions.

NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limits
 US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
 Syngenta / TWA : Time weighted average
 US WEEL / TWA : 8-hr TWA

AICC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance

QUADRIS TOP

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	05/17/2023	S1356545232	

Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/17/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8