



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

1/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Product code (UVP) 06538916

SDS Number 102000012828

EPA Registration No. 264-964

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide, Seed treatment

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number 1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Reproductive toxicity : Category 2



Signal word: Warning

Hazard statements

Suspected of damaging fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/ attention.



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

2/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

Store locked up.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Tebuconazole	107534-96-3	28.3
Sulfonated aromatic polymer, sodium salt	68425-94-5	1.6

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

3/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Foam, Carbon dioxide (CO₂), Dry chemical, Water spray

Unsuitable None known.

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 93.4 °C

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

4/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Tebuconazole	107534-96-3	5ug/m3 (AN ESL)	07 2011	TX ESL
Tebuconazole	107534-96-3	0.2 mg/m3 (TWA)		OES BCS*
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Vapor.)	56-81-5	1000ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine (Particulate.)	56-81-5	50ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	100ug/m3 (AN ESL)	02 2013	TX ESL



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

5/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

Glycerine (Particulate.)	56-81-5	5ug/m3 (AN ESL)	02 2013	TX ESL
-----------------------------	---------	--------------------	---------	--------

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	suspension
Odor	chalk-like
Odour Threshold	no data available
pH	7.3 - 9.6 at 100 % (23 °C)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.12 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	-12.2 - -9.4 °C / 10.04 - 15.08 °F
Water solubility	dispersible
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n-octanol/water	not applicable
Viscosity	600 - 1,000 mPa.s at 25 °C



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

6/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

Flash point	> 93.4 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Inhalation, Eye contact, Skin Absorption
Immediate Effects	
Eye	May cause mild irritation to eyes.
Skin	May cause slight irritation. Harmful if absorbed through skin.
Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.
Information on toxicological effects	
Acute oral toxicity	LD50 (male rat) 3,776 mg/kg LD50 (female rat) 3,710 mg/kg
Acute inhalation toxicity	LC50 (male/female combined rat) > 2.5 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. LC50 (male/female combined rat) > 10.0 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

7/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

Acute dermal toxicity LD50 (male/female combined rat) > 2,011 mg/kg

Skin irritation Slight irritation (rabbit)

Eye irritation Minimally irritating. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): liver. The mechanism of tumour formation is not considered to be relevant to man.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient tebuconazole.



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

8/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 2.79 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient tebuconazole.
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia (water flea)): 0.01 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient tebuconazole.
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient tebuconazole.
Biodegradability	Tebuconazole: not rapidly biodegradable
Koc	Tebuconazole: Koc: 769
Bioaccumulation	Tebuconazole: Bioconcentration factor (BCF) 35 - 59 Does not bioaccumulate.
Mobility in soil	Tebuconazole: Slightly mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

9/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

49CFR Not dangerous goods / not hazardous material

IMDG

UN number **3082**
Class **9**
Packaging group **III**
Marine pollutant **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE SOLUTION)**

IATA

UN number **3082**
Class **9**
Packaging group **III**
Environm. Hazardous Mark **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE SOLUTION)**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: **INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON**

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-964

US Federal Regulations

TSCA list

Sulfonated aromatic polymer, sodium salt 68425-94-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

10/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

Canadian Regulations
Canadian Domestic Substance List
None.

Environmental
CERCLA
None.
Clean Water Section 307 Priority Pollutants
None.
Safe Drinking Water Act Maximum Contaminant Levels
Tebuconazole 107534-96-3

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Avoid contact with skin, eyes and clothing.
Avoid inhalation of vapour or mist.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
CAS-Nr.	Chemical Abstracts Service number
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	US. IARC Monographs on Occupational Exposures to Chemical Agents
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation



RAXIL® 2.6F SEED TREATMENT FUNGICIDE

Version 3.0 / USA
102000012828

11/11
Revision Date: 05/27/2015
Print Date: 08/12/2015

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 05/27/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.