

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

1/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE
Product code (UVP) 84481181
SDS Number 102000029937
EPA Registration No. 264-1186

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment
Restrictions on use See product label for restrictions.
Information on supplier
Supplier Bayer CropScience LP
800 North Lindbergh Blvd.
St. Louis, MO 63167
USA
Responsible Department Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.
Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4
Skin sensitisation: Category 1
Reproductive toxicity: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements
Harmful if inhaled.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

2/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.

Precautionary statements

Avoid breathing mist/ vapours/ spray.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF ON SKIN: Wash with plenty of water/ soap.
If skin irritation or rash occurs: Get medical advice/ attention.
Specific treatment (see supplemental first aid instructions on this label).
Wash contaminated clothing before reuse.
IF exposed or concerned: Get medical advice/ attention.
Store locked up.
Protect from sunlight.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Imidacloprid	138261-41-3	8.59
Prothioconazole	178928-70-6	1.47
Metalaxyl	57837-19-1	0.57
Tebuconazole	107534-96-3	0.29
Ethoxylated tallow alkyl amines	61791-26-2	4.83

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Skin contact Immediately wash with plenty of soap and water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

3/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Most important symptoms and effects, both acute and delayed	
Symptoms	May cause allergic skin reaction.
Indication of any immediate medical attention and special treatment needed	
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 104 °C
No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature 430 °C / 806 °F

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not explosive
92/69/EEC, A.14 / OECD 113

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

4/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Keep working clothes separately. Garments that cannot be cleaned must be destroyed (burnt).

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m ³ (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m ³		OES BCS*

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

5/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

		(SK-ABS)		
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Use tightly sealed goggles and face protection.

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	suspension
Colour	red
Odour	mild
Odour Threshold	No data available
pH	7.2 - 8.8 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	No data available
Flash point	> 104 °C

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

6/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

	No flash point - Determination conducted up to the boiling point.
Flammability	No data available
Auto-ignition temperature	430 °C
Minimum ignition energy	No data available
Self-accelerating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No significant volatility.
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	1.08 g/cm ³ (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	Imidacloprid: log Pow: 0.57 Prothioconazole: log Pow: 3.82 (20 °C) (pH 7) Tebuconazole: log Pow: 3.7
Viscosity, dynamic	15 - 40 mPa.s (20 °C) Velocity gradient 20 /s 10 - 35 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	No data available
Impact sensitivity	Not impact sensitive.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

7/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Eye contact, Ingestion, Skin Absorption

Immediate Effects

Eye Causes moderate eye irritation.

Skin Harmful if absorbed through skin.

Ingestion May be harmful if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg
Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 2.08 mg/l
Exposure time: 4 h
highest concentration tested
Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg
Test conducted with a similar formulation.

Skin corrosion/irritation No skin irritation (Rabbit)
Test conducted with a similar formulation.

Serious eye damage/eye irritation Moderate eye irritation. (Rabbit)
Test conducted with a similar formulation.

Respiratory or skin sensitisation Skin: Sensitising (Guinea pig)
OECD Test Guideline 429, local lymph node assay (LLNA)
Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Prothioconazole: Based on available data, the classification criteria are not met.

Metalaxyl: Based on available data, the classification criteria are not met.

Tebuconazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

8/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

Metalaxyl did not cause specific target organ toxicity in experimental animal studies.
Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.
Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.
Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.
Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.
Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.
Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.
Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.
Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.
Metalaxyl did not cause developmental toxicity in rats and rabbits.
Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

9/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
Acute toxicity studies have not been performed on this product as formulated.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient imidacloprid.
LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient imidacloprid.
EC10 (Chironomus riparius (non-biting midge)) 0.00209 mg/l
Exposure time: 28 Days
The value mentioned relates to the active ingredient imidacloprid.
EC50 (Daphnia magna (Water flea)) 1.3 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic plants

EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient imidacloprid.
IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient prothioconazole.

Biodegradability

Imidacloprid:
Not rapidly biodegradable
Prothioconazole:
Not rapidly biodegradable
Metalaxyl:
Not rapidly biodegradable
Tebuconazole:
Not rapidly biodegradable

Koc

Imidacloprid: Koc: 225
Prothioconazole: Koc: 1765
Metalaxyl: Koc: 163
Tebuconazole: Koc: 769

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

10/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

Bioaccumulation

Imidacloprid:
Does not bioaccumulate.
Prothioconazole: Bioconcentration factor (BCF) 19
Does not bioaccumulate.
Metalaxyl: Bioconcentration factor (BCF) < 7
Does not bioaccumulate.
Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.

Mobility in soil

Imidacloprid: Moderately mobile in soils
Prothioconazole: Slightly mobile in soils
Metalaxyl: Moderately mobile in soils
Tebuconazole: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment

Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Metalaxyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Environmental precautions

Apply this product as specified on the label.
Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Do not contaminate water, food, or feed by disposal.
Incineration in a special incineration plant in accordance with the local waste regulation authority.
Follow all local/regional/national/international regulations.

Contaminated packaging

Follow advice on product label and/or leaflet.
Do not re-use empty containers.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

11/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

Triple rinse containers.
Puncture container to avoid re-use.
Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.
If burned, stay out of smoke.

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number **3082**
Class **9**
Packaging group **III**
Marine pollutant **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)**

IATA

UN number **3082**
Class **9**
Packaging group **III**
Environm. Hazardous Mark **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: **INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON**

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1186

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

12/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

US Federal Regulations

TSCA list

Water	7732-18-5
1,2-Propanediol	57-55-6
Ethoxylated tallow alkyl amines	61791-26-2
Polyethylene-polypropylene copolymer	9003-11-6
Calcium 4-[(5-chloro-4-methyl-2-sulphonatophenyl)azo]-3-hydroxy-2-naphthoate	7023-61-2
Glycerine	56-81-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol	57-55-6	MN, RI
Glycerine	56-81-5	MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

Yes

Tebuconazole	107534-96-3
--------------	-------------

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 3.0 / USA
102000029937

13/13
Revision Date: 01/20/2021
Print Date: 01/21/2021

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Moderate eye irritation.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Reviewed and updated for general editorial purposes.

Revision Date: 01/20/2021

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.