

RIDOMIL GOLD MZ WG

Version Revision Date: 2.0 05/03/2023

05/03/2023 S131570990

This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : RIDOMIL GOLD MZ WG

SDS Number:

Design code. : A9651D

Product Registration number : 100-1269

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity

- repeated exposure

Category 2 (Thyroid, Nervous system)

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : May form combustible dust concentrations in air.

H317 May cause an allergic skin reaction.



Version 2.0

Revision Date: 05/03/2023

SDS Number: S131570990

This version replaces all previous versions.

H332 Harmful if inhaled.

H351 Suspected of causing cancer. H360D May damage the unborn child.

H373 May cause damage to organs (Thyroid, Nervous system)

through prolonged or repeated exposure.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

May form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
mancozeb	8018-01-7	64
metalaxyl-M	70630-17-0	4

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.



Version Revision Date: SDS Number: This version replaces all previous versions. S131570990 2.0 05/03/2023

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

There is no specific antidote available. Notes to physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

fire.

Fire will spread by smoldering or slow decomposition.

As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

Environmental precautions Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.



Version 2.0

Revision Date: 05/03/2023

SDS Number: S131570990

This version replaces all previous versions.

Methods and materials for containment and cleaning up

Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed air

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

Conditions for safe storage

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations. This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

: Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
mancozeb	8018-01-7	TWA	1 mg/m3	Supplier
		С	5 mg/m3 (Manganese)	OSHA Z-1
		С	5 mg/m3 (Manganese)	OSHA P0
		TWA	1 mg/m3 (Manganese)	NIOSH REL
		ST	3 mg/m3 (Manganese)	NIOSH REL



Version 2.0

Revision Date: 05/03/2023

SDS Number: S131570990

This version replaces all previous versions.

		TWA (Total)	1 mg/m3	US WEEL
metalaxyl-M	70630-17-0	TWA	5 mg/m3	Syngenta

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection

Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks

Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection

No special protective equipment required.

Skin and body protection

Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective suit

Protective measures

The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.



RIDOMIL GOLD MZ WG

Version Revision Date: 2.0 05/03/2023

SDS Number: S131570990

This version replaces all previous versions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Color : light yellow to light brown

Odor : weak

Odor Threshold : No data available

pH : 6.0 - 8.0

Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Burning number : $5 (212 \degree F / 100 \degree C)$

4 (68 °F / 20 °C)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1 g/cm3

Bulk density : 0.45 - 0.65 g/cm3

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : 306 °F / 152 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive



RIDOMIL GOLD MZ WG

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 05/03/2023 S131570990

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Surface tension : 57.8 mN/m, 68 °F / 20 °C

Minimum ignition energy : 300 - 1,000 mJ

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : No

Hazardous decomposition

products

None known.

No dangerous reaction known under conditions of normal use.

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 2.02 - 5.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

mancozeb:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg



RIDOMIL GOLD MZ WG

Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 05/03/2023 S131570990

metalaxyl-M:

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

mancozeb:

Species : Rabbit

Result : No skin irritation

metalaxyl-M:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

mancozeb:

Species : Rabbit

Result : No eye irritation

metalaxyl-M:

Species : Rabbit

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Product:

Test Type : Buehler Test Species : Guinea pig



RIDOMIL GOLD MZ WG

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 05/03/2023 S131570990

Result : May cause sensitization by skin contact.

Components:

mancozeb:

Species : Guinea pig

Result : May cause sensitization by skin contact.

metalaxyl-M:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

mancozeb:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

metalaxyl-M:

Germ cell mutagenicity -

Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Components:

mancozeb:

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in animal studies

ment

metalaxyl-M:

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

mancozeb:

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

metalaxyl-M:

Reproductive toxicity - As- : No toxicity to reproduction



RIDOMIL GOLD MZ WG

Version 2.0 Revision Date: 05/03/2023

SDS Number: S131570990

This version replaces all previous versions.

sessment

STOT-repeated exposure

Components:

mancozeb:

Target Organs : Thyroid, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

metalaxyl-M:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 23 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus (Water flea)): 0.8 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.219 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.031 mg/l

End point: Growth rate Exposure time: 72 h

Components:

mancozeb:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.088 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.073 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.032 mg/l

Exposure time: 120 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):

0.009 mg/l

End point: Growth rate Exposure time: 120 h

Toxicity to fish (Chronic tox- : EC10 (Pimephales promelas (fathead minnow)): 0.00127 mg/l



RIDOMIL GOLD MZ WG

Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 05/03/2023 S131570990

> icity) Exposure time: 215 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.0109 mg/l

Exposure time: 21 d

metalaxyl-M:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

271 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

19.7 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity) Toxicity to microorganisms NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 d

EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

mancozeb:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 5.8 - 55 h

Remarks: Product is not persistent.

metalaxyl-M:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 22.4 - 47.5 d

Remarks: Product is not persistent.

Bioaccumulative potential

Components:

mancozeb:



RIDOMIL GOLD MZ WG

Version Revision Date: 2.0 05/03/2023

SDS Number: S131570990

This version replaces all previous versions.

Bioaccumulation Bioconcentration factor (BCF): < 100

Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

log Pow: 1.38

metalaxyl-M:

Bioaccumulation Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

log Pow: 1.71 (77 °F / 25 °C)

Mobility in soil

Components:

mancozeb:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Stability in soil Dissipation time: 6 - 15 h

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

metalaxyl-M:

Distribution among environ-

mental compartments

Remarks: Metalaxyl has a range from low to very high mobility

in soil depending on soil type.

Stability in soil Dissipation time: < 50 d

> Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

mancozeb:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

metalaxyl-M:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.



RIDOMIL GOLD MZ WG

Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 05/03/2023 S131570990

> Contaminated packaging Empty remaining contents.

> > Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN 3077 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

(MANCOZEB)

Class 9 Packing group Ш Labels 9

IATA-DGR

UN 3077 UN/ID No.

Environmentally hazardous substance, solid, n.o.s. Proper shipping name

(MANCOZEB)

Class 9 Ш Packing group

Miscellaneous Labels

Packing instruction (cargo 956

aircraft)

Packing instruction (passen-

ger aircraft)

956

Environmentally hazardous

yes

IMDG-Code

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MANCOZEB)

Class 9 Packing group Ш Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number **UN 3077**

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(MANCOZEB)

Class 9 Packing group Ш Labels CLASS 9 171 **ERG Code**

yes(MANCOZEB) Marine pollutant



Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 05/03/2023 S131570990

Remarks : Above applies only to containers over 119 gallons or 450

liters. Not regulated if shipped in packages less than or equal

to 119 gallons (450 liters).

Special precautions for user

Remarks : Above applies only to containers over 119 gallons or 450

liters. Not regulated if shipped in packages less than or equal

to 119 gallons (450 liters).

49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Causes moderate eye irritation.

Avoid contact with eyes or clothing.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
mancozeb	8018-01-7	5000	7812

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Acute toxicity (any route of exposure) Respiratory or skin sensitization

Carcinogenicity
Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

mancozeb 8018-01-7 >= 50 - < 70 %

California Prop. 65

ATTENTION: This product can expose you to chemicals including mancozeb and ethylene thiourea which are known to the State of California to cause cancer and ethylene thiourea which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 05/03/2023 S131570990

WARNING: This product can expose you to chemicals including mancozeb, 50-00-0, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:

Health 2 0 Instability

Special hazard

HMIS® IV:

HEALTH	*	2
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA P0 / C : Ceiling limit OSHA Z-1 / C : Ceiling

Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System;



Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 05/03/2023 S131570990

GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/03/2023

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8