

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

### SECTION 1. IDENTIFICATION

Product name : ROYAL MH®-30 XTRA

Product code : 400000003986

#### Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc  
245 Freight St  
Waterbury, CT  
United States of America  
06702  
Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet :  
sds.request@arysta.com

#### 1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300  
For additional emergency telephone numbers see section 16 of the  
Safety Data Sheet.

#### Recommended use of the chemical and restrictions on use

Recommended use : Plant growth regulator

Restrictions on use : Agriculture, For professional users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Dermal) : Category 4


Eye irritation : Category 2A

#### GHS Label element

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

Hazard pictograms : 

Signal word : Warning

Hazard statements : H312 Harmful in contact with skin.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.  
P280 Wear protective gloves/ protective clothing.  
**Response:**  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Substance name : Aqueous KMH solution

Chemical nature : Maleic hydrazide, potassium salt - 2.25 lb/gal  
Maleic hydrazide, potassium salt - 270 gm/L

### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	>= 5 - < 10

## SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.  
If not breathing, give artificial respiration.  
Call a POISON CENTER or doctor/ physician.

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

- In case of skin contact : Remove contaminated clothing and shoes.  
Wash off immediately with plenty of water for at least 15 minutes.  
Call a POISON CENTER or doctor/ physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
Call a POISON CENTER or doctor/ physician.  
  
Call a POISON CENTER or doctor/ physician.
- If swallowed : Call a physician or poison control centre immediately.  
Have person sip a glass of water if able to swallow.  
If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Never give anything by mouth to an unconscious person.  
Call a POISON CENTER or doctor/ physician.
- Most important symptoms and effects, both acute and delayed : irritant effects  
Symptoms may be delayed.  
Causes serious eye irritation.  
Harmful in contact with skin.  
May be harmful if inhaled.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - large fires  
Alcohol-resistant foam  
(on small fires)  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Water spray
- Unsuitable extinguishing media : Water spray jet
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Do not discharge extinguishing waters into streams, rivers and lakes.
- Special protective equipment for firefighters : Body covering protective clothing, full "turn-out" gear.  
Self-contained breathing apparatus
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency pro- : Wear suitable protective equipment.

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

cedures

- Environmental precautions : Prevent leaks and prevent soil / water pollution caused by leaks.  
May be harmful to aquatic life.
- Methods and materials for containment and cleaning up : Absorb on inert material such as sand, earth, vermiculite.  
Collect for disposal.  
Dam up.  
Large spills should be collected mechanically (remove by pumping) for disposal.  
Pump excess material into suitable container (metal drums, metal tank, or such).
- In accordance with local and national regulations.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Avoid contact with skin, eyes and clothing.  
Use with adequate ventilation.
- Conditions for safe storage : Keep in a dry, cool place.
- 

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hand protection
- Remarks : Impervious gloves
- Eye protection : Safety glasses with side-shields
- Skin and body protection : Impervious clothing
- 

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : clear, colourless, to, light yellow
- Odour : sweet
- Odour Threshold : No data available
-

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

pH : 8.5 - 9.5

Melting point/range : Not applicable

Boiling point/boiling range : No data available

Flash point : Not combustible.

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.19 g/cm<sup>3</sup> (25 °C)

Solubility(ies)

    Water solubility : soluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

---

### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Incompatible materials : Oxidizing agents  
Strong acids and strong bases

Hazardous decomposition products : Burning produces noxious and toxic fumes.

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

**Product:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### Skin corrosion/irritation

**Product:**

Species: Rabbit  
Result: Mild skin irritation

#### Serious eye damage/eye irritation

**Product:**

Species: Rabbit  
Result: Irritating to eyes.

#### Respiratory or skin sensitisation

**Product:**

Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Germ cell mutagenicity - Assessment : negative

#### Carcinogenicity

**Product:**

Carcinogenicity - Assessment : negative

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

**OSHA**      No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**      No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

**Product:**

Reproductive toxicity - Assessment : negative

### STOT - single exposure

**Product:**

Remarks: No data available

### STOT - repeated exposure

**Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 104 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to algae : IC50 (Skeletonema costatum (marine diatom)): > 102 mg/l  
End point: Growth inhibition  
Exposure time: 5 d  
Test Type: static test  
Analytical monitoring: yes  
GLP: yes

IC50 (Freshwater algae): > 95 mg/l

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

Exposure time: 5 d  
Test Type: static test  
Analytical monitoring: yes  
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 120 mg/l  
Exposure time: 7 d

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : The product itself has not been tested.  
Information refers to the main component.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Dispose of wastes in an approved waste disposal facility.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Maleic hydrazide)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR



# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

UN/ID No. : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Maleic hydrazide)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Maleic hydrazide)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.  
(Maleic hydrazide)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : no  
Remarks : Not regulated by DOT and TDG if shipped or transported in packaging less than 8400 liters by road and/or rail. Please refer to 49 CFR for any details.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
ethylene oxide	75-21-8	10	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylene oxide	75-21-8	10	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SSARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : The following components are subject to reporting levels established by SARA Title III, Section 302:

ethylene oxide	75-21-8	0.0001 %
----------------	---------	----------

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. Clean Water Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

ethylene oxide	75-21-8
----------------	---------

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

ethylene oxide	75-21-8
----------------	---------

### FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version	Revision Date:	MSDS Number:	Country: US
1.16	10/23/2015	400000003986	Language: EN

---

workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

### CAUTION

Causes moderate eye injury. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version  
1.16


Revision Date:  
10/23/2015

MSDS Number:  
400000003986

Country: US  
Language: EN

### Further information

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 10/23/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479

# SAFETY DATA SHEET

## ROYAL MH®-30 XTRA

Version 1.16      Revision Date: 10/23/2015      MSDS Number: 400000003986      Country: US  
Language: EN

---

	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670