

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Salibro™

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 800-992-5994
E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
+1 800-992-5994 or +1 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : Nematicide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity : Category 2 (Liver)
- repeated exposure

GHS label elements

Hazard pictograms :



SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
Response:
P314 Get medical advice/ attention if you feel unwell.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fluazaindolizine	1254304-22-7	41.15
Balance	Not Assigned	> 50

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.
Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

If inhaled : Call a poison control center or doctor for treatment advice.
If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Call a physician.

In case of skin contact : Take off all contaminated clothing immediately.
Rinse skin immediately with plenty of water for 15-20 minutes.
Wash contaminated clothing before re-use.

In case of eye contact : Hold eye open and rinse slowly and gently with water for 15-

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

- 20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.
- If swallowed : Have person sip a glass of water if able to swallow.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Never give anything by mouth to an unconscious person.
Call a poison control center or doctor for treatment advice.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Combustion products may include and are not limited to:
Nitrogen oxides (NOx)
Carbon oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET



Salibro™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/31/2023	800080006406	Date of first issue: 05/31/2023

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
Use personal protective equipment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapors/dust.
Do not smoke.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Avoid inhalation of vapor or mist.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Take care to prevent spills, waste and minimize release to the environment.
Mix thoroughly before use.

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

- Conditions for safe storage : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store near acids.
Strong oxidizing agents
- Recommended storage temperature : > 32 °F / > 0 °C
- Packaging material : Unsuitable material: None known.
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

Personal protective equipment

- Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.
- Hand protection
- Remarks : Protective gloves
- Eye protection : Wear safety glasses with side shields.
Additionally wear a face shield where the possibility exists for face contact due to splashing, spraying or airborne contact with this material.
- Skin and body protection : Where there is potential for skin contact have available and wear as appropriate impervious gloves, apron, pants, and jacket.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

using the toilet.
Avoid breathing dust or vapor.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : off-white

Odor : mild, acidic, chemical.

Odor Threshold : No data available

pH : 4

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 205 °F / > 96 °C

Evaporation rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative density : No data available

Density : 1.205 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : dispersible

Autoignition temperature : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

- Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.
- Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
May form explosive dust-air mixture.
- Conditions to avoid : None known.
- Incompatible materials : Strong acids
Strong bases
- Hazardous decomposition products : Decomposition products depend upon temperature, air supply
and the presence of other materials.
Decomposition products can include and are not limited to:
Nitrogen oxides (NOx)
Carbon oxides
-

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Components:

Fluazaindolizine:

- Acute oral toxicity : LD50 (Rat): 3,129 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : No skin irritation

Components:**Fluazaindolizine:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**Fluazaindolizine:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization**Product:**

Species : Mouse
Assessment : Does not cause skin sensitization.

Components:**Fluazaindolizine:**

Species : Mouse
Assessment : Does not cause skin sensitization.

Germ cell mutagenicity**Components:****Fluazaindolizine:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects., Overall weight of evidence shows this material is not mutagenic.

Carcinogenicity**Components:****Fluazaindolizine:**

Carcinogenicity - Assess- : Did not cause cancer in laboratory animals.

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

Fluazaindolizine:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Did not cause birth defects or any other fetal effects in laboratory animals.

STOT-single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Fluazaindolizine:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

STOT-repeated exposure

Components:

Fluazaindolizine:

Target Organs : Liver
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Fluazaindolizine:

Remarks : In animals, effects have been reported on the following organs:
Liver

Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

Aspiration toxicity**Product:**

Based on physical properties, not likely to be an aspiration hazard.

Components:**Fluazaindolizine:**

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 99.4 mg a.s./L
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): , 43 mg a.s./L
aquatic invertebrates Exposure time: 48 h

Toxicity to terrestrial organ- : LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
isms

LD50 (Apis mellifera (bees)): > 132 µg/bee
Exposure time: 72 h
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

Components:**Fluazaindolizine:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 26
mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: Material is slightly toxic to fish on an acute basis
(LC50 between 10 and 100 mg/L).

LC50 (Oncorhynchus mykiss (rainbow trout)): > 60 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 58 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 120 mg/l

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

aquatic invertebrates End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Lemna gibba G3 (gibbous duckweed)): 28.5 mg/l
End point: Frond
Exposure time: 7 d
Test Type: Static renewal test
Method: OECD Test Guideline 221

NOEC (Lemna gibba G3 (gibbous duckweed)): 7.2 mg/l
End point: Frond
Exposure time: 7 d
Test Type: Static renewal test
Method: OECD Test Guideline 221

ErC50 (Pseudokirchneriella subcapitata (green algae)): 46 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 12 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.5 mg/l
Exposure time: 34 d
Test Type: flow-through test
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.2 mg/l
Exposure time: 21 d
Test Type: Semi-Static-Life-Cycle
Method: OECD Test Guideline 211

NOEC (Americamysis bahia (mysid shrimp)): 0.62 mg/l
Exposure time: 28 d
Test Type: flow-through test

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 100 mg/kg
Exposure time: 28 d
Method: OECD Test Guideline 222

Toxicity to terrestrial organisms : oral LD50 (Apis mellifera (bees)): >19,62 µg/b
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

contact LD50 (Apis mellifera (bees)): >200 µg/b

Salibro[™]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/31/2023	800080006406	Date of first issue: 05/31/2023

Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (Colinus virginianus (Bobwhite quail)): > 2250 mg/kg
bodyweight.
Method: US EPA Test Guideline OPPTS 850.2100

LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 mg/kg
Exposure time: 5 d
Method: OECD Test Guideline 205

Persistence and degradability**Components:****Fluazaindolizine:**

Biodegradability : Result: Not biodegradable

Bioaccumulative potential**Components:****Fluazaindolizine:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil**Components:****Balance:**

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects**Components:****Balance:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SAFETY DATA SHEET



Salibro™

Version 1.0 Revision Date: 05/31/2023 SDS Number: 800080006406 Date of last issue: -
Date of first issue: 05/31/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluazaindolizine)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Fluazaindolizine)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluazaindolizine)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes(Fluazaindolizine)
Remarks : Stowage category A

SAFETY DATA SHEET



Salibro™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/31/2023	800080006406	Date of first issue: 05/31/2023

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic

SAFETY DATA SHEET



Salibro™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/31/2023	800080006406	Date of first issue: 05/31/2023

Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/31/2023

Product code: GF-3880

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN