

1 Identification

· **Product identifier**

· **Trade name:** *Sanmite® SC Miticide/Insecticide*

EPA Registration No.: 81880-29-10163

· **CAS Number:** *Active Ingredient: Pyridaben (42.47%), CAS:96489-71-3*

· **Application of the substance / the mixture** *Agricultural Miticide/Insecticide*

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Gowan Company

P.O. Box 5569

Yuma, Arizona 85366-5569

(928) 783-8844

· **Information department:** *sds@gowanco.com*

· **Emergency telephone number:**

Chemtec® Emergency Telephone 24 - Hours: (Spills, leak or fire) Inside U.S. & Canada: (800) 424-9300

Outside the U.S. & Canada: +011 (703) 527-3887

For medical emergency (Prosar®): (888) 478-0798

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS09

· **Signal word** *Warning*

· **Hazard-determining components of labeling:**

Pyridaben

1,2-benzisothiazolin-3-one

· **Hazard statements**

Harmful if swallowed or if inhaled.

May cause an allergic skin reaction.

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 1)

Very toxic to aquatic life.
 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Avoid release to the environment.

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Hazard description:**

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

HAZARD INDEX:

4 Severe Hazard

3 Serious Hazard

2 Moderate Hazard

1 Slight Hazard

0 Minimal Hazard

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable in US.

· **vPvB:** Not applicable in US.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

Pyridaben	42.47%
⚠ Acute Tox. 3, H301; Acute Tox. 3, H331; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

4 First-aid measures

· **Description of first aid measures**

· **General information:**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also contact 1-888-478-0798 for emergency medical treatment information.

· **After inhalation:**

• Move person to fresh air.

• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 2)

- mouth if possible.
- Call poison control center or doctor for further treatment advice.
- **After skin contact:**
 - Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- **After eye contact:**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.
- **After swallowing:**
 - Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
Remain upwind. Avoid breathing smoke. Use water spray to cool containers exposed to fire. Contain run-off.
 - **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from target area. Drift or runoff from treated areas may be hazardous to fish in adjacent sites. This product is highly toxic to bees
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-I:**

None of the ingredients are listed.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 3)

· PAC-2:

None of the ingredients are listed.

· PAC-3:

None of the ingredients are listed.

7 Handling and storage

· Handling:

· Precautions for safe handling

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool, dry place.

· Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

· Material of gloves Chemical-resistant made of any waterproof material

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 4)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.
- **Body protection:**
 - coveralls
 - Shoes plus socks
 - Waterproof gloves
 - Protective eye wear

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· **Form:** Liquid

· **Color:** Off-white

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 6.7

· Change in condition

· **Melting point/Melting range:** Undetermined.

· **Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

· **Lower:** Not determined.

· **Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 1.057 g/cm³ (8.82067 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· Solubility in / Miscibility with

· **Water:** Dispersible.

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

· **Dynamic:** Not determined.

· **Kinematic:** Not determined.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 5)

· **Other information** *No further relevant information available.*

10 Stability and reactivity

- **Reactivity** *No decomposition if used according to rules.*
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *Strong oxidizers*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	1,098 mg/kg (rat) female
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	>2.1 mg/l (rat)

- **Primary irritant effect:**
 - **on the skin:** *Slightly irritating*
 - **on the eye:** *Moderately Irritating*
- **Sensitization:** *Sensitization possible through skin contact.*
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **NTP (National Toxicology Program)**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** *No further relevant information available.*
 - **Mobility in soil** *No further relevant information available.*

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 6)

- **Ecotoxicological effects:**
 - **Remark:** Toxic for fish
- **Additional ecological information:**
 - **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Also poisonous for fish and plankton in water bodies.
 Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:**

Pesticide wastes are acutely hazardous. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of federal law. If these wastes cannot be disposed of according to label instructions, contact the state agency responsible for pesticide regulation or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- **Uncleaned packagings:**
 - **Recommendation:**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

14 Transport information

- | | |
|--|---|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA | UN3287 |
| <ul style="list-style-type: none"> · UN proper shipping name · ADR · IMDG · IATA | 3287 Toxic liquid, inorganic, n.o.s. (Pyridaben), ENVIRONMENTALLY HAZARDOUS
TOXIC LIQUID, INORGANIC, N.O.S. (Pyridaben, 1,2-benzisothiazolin-3-one), MARINE POLLUTANT
TOXIC LIQUID, INORGANIC, N.O.S. (Pyridaben) |

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 7)

· **Transport hazard class(es)**

· **ADR, IMDG**



· **Class** 6.1 Toxic substances
 · **Label** 6.1

· **IATA**



· **Class** 6.1 Toxic substances
 · **Label** 6.1

· **Packing group**

· **ADR, IMDG, IATA** III

· **Environmental hazards:**

· **Marine pollutant:** Product contains environmentally hazardous substances: Pyridaben
 Symbol (fish and tree)
 · **Special marking (ADR):** Symbol (fish and tree)

· **Special precautions for user**

Warning: Toxic substances
 · **Danger code (Kemler):** 60
 · **EMS Number:** F-A,S-A
 · **Stowage Category** A
 · **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

· **Transport/Additional information:**

· **Quantity limitations** On passenger aircraft/rail: 60 L
 On cargo aircraft only: 220 L

· **ADR**

· **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **IMDG**

· **Limited quantities (LQ)** 5L
 · **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (PYRIDABEN), 6.1, III, ENVIRONMENTALLY HAZARDOUS

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 8)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EPA /FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

· **SARA Title III**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

CAS: 2634-33-5 | 1,2-benzisothiazolin-3-one

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

Not applicable

· **Signal word**

(US EPA) CAUTION

· **Hazard-determining components of labeling:**

Pyridaben

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA

Printing date 01/17/2018

Reviewed on 01/17/2018

Trade name: Sanmite® SC Miticide/Insecticide
EPA Registration No.: 81880-29-10163

(Contd. of page 9)

1,2-benzisothiazolin-3-one

- **Hazard statements**

- Harmful if swallowed or if inhaled.

- May cause an allergic skin reaction.

- Very toxic to aquatic life.

- Very toxic to aquatic life with long lasting effects.

- **Precautionary statements**

- Avoid breathing dust/fume/gas/mist/vapors/spray

- Avoid release to the environment.

- Wear protective gloves.

- If swallowed: Call a poison center/doctor if you feel unwell.

- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- Specific treatment (see on this label).

- Wash contaminated clothing before reuse.

- Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Supply Chain

- **Contact:** sds@gowanco.com

- **Date of preparation / last revision** 01/17/2018 / 10

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation

- IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)

- LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health

- TLV: Threshold Limit Value

- PEL: Permissible Exposure Limit

- REL: Recommended Exposure Limit

- Acute Tox. 3: Acute toxicity – Category 3

- Acute Tox. 4: Acute toxicity – Category 4

- Skin Sens. 1: Skin sensitisation – Category 1

- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- *** Data compared to the previous version altered.**