



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

1/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	SCALA® BRAND SC FUNGICIDE
Product code (UVP)	06332900
SDS Number	102000011440
EPA Registration No.	264-788

Relevant identified uses of the substance or mixture and uses advised against

Use	Fungicide
Restrictions on use	See product label for restrictions.

Information on manufacturer

Bayer CropScience
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

All Emergencies, 24hr/ 7 days 1-800-334-7577

Product Information Telephone No.	1-866-99BAYER (1-866-992-2937)
-----------------------------------	--------------------------------

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No particular hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Pyrimethanil	53112-28-0	54.60
1,2-Propanediol	57-55-6	7.50



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

2/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Dry powder, Carbon dioxide (CO₂), Foam, Water spray

Unsuitable None known.

Special hazards arising from the substance or mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information

Fight fire from upwind position. Keep out of smoke. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

3/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

Flash point	No flash point - Determination conducted up to the boiling point.
Autoignition temperature	The product is not self-ignitable.
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

4/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrimethanil	53112-28-0	5.6 mg/m3 (TWA)		OES BCS*
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL
1,2-Propanediol	57-55-6	1000 ug/m3 (ST ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	50 ug/m3 (ST ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	100 ug/m3 (AN ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	50 ppb (AN ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	500 ppb (ST ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	5 ug/m3 (AN ESL)	03 2012	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Chemical-resistant gloves made of waterproof material such as neoprene, butyl rubber, barrier laminate or nitrile rubber.

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
10200011440

5/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	liquid suspension
Odor	slight
Odour Threshold	no data available
pH	6.9 (1 %) aqueous suspension
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.10 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	dispersible
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n-octanol/water	no data available
Viscosity	500 - 1,000 mPa.s
Flash point	No flash point - Determination conducted up to the boiling point.
Autoignition temperature	The product is not self-ignitable.
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	Not explosive



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
10200011440

6/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	not applicable
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	freezing
Incompatible materials	Organic materials
Hazardous decomposition products	Thermal decomposition can lead to release of: Nitrogen oxides (NO _x) Carbon monoxide Hydrogen cyanide (hydrocyanic acid)

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Inhalation, Eye contact, Skin contact
Immediate Effects	
Eye	May cause slight irritation.
Ingestion	Harmful if swallowed.
Information on toxicological effects	
Acute oral toxicity	LD50 (male rat) > 5,000 mg/kg LD50 (female rat) 4,505 mg/kg
Acute inhalation toxicity	LC50 (rat) > 4.41 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths LC50 (rat) > 17.64 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (rat) > 5,000 mg/kg



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

7/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

Skin irritation	No skin irritation (rabbit)
Eye irritation	Minimally irritating. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Pyrimethanil did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

Assessment Mutagenicity

Pyrimethanil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Pyrimethanil was not carcinogenic in lifetime feeding studies in mice. Pyrimethanil caused at high dose levels an increased incidence of tumours in rats in the following organ(s): thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Pyrimethanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrimethanil did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 10.56 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient pyrimethanil.
-------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

8/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) 2.9 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient pyrimethanil.
Toxicity to aquatic plants	IC50 (Pseudokirchneriella subcapitata) 1.2 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient pyrimethanil.
Biodegradability	Pyrimethanil: not rapidly biodegradable
Koc	Pyrimethanil: Koc:301
Bioaccumulation	Pyrimethanil: Does not bioaccumulate.
Mobility in soil	Pyrimethanil: Moderately mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Contaminated packaging	Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

9/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRIMETHANIL SOLUTION)
IATA	
UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRIMETHANIL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-788

US Federal Regulations

TSCA list

1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Canadian Regulations

Canadian Domestic Substance List

1,2-Propanediol 57-55-6



SCALA® BRAND SC FUNGICIDE

Version 3 / USA
102000011440

10/10
Revision Date: 01/03/2014
Print Date: 03/19/2015

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

1,2-Propanediol 57-55-6

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:

Caution!

Hazard statements:

Harmful if swallowed.
Avoid breathing spray mist.
Avoid contact with skin, eyes and clothing.
Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 01/03/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.