

Safety Data Sheet

NFPA HAZARD RATING				U.S. TRANSPORT SUMMARY	
0	Least				Regulated in bulk packaging (119 gallons and greater); see Section 14 for additional information.
1	Slight	2	Health		
2	Moderate	2	Flammability		
3	High	1	Reactivity		
4	Severe				

SECTION 1: IDENTIFICATION	
Product Name: Section® 2EC EPA Registration #: 1381-204 Product ID/Unity #: 10006884, 10110618, 10118474, 10127526, 1414032, 1424463 (Check product packaging to ensure EPA registration number on package matches the number on this Safety Data Sheet) Common Name: Clethodim Chemical Description: Cyclohexene oxime herbicide Recommended Uses: Agricultural Plant Growth Regulator – See product label for complete list of uses and use sites. Restrictions for Use: See product label for information regarding restrictions on the use of this product.	MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs) Non-Emergency Business Inquiries: 1-855-494-6343 Mon – Fri 8am – 5pm (Central Standard Time)
Manufactured For: WINFIELD SOLUTIONS, LLC P. O. Box 64589 St. Paul, MN 55164-0589	
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)	

SECTION 2: HAZARDS IDENTIFICATION			
EMERGENCY OVERVIEW: Dark amber liquid. Combustible liquid. Causes moderate eye irritation.			
POTENTIAL HEALTH EFFECTS:			
Eyes: Causes moderate but temporary eye irritation. Skin: May cause mild but temporary skin irritation with prolonged contact. Inhalation: May cause mild irritation of the upper respiratory tract. Ingestion: May cause irritation of the gastric system. Preexisting Conditions: None known Chronic Health Effects: None known			
Carcinogenicity	NTP: Not listed	IARC: Not listed	OSHA: Not listed
OSHA HCS 2012 CLASSIFICATION: Flammable Liquid Category 4; Eye Irritation Category 2A			
SIGNAL WORD: WARNING			
HAZARD STATEMENTS:			
Combustible liquid. Causes serious eye irritation.			
Percent of product with unknown toxicity: 0%			
PRECAUTIONARY STATEMENTS:			
Prevention: Keep away from flames and hot surfaces. - No smoking. Wear protective gloves, eye protection and face protection. Wash hands thoroughly after handling.			

Continued on next page

Response:	In case of fire: Use dry chemical, foam, carbon dioxide, water fog or water spray to extinguish. If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage:	Store in a well-ventilated place. Keep cool.
Disposal:	Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	% (wt)	CAS Reg. #
Clethodim	26.4%	99129-21-2
Petroleum distillates (contains)	65.0 – 70.0%	64742-94-5
Trimethylbenzene	2.0 – 3.0%	-
Naphthalene	5.0 – 7.0%	91-20-3
*Ingredients not specifically listed are non-hazardous and/or are considered to be confidential business information under 29 CFR 1910.1200(i).		
See Section 8 for exposure limits.		

SECTION 4: FIRST AID MEASURES	
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.
Ingestion:	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.
NOTE TO PHYSICIAN: Contains a petroleum distillate solvent, vomiting may cause aspiration pneumonia.	

SECTION 5: FIRE FIGHTING MEASURES
Suitable Extinguishing Media: Dry chemical, foam, carbon dioxide, water fog or water spray.
Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind. Combustible liquid. Can form explosive mixtures at temperatures at or above the flashpoint.
Hazardous Combustion Products: Can burn in fire, releasing irritating and toxic gases such as oxides of nitrogen and sulfur or toxic compounds of chlorine due to thermal decomposition or combustion.
Unusual Fire and Explosion Hazards: Explosive vapor could form from ruptured containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES
Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.
Environmental Precautions: Do not allow spilled product to enter sewers or waterways.
Methods for Containment: Contain spilled product by diking area with sand or earth.
Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Avoid the use of combustible materials such as sawdust. Scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container. Eliminate all ignition sources.
Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the pesticide product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire. Avoid temperatures above 90°F (35°C) See pesticide product label for additional storage information.

Minimum Storage Temperature: Not determined

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines			
Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Petroleum distillates		100 ppm	
Trimethylbenzene		25 ppm (TWA)	
Naphthalene	50 mg/m ³ , 10ppm (TWA)	10 ppm (TWA) 15 ppm (STEL)	

NOTE TO END USERS: PERSONAL PROTECTIVE EQUIPMENT (PPE) AND CLOTHING LISTED IN THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PESTICIDE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT (PPE) AND CLOTHING.

Respiratory Protection: If conditions are poorly ventilated, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for general pesticides.

Engineering Controls: **Local Exhaust:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Protective Gloves: Wear chemically protective gloves to prevent exposure to skin.

Eye Protection: To avoid contact with eyes, wear chemical safety goggles or safety glasses and full face shield. Contact lenses are not protective eye devices.

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact.

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Specific Gravity (H₂O=1):	1.15 – 1.21 (typical)
Vapor Pressure (mm Hg):	Not determined	Density (lbs/gallon):	9.6 – 10.1 lbs/gallon (typical)
Vapor Density (Air=1):	Not determined	Melting Point/Freezing Point:	Not determined
Solubility in Water (wt %):	Emulsifies	Boiling Point/Range:	Not determined
Viscosity:	3.33 cSt (20°C); 2.15 cSt (40°C)	pH:	3.8 – 4.8
Appearance and odor:	Dark amber liquid	Flash Point:	149°F (65°C)

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. Unstable when exposed to extremes of pH, elevated temperatures, oxygen or U.V. light.

Possibility of Hazardous Reactions: Will not occur.

Conditions to Avoid: Avoid temperatures above 90°F (35°C), exposure to air or direct sunlight. Keep containers sealed.

Incompatible Materials: Oxidizing materials

Hazardous Decomposition Products: Oxides of hydrogen, nitrogen and sulfur.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Eye Effects: Moderately irritating (rabbit)
Skin Effects: Moderately irritating (rabbit). LD50 >5,000 mg/kg (rat). Not a contact sensitizer (guinea pig)
Acute Inhalation Effects: LC50 >2.03 mg/L (rat)
Acute Oral Effects: LD50 5,000 mg/kg (rat)
Specific Target Organ Toxicity: None known

CHRONIC TOXICITY

Chronic Effects: None known
Carcinogenicity: None known
Mutagenicity: None known
Teratogenicity: Not known to exhibit reproductive effects. Some teratogenic (birth defect) effects were noted in rats tested at maternally toxic doses.
Reproductive Toxicity: None known

POTENTIAL HEALTH EFFECTS:

Eyes: Causes moderate but temporary eye irritation.
Skin: May cause mild but temporary skin irritation with prolonged contact.
Inhalation: May cause mild irritation of the upper respiratory tract.
Ingestion: May cause irritation of the gastric system.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Not determined

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity: Clethodim Technical:
 96 hour LC50 for Rainbow Trout = 67 mg/L
 96 hour LC50 for Bluegill = 120 mg/L
Aquatic Invertebrate Acute Toxicity: Not determined
Aquatic Plant Toxicity: Not determined
Bird Acute and Prolonged Toxicity: Clethodim Technical:
 Dietary LC50 for Bobwhite Quail >4,000 ppm
 Dietary LC50 for Mallard Duck >4,000 ppm
Honeybee Toxicity: Contact LD50 >100 ug/bee

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility: Clethodim is very soluble in water and mobile in soil.
Persistence and degradability: Clethodim degrades rapidly via photolysis with a soil half-life of 3 – 10 days.
Bioaccumulative Potential: Not determined
Other adverse effects: Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.
Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations.
See pesticide product label for full instructions on disposal.
RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

