

SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

1/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

SENCOR® 75 DF HERBICIDE
04399641
102000007121
17242
e substance or mixture and uses advised against
Herbicide
See product label for restrictions.
Bayer CropScience Inc #200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3 Canada
Email: SDSINFO.BCS-NA@bayer.com
1-800-334-7577
1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Warning

Hazard statements Harmful if swallowed. Harmful if inhaled.

Precautionary statements Wash thoroughly after handling. Avoid breathing dust.



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

2/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell. Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name Metribuzin Crystalline quartz (respirable) **CAS-No.** 21087-64-9 14808-60-7 Concentration % by weight 75 0.18

SECTION 4: FIRST AID MEASURES

Description of first aid measures		
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Breathing difficulties, Sedation	
Indication of any immediate medical attention and special treatment needed		



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

3/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

Treatment

Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Water, Dry chemical
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	Not applicable
Auto-ignition temperature	No data available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	Dust may form explosive mixture in air.
Dust explosion class	No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Avoid dust formation. Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations. Contaminated soil may have to be removed and disposed.	
Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.	



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

4/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

Reference to other sections Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.	
Advice on protection against fire and explosion	Keep away from heat and sources of ignition. Avoid dust formation by friction. Dust may form explosive mixture in air.	
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove contaminated clothing immediately and dispose of safely. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.	
Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,	

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Metribuzin	21087-64-9	5 mg/m3 (TWA)	07 2009	CAD AB OEL
Metribuzin	21087-64-9	5 mg/m3 (TWA)	09 2011	CAD BC OEL
Metribuzin	21087-64-9	5 mg/m3 (TWA)	03 2011	CAD MB OEL
Metribuzin	21087-64-9	5 mg/m3 (TWA)	11 2010	CAD ON OEL
Metribuzin	21087-64-9	5 mg/m3 (8 HR ACL)	05 2009	CAD SK OEL



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

5/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

Metribuzin	21087-64-9	10 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL
Metribuzin	21087-64-9	5 mg/m3 (TWA)	11 2011	OEL (QUE)
Metribuzin	21087-64-9	0.36 mg/m3 (SK-SEN)		OES BCS*
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (TWA)	07 2009	CAD AB OEL
(Respirable particles.)				
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (TWA)	09 2011	CAD BC OEL
(Respirable fraction.)				
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (TWA)	03 2011	CAD MB OEL
(Respirable fraction.)				
Crystalline quartz (respirable)	14808-60-7	0.10 mg/m3 (TWA)	06 2015	CAD ON OEL
(Respirable fraction.)				
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (8 HR ACL)	05 2009	CAD SK OEL
(Respirable fraction.)				
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m3 (TWA)	11 2011	OEL (QUE)
(Respirable dust.)				

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

6/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	grey-beige
Physical State	water-dispersible granules
Odor	musty
Odour Threshold	No data available
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Bulk density	0.53 - 0.59 g/ml (loose)
Evaporation rate	Not applicable
Boiling Point Melting / Freezing Point	Not applicable Not applicable
Water solubility	dispersible
Minimum Ignition Energy	No data available
Decomposition temperature	No data available
Partition coefficient: n- octanol/water	No data available
Flash point	Not applicable
Auto-ignition temperature	No data available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	Dust may form explosive mixture in air.
Dust explosion class	No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	No data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 102000007121

7/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

Conditions to avoid	Sustained temperatures above 37.8 °C (100 °F).
Incompatible materials	Strong bases, Ketones, Aldehydes
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Inhalation, Skin Absorption, Eye contact	
Immediate Effects Eye	Moderate eye irritation.	
Skin	Harmful if absorbed through skin.	
Ingestion	Harmful if swallowed.	
Inhalation	Harmful if inhaled.	
Information on toxicological effects		
Acute oral toxicity	LD50 (male Rat) 2,365 mg/kg LD50 (female Rat) 1,449 mg/kg	
Acute inhalation toxicity	LC50 (male/female combined Rat) > 4.84 mg/l Exposure time: 4 h Determined in the form of dust.	
Acute dermal toxicity	LD50 (male/female combined Rat) > 2,000 mg/kg LD50 (male/female combined Rabbit) > 5,000 mg/kg	
Skin irritation	Mild skin irritation. (Rabbit)	
Eye irritation	Moderate eye irritation. (Rabbit)	
Sensitisation	Non-sensitizing. (Guinea pig)	

Assessment STOT Specific target organ toxicity - repeated exposure

Metribuzin caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver, Kidney.

Assessment mutagenicity

Metribuzin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Metribuzin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH		
Metribuzin Crystalline quartz (respirable)	21087-64-9 14808-60-7	Group A4 Group A2
NTP		
Crystalline quartz (respirable)	14808-60-7	

SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

8/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

IARC

Crystalline quartz (respirable)

OSHA

None.

Assessment toxicity to reproduction

Metribuzin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Metribuzin is related to parental toxicity.

Assessment developmental toxicity

Metribuzin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Metribuzin are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 74.6 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient metribuzin.	
Toxicity to aquatic invertebrates	LC50 (Daphnia magna (Water flea)) 49.6 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient metribuzin.	
Toxicity to aquatic plants	EC50 (Scenedesmus quadricauda (Green algae)) 0.022 mg/l The value mentioned relates to the active ingredient metribuzin.	
Toxicity to bacteria	(activated sludge) 761 mg/l The value mentioned relates to the active ingredient metribuzin.	
Biodegradability	Metribuzin: Not rapidly biodegradable	
Кос	Metribuzin: Koc: 24 - 106	
Bioaccumulation	Metribuzin: Does not bioaccumulate.	
Mobility in soil	Metribuzin: Mobile in soils	
Environmental precautions	Apply this product as specified on the label. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor runoff or drift. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.	



14808-60-7

Overall evaluation: 1



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

9/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	
Product	Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Follow advice on product label and/or leaflet. Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Consult state and local regulations regarding the proper disposal of container.

SECTION 14: TRANSPORT INFORMATION

TDG UN number Labels Packaging group Marine pollutant Proper shipping name	3077 9 III Marine pollutant ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (METRIBUZIN)
49CFR	Not dangerous goods / not hazardous material
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3077 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (METRIBUZIN MIXTURE)
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	3077 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (METRIBUZIN MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 10200007121

10/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than poison; HAVING A DENSITY OF GREATER THAN 20 LBS. PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 17242 **US Federal Regulations TSCA** list None. US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None. SARA Title III - Section 302 - Notification and Information None. SARA Title III - Section 313 - Toxic Chemical Release Reporting Metribuzin 21087-64-9 1.0% **US States Regulatory Reporting** CA Prop65 This product contains a chemical known to the State of California to cause cancer. Crystalline quartz (respirable) 14808-60-7 **US State Right-To-Know Ingredients** Metribuzin 21087-64-9 MN, NJ, RI Crystalline quartz (respirable) 14808-60-7 MN. RI **Canadian Regulations** Canadian Domestic Substance List Crystalline quartz (respirable) 14808-60-7 Environmental CERCLA None. **Clean Water Section 307 Priority Pollutants** None. Safe Drinking Water Act Maximum Contaminant Levels None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate



SENCOR® 75 DF HERBICIDE

Version 2.0 / CDN 102000007121

11/11 Revision Date: 01/10/2018 Print Date: 09/04/2018

CAS-Nr.	Chemical Abstracts Service number				
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act				
EINECS	European inventor	European inventory of existing commercial substances			
ELINCS	European list of no	European list of notified chemical substances			
IARC	International Agen	International Agency for Research on Cancer			
ΙΑΤΑ	International Air Tr	International Air Transport Association			
IMDG	International Maritime Dangerous Goods				
N.O.S.	Not otherwise specified				
NTP	US. National Toxicology Program (NTP) Report on Carcinogens				
OECD	Organization for Economic Co-operation and Development				
TDG	Transportation of Dangerous Goods				
TWA	Time weighted average				
UN	United Nations				
WHO	WHO World health organisation				
NFPA 704 (National Fire Protection Association):					
Health - 1 F	lammability - 3	Instability - 1	Others - none		
HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)					
Health - 1 F	lammability - 3	Physical Hazard - 1	PPE -		
0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard					

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 01/10/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.